



FLEURCO™

Compact Catalogue 2025

Shower Doors, Bases, LED Mirrors,
LED Medicine Cabinets & Bathtubs

FLEURCO INC. **CANADA** Tel: 1.514.326.2222 | Toll Free: 1.800.993.0033 | Fax: 1.514.326.2008 | www.fleurco.com

FLEURCO INC. **USA EAST** Tel: 856.778.0110 | Toll Free: 1.888.568.2121 | Fax: 1.888.854.1020

FLEURCO INC. **USA SOUTHEAST** Tel: 239.401.6612 | Toll Free: 1.888.877.6008

FLEURCO INC. **USA MIDWEST** Tel: 630.607.0847 | Toll Free: 1.888.263.3651 | Fax: 331.225.2549

FLEURCO INC. **USA WEST** Tel: 562.368.8800 | Toll Free: 1.877.413.2880 | Fax: 562.368.8812

LIMITED PRODUCT WARRANTY

This limited warranty is valid for the original end-used purchaser/consumer (herein, the “original purchaser”) only and may not be transferred or assigned.

The original purchaser must carefully read and retain a copy of this warranty together with the original installation manual for the limited warranty purposes. If the original purchaser has not received a copy of the installation manual, it may be obtained online at www.fleurco.com or by contacting Fleurco Products Inc. at 1-800-993-0033.

Fleurco Products Inc. (“Fleurco”) warrants all shower doors composed primarily of tempered glass¹, PVC seals, aluminum, stainless steel and/or brass, and its Microtek® repellent coating, as well as all acrylic shower bases and tubs composed primarily of acrylic sheet and fiberglass, to be free from defects in material and workmanship under normal use and maintenance for a period of ten (10) years from the original date of purchase.

Fleurco warrants all lighted mirrors (except LED cosmetic mirrors) and LED medicine cabinets composed primarily of glass, aluminum and electric components, medicine cabinets, polymarble textured bases, bathroom accessories and vanities, as well as all solid surface tubs, to be free from defects in material and workmanship under normal use and maintenance for a period of years (5) years from the original date of purchase.

Fleurco warrants its LED cosmetic mirrors to be free from defects in material and workmanship under normal use and maintenance for a period of three (3) years from the original date of purchase.

The limited product warranty for Fibo by Fleurco Wall Systems is available at www.fleurco.com/fibo.

Fleurco warrants its SEKUR+ (Shatter Retention Technology) film to be free from defects in material and workmanship under normal use and maintenance for a period of (5) years from the original date of purchase.

The above-mentioned products are collectively referred to as, the “Products” and individually referred to as, a “Product” for the purposes hereof.

If used in commercial units, Fleurco warrants the Products to be free from defects in material and workmanship under normal use and maintenance for a period of one (1) year from the original date of installation.

To the maximum extent permitted under applicable law, no other representation or warranty, expressed or implied, legal or otherwise is given or made by Fleurco regarding the Products.

It is the original purchaser’s obligation to verify that the Product is exempt from any defect prior to its installation.

For any claims under this limited warranty, the original purchaser is required to follow the warranty claim procedure provided for below.

Acts Invalidating Limited Warranty

This limited warranty does not apply to:

1. Products purchased from unauthorized Fleurco distributors or resellers;
2. Products relocated after initial installation;
3. Products which are modified and/or combined with products manufactured or supplied by others, including but not limited to shading devices (eg tinting, security films, or glazings);
4. Products which have defects or damage which result from improper installation, negligence or accidents, or any act of God including those that take place underground including natural settlement of the structure;
5. Products which are damaged or deteriorated due to incorrect operating procedures and/or misuse and/or improper maintenance;
6. Products which have been installed contrary to Fleurco’s printed installation manual;
7. Products which have been subjected to alteration and/or modification;
8. Products which have been exposed to chemicals and/or abrasive products;
9. Stained Products resulting from hard water, ferrous water or salty water; and
10. Products used on structures for which it was not designed.

To avoid improper installation/maintenance and consequently prevent potential Product breakage or damage leading to personal injuries, property damage, death, or invalidation of the limited warranty set forth herein, Fleurco recommends that its products be installed by an experienced professional in bathroom products installation.

Products that fall outside of the limited warranty provided herein remain the sole responsibility of the original purchaser without any recourse against Fleurco.

Limited Warranty Performance

In the event of any defective Product covered under this limited warranty, Fleurco will only be obligated, at Fleurco’s sole option, to repair the defective part or unit of the Product or to furnish a new or rebuilt part or unit of the Product of equivalent value in exchange for the part or unit of the Product that is defective. All labour costs related to any replacement Products shall be at the cost of the original purchaser. Fleurco’s aggregate liability hereunder shall be limited to the lesser of the suggested manufacturer’s retail price of the Product at the moment of Purchase by the original purchaser and the actual purchase price paid for the Product by the original purchaser. Furthermore, Fleurco will not be responsible for the cost of repairs or replacement of installation materials such as tiles, marble, vanities, etc. and the labour costs related thereto.

To acquire further assistance and/or obtain warranty service, follow the instructions for the Limited Warranty Claim Form that are available online at www.fleurco.com/ warranty. All limited warranty service requests must be accompanied by the original purchase receipt. Fleurco must receive the written notice within fifteen (15) days of the time the Product defect is discovered. Upon the acceptance of a warranty claim by Fleurco, Fleurco will advise the original purchaser of the corrective action, if any, that will be undertaken by Fleurco. If requested by Fleurco, the original purchaser must return any defective Product that Fleurco has agreed to replace in its original packaging (at the cost of the original purchaser).

In order for this limited warranty to be valid, the Product and its components must be accessible for on-site inspection by a representative appointed by Fleurco.

Disclaimer

To the maximum extent permitted under applicable law, Fleurco expressly disclaims and excludes any liability for consequential, special, or incidental damage nor for damage caused or resulting from fortuitous event, loss of time, loss of use, inconvenience, unnecessary expenses, labour, material or other costs with respect to the application of this limited warranty or with respect to the removal or replacement of a defective Product. Under no circumstances shall Fleurco or any of its representatives be held liable for corporeal/personal injuries to any person or damage to any property however arising. All warranties are limited to the applicable statute of limitations/prescription periods, but in no case will they extend beyond the time periods set forth herein. The remedies provided for herein shall be limited to repair or replacement of the Product provided by this limited warranty and is the exclusive remedy with respect to any loss or damage. **THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, WHICH EXTEND BEYOND THE DESCRIPTION SET FORTH HEREIN AND ANY IMPLIED WARRANTIES ARISING AT COMMON LAW OR BY STATUTE ARE EXPRESSLY DISCLAIMED BY FLEURCO.**

Fleurco reserves the right to amend this limited warranty without notice at any time. Such amendment will not impact the limited warranty terms and conditions effective at the time of the purchase of the Products concerned by the original purchaser.

In case any one or more of the terms and conditions contained in this limited warranty shall, for any reason, be held invalid, illegal or unenforceable in any respect, such invalidity, illegality or unenforceability shall not affect the other terms and conditions of the limited warranty, and this limited warranty, shall be construed as if such invalid, illegal or unenforceable provision had never been contained herein. If moreover, any one or more of the terms and conditions contained in this limited warranty shall for any reason be held to be excessively broad as to duration, geographical scope, activity or subject, it shall be construed by limiting and reducing it, as to be enforceable to the extent compatible with the applicable law as it shall then appear.

¹ Although highly unlikely, please note that due to the nature of the product, glass has an inherent possibility of breakage.

Compact Catalogue 2025

Shower Doors, Bases, LED Mirrors, LED Medicine Cabinets & Bathtubs

BYPASS

4-31



IN-LINE

2 SIDED

TUB ENCLOSURE

BYPASS IN-LINE

6-13

BYPASS 2 SIDED


14-21

BYPASS TUBS

22-31

SLIDING

32-79



IN-LINE

2 SIDED

TUB ENCLOSURE

SLIDING IN-LINE

34-45

SLIDING 2 SIDED


46-63

SLIDING TUBS

64-77

PIVOT

80-99



IN-LINE

2 SIDED

PIVOT IN-LINE


82-91

PIVOT 2 SIDED

92-99

WALK-IN

100-119



SHOWER SHIELD

SHOWER PANEL

TUB SHIELD

TUB PANEL

WALK-IN SHOWER SHIELDS

102-105

WALK-IN SHOWER PANELS

106-111

WALK-IN TUB SHIELDS

112-115

WALK-IN TUB PANELS

116-119

BASES & WALLS

121-125

FIBO BY FLEURCO

121

BASES

122-125

LUNA

126-142

LED MIRRORS

126-133


LED MEDICINE CABINETS

134-142

BATHTUBS

143-155

BYPASS IN-LINE SHOWERS



GEMINI PLUS..... 6-7
Frameless sliding doors
Sizes: 48, 54, 60

M SEKUR⁺ ● ● ● ● C Mi

NEW!
MIST GLASS



GEMINI..... 8-9
Frameless sliding doors
Sizes: 48, 54, 60

M SEKUR⁺ ● ● ● ● C



MERCURY..... 10-11
Frameless sliding doors
Sizes: 48, 60, 72

M SEKUR⁺ ● ● ● ● C



CORDOBA PLUS..... 12-13
Semi-frameless sliding doors
Sizes: 48, 60, 61, 72

SEKUR⁺ ● ● ● ● C

BYPASS 2 SIDED SHOWERS



GEMINI PLUS..... 14-15
Frameless sliding doors with return panel
Sizes: 48, 54, 60

M SEKUR⁺ ● ● ● ● C Mi

NEW!
MIST GLASS



GEMINI..... 16-17
Frameless sliding doors with return panel
Sizes: 48, 54, 60

M SEKUR⁺ ● ● ● ● C



MERCURY..... 18-21
Frameless sliding doors with return panel
Sizes: 48, 60, 72

M SEKUR⁺ ● ● ● ● C

M Glass surface protection



See website for more information

SEKUR⁺ Safety Protection



For more information, see page 120

Available finishes

- Chrome
- Brushed Nickel
- Matte Black
- Brushed Gold

Glass type

- C Clear
- Mi Mist

BYPASS TUB ENCLOSURES



GEMINI PLUS.....22-23
Frameless sliding doors
Sizes: 60, 65



M SEKUR+ ● ● ● ● C Mi



GEMINI PLUS 2 SIDED TUB ENCLOSURE.....24-25
Frameless sliding doors with return panel
Sizes: 6030, 6032, 6530, 6532



M SEKUR+ ● ● ● ● C



GEMINI.....26-27
Frameless sliding doors
Sizes: 60

M SEKUR+ ● ● ● ● C



MERCURY.....28--29
Frameless sliding doors
Size: 60

M SEKUR+ ● ● ● ● C



CORDOBA PLUS.....30-31
Semi-frameless sliding doors
Size: 60

SEKUR+ ● ● ● ● C

M Glass surface protection



See website for more information

SEKUR+ Safety Protection



For more information, see page 120

Available finishes

- Chrome
- Brushed Nickel
- Matte Black
- Brushed Gold

Glass type

- C Clear
- Mi Mist

GEMINI^{PLUS} In-line

Frameless sliding doors

3/8" (10 mm) Tempered glass • 79" Height

BYPASS 48

45" to 48" W x 79" H • Approx. entry: 20 1/4" to 23 1/4"

MODEL	FINISH	GLASS
NPS148-11-40	Chrome	Clear
NPS148-25-40	Brushed Nickel	Clear
NPS148-33-40	Matte Black	Clear
NPS148-12-40	Brushed Gold	Clear
NPS148-11-80	Chrome	Mist
NPS148-25-80	Brushed Nickel	Mist
NPS148-33-80	Matte Black	Mist
NPS148-12-80	Brushed Gold	Mist
BASE	SIZE	
ADQ3248-18	48" x 32" x 2 3/4"	
ADQ3448-18	48" x 34" x 2 3/4"	
ABE3648-18-11 or 25-B	48" x 36" x 3"	
ADQ3648-18	48" x 36" x 2 3/4"	
ATAS2-3648- _ NEW!	48" x 36" x 1 3/8"	
AU _ 3648-33	48" x 36" x 2 3/4"	
AULV3648-18	48" x 36" x 1 1/2"*	
ABF4836-18-3-B	48" x 36" x 2 3/4"	
ADT4836-18-3	48" x 36" x 3"	
ALT4836-18-3	48" x 36" x 2 3/4"	
AZM4836-18-11 or 25-B	48" x 36" x 1 3/8"*	
ADT4842-18-3	48" x 42" x 3"	

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

BYPASS 54

51" to 54" W x 79" H • Approx. entry: 23 1/4" to 26 1/4"

MODEL	FINISH	GLASS
NPS154-11-40	Chrome	Clear
NPS154-25-40	Brushed Nickel	Clear
NPS154-33-40	Matte Black	Clear
NPS154-12-40	Brushed Gold	Clear
NPS154-11-80	Chrome	Mist
NPS154-25-80	Brushed Nickel	Mist
NPS154-33-80	Matte Black	Mist
NPS154-12-80	Brushed Gold	Mist
BASE	SIZE	
ADT5436-18-3	54" x 36" x 3"	

For more information on bases, see www.fleurco.com

NEW!
MIST GLASS



Glass surface protection



BYPASS 60

57" to 60" W x 79" H • Approx. entry: 26 1/4" to 29 1/4"

MODEL	FINISH	GLASS
NPS160-11-40	Chrome	Clear
NPS160-25-40	Brushed Nickel	Clear
NPS160-33-40	Matte Black	Clear
NPS160-12-40	Brushed Gold	Clear
NPS160-11-80	Chrome	Mist
NPS160-25-80	Brushed Nickel	Mist
NPS160-33-80	Matte Black	Mist
NPS160-12-80	Brushed Gold	Mist
BASE	SIZE	
ADQ3060-18	60" x 30" x 2 3/4"	
ABE3260-18-11 or 25-B	60" x 32" x 3"	
ADQ3260-18	60" x 32" x 2 3/4"	
ATAS2-3260- _ NEW!	60" x 32" x 1 1/2"	
AU _ 3260-33	60" x 32" x 2 3/4"	
AULV3260-18	60" x 32" x 1 1/2"*	
ABF6032-18-L3 or R3-B	60" x 32" x 2 3/4"	
ADT6032-18-L3 or R3	60" x 32" x 3"	
ALT6032-18-L3 or R3	60" x 32" x 2 3/4"	
AZM6032-18-11 or 25-B	60" x 32" x 1 3/8"*	
ADQ3460-18	60" x 34" x 2 3/4"	
ABE3660-18-11 or 25-B	60" x 36" x 3"	
ADQ3660-18	60" x 36" x 2 3/4"	
ATAS2-3660- _ NEW!	60" x 36" x 1 3/8"	
AU _ 3660-33	60" x 36" x 2 3/4"	
AULV3660-18	60" x 36" x 1 1/2"*	
ABF6036-18-3-B	60" x 36" x 2 3/4"	
ADT6036-18-3	60" x 36" x 3"	
ALT6036-18-3	60" x 36" x 2 3/4"	
AZM6036-18-11 or 25-B	60" x 36" x 1 3/8"*	
ADQ4260-18	60" x 42" x 2 3/4"	
ADQ4860-18	60" x 48" x 2 3/4"	

*Unfinished height of threshold

For more information on bases, see www.fleurco.com



**SCAN HERE
FOR PRICES**



NEW!
MIST GLASS

NPS160-12-40

GEMINI *PLUS* In-line

Frameless sliding doors

10
year limited
warranty

2 sliding door panels for right or left hand entry

Anti-jump safety roller system

3/8" (10mm) clear or mist tempered glass

Shower door height: 79"

Chrome, Brushed Nickel, Matte Black & Brushed Gold finishes

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

1/4" (6 mm) Tempered clear glass • 75" Height

BYPASS 48

45" to 48" W x 75" H • Approx. entry: 20 1/4" to 23 1/4"

MODEL	FINISH
NGS148-11-40	Chrome
NGS148-25-40	Brushed Nickel
NGS148-33-40	Matte Black
NGS148-12-40	Brushed Gold
BASE	SIZE
ADQ3248-18	48" x 32" x 2 3/4"
ADQ3448-18	48" x 34" x 2 3/4"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 3/4"
ATAS2-3648- NEW!	48" x 36" x 1 3/8"
AU _ 3648-33	48" x 36" x 2 3/4"
AULV3648-18	48" x 36" x 1 1/2"*
ABF4836-18-3-B	48" x 36" x 2 3/4"
ADT4836-18-3	48" x 36" x 3"
ALT4836-18-3	48" x 36" x 2 3/4"
AZM4836-18-11 or 25-B	48" x 36" x 1 3/8"*
ADT4842-18-3	48" x 42" x 3"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

BYPASS 54

51" to 54" W x 75" H • Approx. entry: 23 1/4" to 26 1/4"

MODEL	FINISH
NGS154-11-40	Chrome
NGS154-25-40	Brushed Nickel
NGS154-33-40	Matte Black
NGS154-12-40	Brushed Gold
BASE	SIZE
ADT5436-18-3	54" x 36" x 3"

For more information on bases, see www.fleurco.com

BYPASS 60

57" to 60" W x 75" H • Approx. entry: 26 1/4" to 29 1/4"

MODEL	FINISH
NGS160-11-40	Chrome
NGS160-25-40	Brushed Nickel
NGS160-33-40	Matte Black
NGS160-12-40	Brushed Gold
BASE	SIZE
ADQ3060-18	60" x 30" x 2 3/4"
ABE3260-18-11 or 25-B	60" x 32" x 3"
ADQ3260-18	60" x 32" x 2 3/4"
ATAS2-3260- NEW!	60" x 32" x 1 1/2"
AU _ 3260-33	60" x 32" x 2 3/4"
AULV3260-18	60" x 32" x 1 1/2"*
ABF6032-18-L3 or R3-B	60" x 32" x 2 3/4"
ADT6032-18-L3 or R3	60" x 32" x 3"
ALT6032-18-L3 or R3	60" x 32" x 2 3/4"
AZM6032-18-11 or 25-B	60" x 32" x 1 3/8"*
ADQ3460-18	60" x 34" x 2 3/4"
ABE3660-18-11 or 25-B	60" x 36" x 3"
ADQ3660-18	60" x 36" x 2 3/4"
ATAS2-3660- NEW!	60" x 36" x 1 3/8"
AU _ 3660-33	60" x 36" x 2 3/4"
AULV3660-18	60" x 36" x 1 1/2"*
ABF6036-18-3-B	60" x 36" x 2 3/4"
ADT6036-18-3	60" x 36" x 3"
ALT6036-18-3	60" x 36" x 2 3/4"
AZM6036-18-11 or 25-B	60" x 36" x 1 3/8"*
ADQ4260-18	60" x 42" x 2 3/4"
ADQ4860-18	60" x 48" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com



**SCAN HERE
FOR PRICES**



GEMINI In-line

Frameless sliding doors

10
year limited
warranty

2 sliding door panels for right or left hand entry

Anti-jump safety roller system

1/4" (6mm) clear tempered glass

Shower door height: 75"

Chrome, Brushed Nickel, Matte Black & Brushed Gold finishes

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

5/16" (8 mm) Tempered clear glass • 79" or 86" Height

BYPASS 48

45" to 48" W • Approx. entry: 20 ¼" to 23 ¼"

MODEL	FINISH	HEIGHT
NMS148-11-40①-79	Chrome	79"
NMS148-25-40 _ -79	Brushed Nickel	79"
NMS148-33-40 _ -79	Matte Black	79"
NMS148-11-40①-86	Chrome	86"
NMS148-25-40 _ -86	Brushed Nickel	86"
NMS148-33-40 _ -86	Matte Black	86"
BASE	SIZE	
ADQ3248-18	48" x 32" x 2 ¾"	
ADQ3448-18	48" x 34" x 2 ¾"	
ABE3648-18-11 or 25-B	48" x 36" x 3"	
ADQ3648-18	48" x 36" x 2 ¾"	
ATAS2-3648- _ NEW!	48" x 36" x 1 ⅜"	
AU _ 3648-33	48" x 36" x 2 ¾"	
AULV3648-18	48" x 36" x 1 ½"*	
ABF4836-18-3-B	48" x 36" x 2 ¾"	
ADT4836-18-3	48" x 36" x 3"	
ALT4836-18-3	48" x 36" x 2 ¾"	
AZM4836-18-11 or 25-B	48" x 36" x 1 ⅜"*	
ADT4842-18-3	48" x 42" x 3"	

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

BYPASS 72

69" to 72" W x 79" H • Approx. entry: 32 ½" to 35 ½"

MODEL	FINISH	HEIGHT
NMS172-11-40①-79	Chrome	79"
NMS172-25-40 _ -79	Brushed Nickel	79"
NMS172-33-40 _ -79	Matte Black	79"
BASE	SIZE	
ADQ3672-18	72" x 36" x 2 ¾"	

For more information on bases, see www.fleurco.com

BYPASS 60

57" to 60" W • Approx. entry: 26 ¼" to 29 ¼"


MODEL	FINISH	HEIGHT
NMS160-11-40①-79	Chrome	79"
NMS160-25-40 _ -79	Brushed Nickel	79"
NMS160-33-40 _ -79	Matte Black	79"
NMS160-11-40①-86	Chrome	86"
NMS160-25-40 _ -86	Brushed Nickel	86"
NMS160-33-40 _ -86	Matte Black	86"
BASE	SIZE	
ADQ3060-18	60" x 30" x 2 ¾"	
ABE3260-18-11 or 25-B	60" x 32" x 3"	
ADQ3260-18	60" x 32" x 2 ¾"	
ATAS2-3260- _ NEW!	60" x 32" x 1 ½"	
AU _ 3260-33	60" x 32" x 2 ¾"	
AULV3260-18	60" x 32" x 1 ½"*	
ABF6032-18-L3 or R3-B	60" x 32" x 2 ¾"	
ADT6032-18-L3 or R3	60" x 32" x 3"	
ALT6032-18-L3 or R3	60" x 32" x 2 ¾"	
AZM6032-18-11 or 25-B	60" x 32" x 1 ⅜"*	
ADQ3460-18	60" x 34" x 2 ¾"	
ABE3660-18-11 or 25-B	60" x 36" x 3"	
ADQ3660-18	60" x 36" x 2 ¾"	
ATAS2-3660- _ NEW!	60" x 36" x 1 ⅜"	
AU _ 3660-33	60" x 36" x 2 ¾"	
AULV3660-18	60" x 36" x 1 ½"*	
ABF6036-18-3-B	60" x 36" x 2 ¾"	
ADT6036-18-3	60" x 36" x 3"	
ALT6036-18-3	60" x 36" x 2 ¾"	
AZM6036-18-11 or 25-B	60" x 36" x 1 ⅜"*	
ADQ4260-18	60" x 42" x 2 ¾"	
ADQ4860-18	60" x 48" x 2 ¾"	

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

DOOR OPTIONS

Insert code "L" or "R" to indicate inner door side



SCAN HERE
FOR PRICES

NMS160-11-40R-79

MERCURY In-line

Frameless sliding doors

10
year limited
warranty

2 sliding door panels for right or left hand entry

Anti-jump safety roller system

Vertical handles

5/16" (8mm) clear tempered glass

Shower door height: 79" or 86"

Chrome, Brushed Nickel & Matte Black finishes

 **FLEURCO™SEKUR⁺**

SAFETY PROTECTION *

*5 year limited warranty

 **Microtek®**
FLEURCO

Glass surface protection

Semi-frameless sliding doors

3/8" (10 mm) Tempered clear glass • 75" Height (Bypass 61: 79" H) 1/4" (6 mm) Tempered clear glass • 75" Height

BYPASS 48

44" to 48" W x 75" H • Approx. entry: 20" to 24"

MODEL	FINISH
1/4" (6 mm) tempered glass	
CKS148-11-40	Chrome
CKS148-25-40	Brushed Nickel
CKS148-33-40	Matte Black
3/8" (10 mm) tempered glass	
CLS148-11-40	Chrome
CLS148-25-40	Brushed Nickel
CLS148-33-40	Matte Black
BASE	SIZE
ADQ3248-18	48" x 32" x 2 3/4"
ADQ3448-18	48" x 34" x 2 3/4"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 3/4"
ATAS2-3648- _ NEW!	48" x 36" x 1 3/8"
AU _ 3648-33	48" x 36" x 2 3/4"
AULV3648-18	48" x 36" x 1 1/2"*
ABF4836-18-3-B	48" x 36" x 2 3/4"
ADT4836-18-3	48" x 36" x 3"
ALT4836-18-3	48" x 36" x 2 3/4"
AZM4836-18-11 or 25-B	48" x 36" x 1 3/8"*
ADT4842-18-3	48" x 42" x 3"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

BYPASS 61

58" to 62" W x 79" H • Approx. entry: 25" to 29"


MODEL	FINISH
3/8" (10 mm) tempered glass	
CLS161-11-40	Chrome
CLS161-25-40	Brushed Nickel
BASE	SIZE
ABF3763AD-18-11 or 25-B	63" x 38 1/2" x 1 3/8"*

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

ABF3763AD

Flanged Covered Linear Style


**SCAN HERE
FOR PRICES**

BYPASS 60

56" to 60" W x 75" H • Approx. entry: 24" to 28"

MODEL	FINISH
1/4" (6 mm) tempered glass	
CKS160-11-40	Chrome
CKS160-25-40	Brushed Nickel
CKS160-33-40	Matte Black
3/8" (10 mm) tempered glass	
CLS160-11-40	Chrome
CLS160-25-40	Brushed Nickel
CLS160-33-40	Matte Black
BASE	SIZE
ADQ3060-18	60" x 30" x 2 3/4"
ABE3260-18-11 or 25-B	60" x 32" x 3"
ADQ3260-18	60" x 32" x 2 3/4"
ATAS2-3260- _ NEW!	60" x 32" x 1 1/2"
AU _ 3260-33	60" x 32" x 2 3/4"
AULV3260-18	60" x 32" x 1 1/2"*
ABF6032-18-L3 or R3-B	60" x 32" x 2 3/4"
ADT6032-18-L3 or R3	60" x 32" x 3"
ALT6032-18-L3 or R3	60" x 32" x 2 3/4"
AZM6032-18-11 or 25-B	60" x 32" x 1 3/8"*
ADQ3460-18	60" x 34" x 2 3/4"
ABE3660-18-11 or 25-B	60" x 36" x 3"
ADQ3660-18	60" x 36" x 2 3/4"
ATAS2-3660- _ NEW!	60" x 36" x 1 3/8"
AU _ 3660-33	60" x 36" x 2 3/4"
AULV3660-18	60" x 36" x 1 1/2"*
ABF6036-18-3-B	60" x 36" x 2 3/4"
ADT6036-18-3	60" x 36" x 3"
ALT6036-18-3	60" x 36" x 2 3/4"
AZM6036-18-11 or 25-B	60" x 36" x 1 3/8"*
ADQ4260-18	60" x 42" x 2 3/4"
ADQ4860-18	60" x 48" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

BYPASS 72

68" to 72" W x 75" H • Approx. entry: 30" to 34"

MODEL	FINISH
3/8" (10 mm) tempered glass	
CLS172-11-40	Chrome
CLS172-25-40	Brushed Nickel
BASE	SIZE
ADQ3672-18	72" x 36" x 2 3/4"

For more information on bases, see www.fleurco.com



CORDOBA *PLUS* In-line

Semi-frameless sliding doors

10
year limited
warranty

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

2 sliding door panels for right or left hand entry

Header features built in anti-jump system

Anti-rattle tracking system

3/8" (10mm) and 1/4" (6mm) clear tempered glass

Shower door height: 75" (79" for bypass 61)

Chrome, Brushed Nickel & Matte Black (certain models only) finishes

3/8" (10 mm) Tempered glass • 79" Height

RP You must indicate your return panel size 32", 36" or 42" in the "RP" field

BYPASS 48 WITH RETURN PANEL


45" to 48" W x 79" H • Approx. entry: 20 1/4" to 23 1/4"

MODEL	FINISH	GLASS
NPUS48 RP ①-11-40	Chrome	Clear
NPUS48 __ -25-40	Brushed Nickel	Clear
NPUS48 __ -33-40	Matte Black	Clear
NPUS48 __ -12-40	Brushed Gold	Clear
NPUS4836 ①-11-80	Chrome	Mist
NPUS4836 __ -25-80	Brushed Nickel	Mist
NPUS4836 __ -33-80	Matte Black	Mist
NPUS4836 __ -12-80	Brushed Gold	Mist

BASE	SIZE
ADQ3248-18	48" x 32" x 2 3/4"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 3/4"
ATAS2-3648- NEW!	48" x 36" x 1 3/8"
AU_3648-33	48" x 36" x 2 3/4"
AULV3648-18	48" x 36" x 1 1/2"*
ADT4836-18-L2 or R2	48" x 36" x 3"
ADTC4836-18-L2 or R2	48" x 36" x 3"
ALT4836-18-L2 or R2	48" x 36" x 2 3/4"
ADT4842-18-L2 or R2	48" x 42" x 3"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com



RETURN PANELS
32" RP = 29 3/8" to 29 7/8"
36" RP = 33 3/8" to 33 7/8"
42" RP = 39 3/8" to 39 7/8"



SCAN HERE
FOR PRICES



Glass surface protection



BYPASS 54 WITH RETURN PANEL

51" to 54" W x 79" H • Approx. entry: 23 1/4" to 26 1/4"

MODEL	FINISH	GLASS
NPUS54 RP ①-11-40	Chrome	Clear
NPUS54 __ -25-40	Brushed Nickel	Clear
NPUS54 __ -33-40	Matte Black	Clear
NPUS54 __ -12-40	Brushed Gold	Clear
NPUS5436 ①-11-80	Chrome	Mist
NPUS5436 __ -25-80	Brushed Nickel	Mist
NPUS5436 __ -33-80	Matte Black	Mist
NPUS5436 __ -12-80	Brushed Gold	Mist

BASE	SIZE
ADT5436-18-L2 or R2	54" x 36" x 3"

For more information on bases, see www.fleurco.com

BYPASS 60 WITH RETURN PANEL

57" to 60" W x 79" H • Approx. entry: 26 1/4" to 29 1/4"

MODEL	FINISH	GLASS
NPUS60 RP ①-11-40	Chrome	Clear
NPUS60 __ -25-40	Brushed Nickel	Clear
NPUS60 __ -33-40	Matte Black	Clear
NPUS60 __ -12-40	Brushed Gold	Clear
NPUS6036 ①-11-80	Chrome	Mist
NPUS6036 __ -25-80	Brushed Nickel	Mist
NPUS6036 __ -33-80	Matte Black	Mist
NPUS6036 __ -12-80	Brushed Gold	Mist

BASE	SIZE
ABE3260-18-11 or 25-B	60" x 32" x 3"
ADQ3260-18	60" x 32" x 2 3/4"
ATAS2-3260- NEW!	60" x 32" x 1 1/2"
AU_3260-33	60" x 32" x 2 3/4"
AULV3260-18	60" x 32" x 1 1/2"*
ABE3660-18-11 or 25-B	60" x 36" x 3"
ADQ3660-18	60" x 36" x 2 3/4"
ATAS2-3660- NEW!	60" x 36" x 1 3/8"
AU_3660-33	60" x 36" x 2 3/4"
AULV3660-18	60" x 36" x 1 1/2"*
ADT6036-18-L2 or R2	60" x 36" x 3"
ADTC6036-18-L2 or R2 NEW!	60" x 36" x 3"
ALT6036-18-L2 or R2	60" x 36" x 2 3/4"
ADQ4260-18	60" x 42" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com



NEW!
MIST GLASS

GEMINI *PLUS* 2 Sided

Frameless sliding doors with return panel

10
year limited
warranty

2 sliding door panels for right or left hand entry

Anti-jump safety roller system

3/8" (10mm) clear or mist* tempered glass

Shower door height: 79"

Chrome, Brushed Nickel, Matte Black & Brushed Gold finishes

*Certain dimensions only. See page 14 for more information.

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

1/4" (6 mm) Tempered clear glass • 75" Height

RP You must indicate your return panel size **32"** or **36"** in the "RP" field

BYPASS 48 WITH RETURN PANEL

45" to 48" W x 75" H · Approx. entry: 20 1/4" to 23 1/4"

MODEL	FINISH	BASE	SIZE
NGUS48 RP ①-11-40	Chrome	ADQ3248-18	48" x 32" x 2 3/4"
NGUS48 ___-25-40	Brushed Nickel	ABE3648-18-11 or 25-B	48" x 36" x 3"
NGUS48 ___-33-40	Matte Black	ADQ3648-18	48" x 36" x 2 3/4"
NGUS48 ___-12-40	Brushed Gold	ATAS2-3648- NEW!	48" x 36" x 1 3/8"
		AU_3648-33	48" x 36" x 2 3/4"
		AULV3648-18	48" x 36" x 1 1/2"*
		ADT4836-18-L2 or R2	48" x 36" x 3"
		ADTC4836-18-L2 or R2	48" x 36" x 3"
		ALT4836-18-L2 or R2	48" x 36" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

BYPASS 54 WITH RETURN PANEL

51" to 54" W x 75" H · Approx. entry: 23 1/4" to 26 1/4"

MODEL	FINISH	BASE	SIZE
NGUS54 RP ①-11-40	Chrome	ADT5436-18-L2 or R2	54" x 36" x 3"
NGUS54 ___-25-40	Brushed Nickel	For more information on bases, see www.fleurco.com	
NGUS54 ___-33-40	Matte Black		
NGUS54 ___-12-40	Brushed Gold		

BYPASS 60 WITH RETURN PANEL

57" to 60" W x 75" H · Approx. entry: 26 1/4" to 29 1/4"


MODEL	FINISH	BASE	SIZE
NGUS60 RP ①-11-40	Chrome	ABE3260-18-11 or 25-B	60" x 32" x 3"
NGUS60 ___-25-40	Brushed Nickel	ADQ3260-18	60" x 32" x 2 3/4"
NGUS60 ___-33-40	Matte Black	ATAS2-3260- NEW!	60" x 32" x 1 1/2"
NGUS60 ___-12-40	Brushed Gold	AU_3260-33	60" x 32" x 2 3/4"
		AULV3260-18	60" x 32" x 1 1/2"*
		ABE3660-18-11 or 25-B	60" x 36" x 3"
		ADQ3660-18	60" x 36" x 2 3/4"
		ATAS2-3660- NEW!	60" x 36" x 1 3/8"
		AU_3660-33	60" x 36" x 2 3/4"
		AULV3660-18	60" x 36" x 1 1/2"*
		ADT6036-18-L2 or R2	60" x 36" x 3"
		ADTC6036-18-L2 or R2 NEW!	60" x 36" x 3"
		ALT6036-18-L2 or R2	60" x 36" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

DOOR OPTIONS

Insert code "L" or "R" to indicate return panel side



RETURN PANELS

32" RP = 29 3/8" to 29 7/8"

36" RP = 33 3/8" to 33 7/8"



**SCAN HERE
FOR PRICES**



BYPASS 2 SIDED SHOWERS

NGUS6036L-12-40

GEMINI² Sided

Frameless sliding doors with return panel

10
year limited
warranty

2 sliding door panels for right or left hand entry

Anti-jump safety roller system

1/4" (6mm) clear tempered glass

Shower door height: 75"

Chrome, Brushed Nickel, Matte Black & Brushed Gold finishes

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

5/16" (8 mm) Tempered clear glass • 79" or 86" Height

RP You must indicate your return panel size **32"**, **36"** or **42"** in the "RP" field**

**32" & 42" return panels are not available with 86" height.

BYPASS 48 WITH RETURN PANEL ON LEFT SIDE

45" to 48" W · Approx. entry: 20 ¼" to 23 ¼"

MODEL	FINISH	HEIGHT
NMS248R RP L-11-40-79	Chrome	79"
NMS248R __ L-25-40-79	Brushed Nickel	79"
NMS248R __ L-33-40-79	Matte Black	79"
NMS248R36L-11-40-86	Chrome	86"
NMS248R36L-25-40-86	Brushed Nickel	86"
NMS248R36L-33-40-86	Matte Black	86"

For suggested shower bases visit www.fleurco.com and search model number.

BYPASS 60 WITH RETURN PANEL ON LEFT SIDE

57" to 60" W · Approx. entry: 26 ¼" to 29 ¼"

MODEL	FINISH	HEIGHT
NMS260R RP L-11-40-79	Chrome	79"
NMS260R __ L-25-40-79	Brushed Nickel	79"
NMS260R __ L-33-40-79	Matte Black	79"
NMS260R36L-11-40-86	Chrome	86"
NMS260R36L-25-40-86	Brushed Nickel	86"
NMS260R36L-33-40-86	Matte Black	86"

For suggested shower bases visit www.fleurco.com and search model number.

BYPASS 72 WITH RETURN PANEL ON LEFT SIDE


69" to 72" W · Approx. entry: 32 ½" to 35 ½"

MODEL	FINISH	HEIGHT
NMS272R RP L-11-40-79	Chrome	79"
NMS272R __ L-25-40-79	Brushed Nickel	79"
NMS272R __ L-33-40-79	Matte Black	79"

For suggested shower bases visit www.fleurco.com and search model number.

Inner door & return panel must be on opposite sides for this configuration.

Inner door closes against wall



Door front Inner door side

NMS2 60 R 32 L -11-40-79

Return panel Return panel side

RETURN PANELS**

32" RP = 29 ¾" to 29 ⅞"

36" RP = 33 ¾" to 33 ⅞"

42" RP = 39 ¾" to 39 ⅞"

**32" & 42" return panels are not available with 86" height.



MERCURY 2 Sided

Frameless sliding doors with return panel

10
year limited
warranty

- 2 sliding door panels for right or left hand entry
- Anti-jump safety roller system
- Vertical handles
- 5/16" (8mm) clear tempered glass
- Shower door height: 79" or 86"
- Chrome, Brushed Nickel & Matte Black finishes

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

5/16" (8 mm) Tempered clear glass • 79" or 86" Height

RP You must indicate your return panel size **32"**, **36"** or **42"** in the "RP" field**

**32" & 42" return panels are not available with 86" height.

BYPASS 48 WITH RETURN PANEL ON RIGHT SIDE

45" to 48" W · Approx. entry: 20 ¼" to 23 ¼"

MODEL	FINISH	HEIGHT
NMS248L RP R-11-40-79	Chrome	79"
NMS248L __ R-25-40-79	Brushed Nickel	79"
NMS248L __ R-33-40-79	Matte Black	79"
NMS248L36R-11-40-86	Chrome	86"
NMS248L36R-25-40-86	Brushed Nickel	86"
NMS248L36R-33-40-86	Matte Black	86"

For suggested shower bases visit www.fleurco.com and search model number.

BYPASS 60 WITH RETURN PANEL ON RIGHT SIDE

57" to 60" W · Approx. entry: 26 ¼" to 29 ¼"

MODEL	FINISH	HEIGHT
NMS260L RP R-11-40-79	Chrome	79"
NMS260L __ R-25-40-79	Brushed Nickel	79"
NMS260L __ R-33-40-79	Matte Black	79"
NMS260L36R-11-40-86	Chrome	86"
NMS260L36R-25-40-86	Brushed Nickel	86"
NMS260L36R-33-40-86	Matte Black	86"

For suggested shower bases visit www.fleurco.com and search model number.

BYPASS 72 WITH RETURN PANEL ON RIGHT SIDE


69" to 72" W · Approx. entry: 32 ½" to 35 ½"

MODEL	FINISH	HEIGHT
NMS272L RP R-11-40-79	Chrome	79"
NMS272L __ R-25-40-79	Brushed Nickel	79"
NMS272L __ R-33-40-79	Matte Black	79"

For suggested shower bases visit www.fleurco.com and search model number.

Inner door & return panel must be on opposite sides for this configuration.

Inner door closes against wall



Door front Inner door side

NMS2 60 L 32 R -11-40-79

Return panel Return panel side

RETURN PANELS**

32" RP = 29 ¾" to 29 ⅞"

36" RP = 33 ¾" to 33 ⅞"

42" RP = 39 ¾" to 39 ⅞"

**32" & 42" return panels are not available with 86" height.



MERCURY 2 Sided

Frameless sliding doors with return panel

10
year limited
warranty

- 2 sliding door panels for right or left hand entry
- Anti-jump safety roller system
- Vertical handles
- 5/16" (8mm) clear tempered glass
- Shower door height: 79" or 86"
- Chrome, Brushed Nickel & Matte Black finishes

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection



3/8" (10 mm) Tempered glass • 66" Height

BYPASS TUB ENCLOSURE 60

57" to 60" W x 66" H • Approx. entry: 26 1/4" to 29 1/4"

MODEL	FINISH	GLASS
NPST60-11-40	Chrome	Clear
NPST60-25-40	Brushed Nickel	Clear
NPST60-33-40	Matte Black	Clear
NPST60-12-40	Brushed Gold	Clear
NPST60-11-80	Chrome	Mist
NPST60-25-80	Brushed Nickel	Mist
NPST60-33-80	Matte Black	Mist
NPST60-12-80	Brushed Gold	Mist

BYPASS TUB ENCLOSURE 65

62" to 65" W x 66" H • Approx. entry: 28 1/2" to 31 1/2"

MODEL	FINISH	GLASS
NPST65-11-40	Chrome	Clear
NPST65-25-40	Brushed Nickel	Clear
NPST65-33-40	Matte Black	Clear
NPST65-12-40	Brushed Gold	Clear

BYPASS TUB ENCLOSURES



SCAN HERE
FOR PRICES



NEW!
MIST GLASS

BYPASS TUB ENCLOSURES

NPST60-12-40

GEMINI^{PLUS} Tub Enclosure

Frameless sliding tub doors

10
year limited
warranty

2 sliding door panels for right or left hand entry

Anti-jump safety roller system

3/8" (10mm) clear or mist* tempered glass

Tub door height: 66"

Chrome, Brushed Nickel, Matte Black & Brushed Gold finishes

*Certain dimensions only. See page 22 for more information.

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek[®]**
FLEURCO
Glass surface protection

GEMINI^{PLUS} 2 Sided Tub Enclosure

Frameless sliding tub doors with return panel

3/8" (10 mm) Tempered clear glass • 66" Height



Glass surface protection



SAFETY PROTECTION

BYPASS TUB ENCLOSURE 60 ^{NEW} WITH 30" RETURN PANEL

57" to 60" W x 66" H · Approx. entry: 26 1/4" to 29 1/4"

MODEL	FINISH
NPUST6030①-11-40	Chrome
NPUST6030 _ -25-40	Brushed Nickel
NPUST6030 _ -33-40	Matte Black
NPUST6030 _ -12-40	Brushed Gold
BATHTUB	SIZE
BZCP6030L or R-18 ^{NEW}	60" W x 30" D x 20" H

For more information on Capriccio bathtub, see www.fleurco.com

BYPASS TUB ENCLOSURE 60 WITH 32" RETURN PANEL

57" to 60" W x 66" H · Approx. entry: 26 1/4" to 29 1/4"

MODEL	FINISH
NPUST6032①-11-40	Chrome
NPUST6032 _ -25-40	Brushed Nickel
NPUST6032 _ -33-40	Matte Black
NPUST6032 _ -12-40	Brushed Gold

BYPASS TUB ENCLOSURE 65 ^{NEW} WITH 30" RETURN PANEL

62" to 65" W x 66" H · Approx. entry: 28 1/2" to 31 1/2"

MODEL	FINISH
NPUST6530①-11-40	Chrome
NPUST6530 _ -25-40	Brushed Nickel
NPUST6530 _ -33-40	Matte Black
NPUST6530 _ -12-40	Brushed Gold

BYPASS TUB ENCLOSURE 65 WITH 32" RETURN PANEL


62" to 65" W x 66" H · Approx. entry: 28 1/2" to 31 1/2"

MODEL	FINISH
NPUST6532①-11-40	Chrome
NPUST6532 _ -25-40	Brushed Nickel
NPUST6532 _ -33-40	Matte Black
NPUST6532 _ -12-40	Brushed Gold
BATHTUB	SIZE
BZSE6632L or R-18	66" W x 32" D x 20" H

For more information on Sequence bathtub, see www.fleurco.com


NPUST6030_ DOOR OPTIONS

Insert code "L" or "R" to indicate return panel side



BZCP6030 OPTIONS

Insert code "L" or "R" to indicate tub drain side




L & R must be opposite for door configuration & tub.

EX: NPUST6030L-11-40 + BZCP6030R-18

NPUST6032_ DOOR OPTIONS

Insert code "L" or "R" to indicate return panel side




NPUST6530_ DOOR OPTIONS

Insert code "L" or "R" to indicate return panel side




NPUST6532_ DOOR OPTIONS

Insert code "L" or "R" to indicate return panel side



BZSE6632 OPTIONS

Insert code "L" or "R" to indicate tub drain side



L & R must be on the same side for door configuration & tub.

EX: NPUST6532L-11-40 + BZSE6632L-18

RETURN PANELS

30" RP = 27 3/8" to 27 7/8"

32" RP = 29 3/8" to 29 7/8"



SCAN HERE
FOR PRICES



BYPASS TUB ENCLOSURES

NPUST6532R-11-40
BZSE6632R-18

GEMINI PLUS 2 Sided Tub Enclosure

Frameless sliding tub doors with return panel

10
year limited
warranty

2 sliding door panels for right or left hand entry with return panel

Anti-jump safety roller system

3/8" (10mm) clear tempered glass

Tub door height: 66"

Chrome, Brushed Nickel, Matte Black & Brushed Gold finishes

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

1/4" (6 mm) Tempered clear glass • 60" Height



Glass surface protection



BYPASS TUB ENCLOSURE 60

57" to 60" W x 60" H · Approx. entry: 26 1/4" to 29 1/4"

MODEL	FINISH
NGST60-11-40	Chrome
NGST60-25-40	Brushed Nickel
NGST60-33-40	Matte Black
NGST60-12-40	Brushed Gold

BYPASS TUB ENCLOSURES



SCAN HERE
FOR PRICES



BYPASS TUB ENCLOSURES

NGST60-33-40

GEMINI Tub Enclosure

Frameless sliding tub doors

10
year limited
warranty

2 sliding door panels for right or left hand entry

Anti-jump safety roller system

1/4" (6mm) clear tempered glass

Tub door height: 60"

Chrome, Brushed Nickel, Matte Black & Brushed Gold finishes

 **FLEURCO™SEKUR⁺**

SAFETY PROTECTION *

*5 year limited warranty

 **Microtek®**
FLEURCO

Glass surface protection

5/16" (8 mm) Tempered clear glass • 66" Height


BYPASS TUB ENCLOSURE 60

57" to 60" W x 66" H • Approx. entry: 26 1/4" to 29 1/4"

MODEL	FINISH
NMST60-11-40 ①	Chrome
NMST60-25-40 _	Brushed Nickel
NMST60-33-40 _	Matte Black

DOOR OPTIONS

Insert Code "L" or "R"
to indicate inner door side



SCAN HERE
FOR PRICES



BYPASS TUB ENCLOSURES

NMST60-11-40R

MERCURY Tub Enclosure

Frameless sliding tub doors

10
year limited
warranty

2 sliding door panels for right or left hand entry

Anti-jump safety roller system

Vertical handles

5/16" (8mm) clear tempered glass

Tub door height: 66"

Chrome, Brushed Nickel & Matte Black finishes

 **FLEURCO™SEKUR⁺**

SAFETY PROTECTION *

*5 year limited warranty

 **Microtek[®]**
FLEURCO

Glass surface protection

3/8" (10 mm) Tempered clear glass • 60" Height
1/4" (6 mm) Tempered clear glass • 60" Height

BYPASS TUB ENCLOSURE 60

56" to 60" W x 60" H · Approx. entry: 24" to 28"

MODEL	FINISH
1/4" (6 mm) tempered glass	
CKTS60-11-40	Chrome
CKTS60-25-40	Brushed Nickel
CKTS60-33-40	Matte Black
3/8" (10 mm) tempered glass	
CLTS60-11-40	Chrome
CLTS60-25-40	Brushed Nickel
CLTS60-33-40	Matte Black

BYPASS TUB ENCLOSURES



SCAN HERE
FOR PRICES



CORDOBA *PLUS* Tub Enclosure

Semi-frameless sliding tub doors

10
year limited
warranty

2 sliding door panels for right or left hand entry

Header features built in anti-jump system

Deluxe quality roller system and bracket

Superior bottom guiding system

Easy to install

3/8" (10mm) or 1/4" (6mm) clear tempered glass

Tub door height: 60"

Chrome, Brushed Nickel & Matte Black finishes

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty


SLIDING IN-LINE SHOWERS



SELECT K2 34-35

Sliding door and fixed panel
Sizes: 45, 57, 69


M SEKUR* ● ● ● C



NOVARA PLUS 36-37

Sliding door and fixed panel
Sizes: 48, 60

M SEKUR* ● ● ● C



LATITUDE 38-39

Sliding door and fixed panel
Sizes: 48, 54, 60

M SEKUR* ● C



HORIZON 40-41

Sliding door and fixed panel
Sizes: 48, 54, 60

M SEKUR* ○ ● ● ● ● C Mi

NEW!
MIST GLASS &
MIX & MATCH



SKYLINE 42-43

Sliding door and fixed panel
Sizes: 48, 54, 60

M SEKUR* ○ ● ● ● ● C Mi

NEW!
MIST GLASS &
MIX & MATCH



APOLLO 44-45

Sliding door and fixed panel
Sizes: 48, 54, 60, 72

M SEKUR* + EZ Clean ● ● ● C

NEW!
8MM GLASS
THICKNESS

SLIDING 2 SIDED SHOWERS



SELECT K2 46-47

Closes against return panel
Sizes: 4536, 5736, 6936

CRP M SEKUR* ● ● ● C



NOVARA PLUS 48-49

Closes against return panel
Sizes: 48, 60

CRP M SEKUR* ● ● ● C



NOVARA PLUS 50-51

Closes against wall
Sizes: 48, 60

CW M SEKUR* ● ● ● C



LATITUDE 52-53

Closes against return panel or wall
Sizes: 48, 54, 60

CRP CW M SEKUR* ● C



HORIZON 54-57

Closes against return panel
Sizes: 48, 54, 60

CRP M SEKUR* ○ ● ● ● ● C Mi

NEW!
MIST GLASS &
MIX & MATCH



SKYLINE 58-61

Closes against return panel
Sizes: 48, 54, 60

CRP M SEKUR* ○ ● ● ● ● C Mi

NEW!
MIST GLASS &
MIX & MATCH




APOLLO 62-63

Closes against return panel
Sizes: 48, 54, 60, 72


CRP M SEKUR* + EZ Clean ● ● ● C

NEW!
8MM GLASS
THICKNESS

CW Closes against wall



CRP Closes against return panel



M Glass surface protection



See website for more information

SEKUR* Safety protection



For more information, see page 120


Available finishes

- Matte White
- Chrome or Polished Stainless
- Brushed Nickel or Brushed Stainless
- Matte Black
- Brushed Gold

Glass type


- C Clear
- Mi Mist

SLIDING TUB ENCLOSURES



NOVARA PLUS64-65

Sliding door and fixed panel
Size: 60




SKYLINE72-73

Sliding door and fixed panel
Sizes: 60, 65



NEW!
MIST GLASS &
MIX & MATCH



LATITUDE66-67

Sliding door and fixed panel
Size: 60



SKYLINE 2 SIDED TUB ENCLOSURE . 74-75

Sliding door and fixed panel with return
panel

Sizes: 6030, 6032, 6530, 6532



NEW
DIMENSIONS &
MIX & MATCH



HORIZON68-69

Sliding door and fixed panel
Sizes: 60, 65




NEW!
MIST GLASS &
MIX & MATCH




APOLLO76-77

Sliding door and fixed panel
Size: 60



NEW!
8MM GLASS
THICKNESS



HORIZON 2 SIDED TUB ENCLOSURE .. 70-71

Sliding door and fixed panel with
return panel

Sizes: 6030, 6032, 6530, 6532



NEW
DIMENSIONS &
MIX & MATCH

M Glass surface
protection



See website for more
information

SEKUR+ Safety protection



For more information,
see page 120

Available finishes

- Matte White
- Chrome or Polished Stainless
- Brushed Nickel or Brushed Stainless
- Matte Black
- Brushed Gold

Glass type

- C Clear
- Mi Mist

3/8" (10 mm) Tempered clear glass • 79" Height

IN-LINE 48

45" to 47" W x 79" H • Approx. entry: 18" to 20"

MODEL	FINISH
K2AS45-35-40 ^①	Brushed Stainless
K2AS45-11-40 _	Polished Stainless
K2AS45-12-40 _	Brushed Gold
BASE	SIZE
ADQ3248-18	48" x 32" x 2 3/4"
ADQ3448-18	48" x 34" x 2 3/4"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 3/4"
ATAS2-3648- _ NEW!	48" x 36" x 1 3/8"
AU _ 3648-33	48" x 36" x 2 3/4"
AULV3648-18	48" x 36" x 1 1/2"*
ABF4836-18-3-B	48" x 36" x 2 3/4"
ADT4836-18-3	48" x 36" x 3"
ALT4836-18-3	48" x 36" x 2 3/4"
AZM4836-18-11 or 25-B	48" x 36" x 1 3/8"*
ADT4842-18-3	48" x 42" x 3"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

IN-LINE 72

69" to 71" W x 79" H • Approx. entry: 29" to 31"

MODEL	FINISH
K2AS69-35-40 ^①	Brushed Stainless
K2AS69-11-40 _	Polished Stainless
K2AS69-12-40 _	Brushed Gold
BASE	SIZE
ADQ3672-18	72" x 36" x 2 3/4"

For more information on bases, see www.fleurco.com

IN-LINE 60

57" to 59" W x 79" H • Approx. entry: 23" to 25"


MODEL	FINISH
K2AS57-35-40 ^①	Brushed Stainless
K2AS57-11-40 _	Polished Stainless
K2AS57-12-40 _	Brushed Gold
BASE	SIZE
ADQ3060-18	60" x 30" x 2 3/4"
ABE3260-18-11 or 25-B	60" x 32" x 3"
ADQ3260-18	60" x 32" x 2 3/4"
ATAS2-3260- _ NEW!	60" x 32" x 1 1/2"
AU _ 3260-33	60" x 32" x 2 3/4"
AULV3260-18	60" x 32" x 1 1/2"*
ABF6032-18-L3 or R3-B	60" x 32" x 2 3/4"
ADT6032-18-L3 or R3	60" x 32" x 3"
ALT6032-18-L3 or R3	60" x 32" x 2 3/4"
AZM6032-18-11 or 25-B	60" x 32" x 1 3/8"*
ADQ3460-18	60" x 34" x 2 3/4"
ABE3660-18-11 or 25-B	60" x 36" x 3"
ADQ3660-18	60" x 36" x 2 3/4"
ATAS2-3660- _ NEW!	60" x 36" x 1 3/8"
AU _ 3660-33	60" x 36" x 2 3/4"
AULV3660-18	60" x 36" x 1 1/2"*
ABF6036-18-3-B	60" x 36" x 2 3/4"
ADT6036-18-3	60" x 36" x 3"
ALT6036-18-3	60" x 36" x 2 3/4"
AZM6036-18-11 or 25-B	60" x 36" x 1 3/8"*
ADQ4260-18	60" x 42" x 2 3/4"
ADQ4860-18	60" x 48" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com
**SCAN HERE
FOR PRICES**

DOOR OPTIONS

Insert Code "L" or "R"


Fleurco offers a wide variety of custom sizes and configurations. Please contact customer service to learn more.

K2AS57-12-40L

SELECT

K2 In-line

Sliding door & fixed panel

10
year limited
warranty

Space-saving sliding door panel

Stainless steel components

Patented anti-jump system

Straight handle

Left or right installation available

3/8" (10mm) clear tempered glass

Shower door height: 79"

Brushed Stainless, Polished Stainless & Brushed Gold finishes

Custom sizes available

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

3/8" (10 mm) Tempered clear glass • 79" Height**IN-LINE 48**

45 1/2" to 48" W x 79" H • Approx. entry: 19" to 21 1/2"

MODEL	FINISH
NXVS148-11-40 ^①	Chrome
NXVS148-25-40 _	Brushed Nickel
NXVS148-33-40 _	Matte Black
BASE	SIZE
ADQ3248-18	48" x 32" x 2 3/4"
ADQ3448-18	48" x 34" x 2 3/4"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 3/4"
ATAS2-3648- _ NEW!	48" x 36" x 1 3/8"
AU _ 3648-33	48" x 36" x 2 3/4"
AULV3648-18	48" x 36" x 1 1/2"*
ABF4836-18-3-B	48" x 36" x 2 3/4"
ADT4836-18-3	48" x 36" x 3"
ALT4836-18-3	48" x 36" x 2 3/4"
AZM4836-18-11 or 25-B	48" x 36" x 1 3/8"*
ADT4842-18-3	48" x 42" x 3"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com**IN-LINE 60**


56" to 60" W x 79" H • Approx. entry: 23 1/2" to 27 1/2"

MODEL	FINISH
NXVS160-11-40 ^①	Chrome
NXVS160-25-40 _	Brushed Nickel
NXVS160-33-40 _	Matte Black
BASE	SIZE
ADQ3060-18	60" x 30" x 2 3/4"
ABE3260-18-11 or 25-B	60" x 32" x 3"
ADQ3260-18	60" x 32" x 2 3/4"
ATAS2-3260- _ NEW!	60" x 32" x 1 1/2"
AU _ 3260-33	60" x 32" x 2 3/4"
AULV3260-18	60" x 32" x 1 1/2"*
ABF6032-18-L3 or R3-B	60" x 32" x 2 3/4"
ADT6032-18-L3 or R3	60" x 32" x 3"
ALT6032-18-L3 or R3	60" x 32" x 2 3/4"
AZM6032-18-11 or 25-B	60" x 32" x 1 3/8"*
ADQ3460-18	60" x 34" x 2 3/4"
ABE3660-18-11 or 25-B	60" x 36" x 3"
ADQ3660-18	60" x 36" x 2 3/4"
ATAS2-3660- _ NEW!	60" x 36" x 1 3/8"
AU _ 3660-33	60" x 36" x 2 3/4"
AULV3660-18	60" x 36" x 1 1/2"*
ABF6036-18-3-B	60" x 36" x 2 3/4"
ADT6036-18-3	60" x 36" x 3"
ALT6036-18-3	60" x 36" x 2 3/4"
AZM6036-18-11 or 25-B	60" x 36" x 1 3/8"*
ADQ4260-18	60" x 42" x 2 3/4"
ADQ4860-18	60" x 48" x 2 3/4"


*Unfinished height of threshold

For more information on bases, see www.fleurco.com**DOOR OPTIONS**

Insert Code "L" or "R"



L R

ALL DRAINS SOLD SEPARATELY**DRAIN**
No-Calk™
Shower Base Drain*

DRAINABS-11	ABS No-Calk 2" drain	Chrome
DRAINABS-25	ABS No-Calk 2" drain	Brushed Nickel
DRAINABS-33	ABS No-Calk 2" drain	Matte Black
DRAINABS-12	ABS No-Calk 2" drain	Brushed Gold
DRAINPVC-11	PVC No-Calk 2" drain	Chrome
DRAINPVC-25	PVC No-Calk 2" drain	Brushed Nickel
DRAINPVC-33	PVC No-Calk 2" drain	Matte Black
DRAINPVC-12	PVC No-Calk 2" drain	Brushed Gold

*Please check local codes to ensure appropriate drain specifications
For AU (Aurora) bases, please see www.fleurco.com**SCAN HERE
FOR PRICES**



NOVARA PLUS In-line

Sliding door & fixed panel

10
year limited
warranty

- Stainless steel roller system
- Door slides smoothly & effortlessly
- Gasket with cushioned bumper
- Detachable bottom guide to facilitate maintenance
- Integrated towel bar
- Left or right installation available
- 3/8" (10mm) clear tempered glass
- Shower door height: 79"
- Chrome, Brushed Nickel & Matte Black finishes

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

5/16" (8 mm) Tempered clear glass • 79" Height**IN-LINE 48**

45 3/4" to 47" W x 79" H • Approx. entry: 18 1/8"

MODEL	FINISH
LA48-33-43-79	Matte Black
BASE	SIZE
ADQ3248-18	48" x 32" x 2 3/4"
ADQ3448-18	48" x 34" x 2 3/4"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 3/4"
ATAS2-3648- _ NEW!	48" x 36" x 1 3/8"
AU _ 3648-33	48" x 36" x 2 3/4"
AULV3648-18	48" x 36" x 1 1/2"*
ABF4836-18-3-B	48" x 36" x 2 3/4"
ADT4836-18-3	48" x 36" x 3"
ALT4836-18-3	48" x 36" x 2 3/4"
AZM4836-18-11 or 25-B	48" x 36" x 1 3/8"*
ADT4842-18-3	48" x 42" x 3"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com**IN-LINE 54**

51 3/4" to 53" W x 79" H • Approx. entry: 21 1/8"

MODEL	FINISH
LA54-33-43-79	Matte Black
BASE	SIZE
ADT5436-18-3	54" x 36" x 3"

For more information on bases, see www.fleurco.com**IN-LINE 60**

57 3/4" to 59" W x 79" H • Approx. entry: 23 7/8"

MODEL	FINISH
LA60-33-43-79	Matte Black
BASE	SIZE
ADQ3060-18	60" x 30" x 2 3/4"
ABE3260-18-11 or 25-B	60" x 32" x 3"
ADQ3260-18	60" x 32" x 2 3/4"
ATAS2-3260- _ NEW!	60" x 32" x 1 1/2"
AU _ 3260-33	60" x 32" x 2 3/4"
AULV3260-18	60" x 32" x 1 1/2"*
ABF6032-18-L3 or R3-B	60" x 32" x 2 3/4"
ADT6032-18-L3 or R3	60" x 32" x 3"
ALT6032-18-L3 or R3	60" x 32" x 2 3/4"
AZM6032-18-11 or 25-B	60" x 32" x 1 3/8"*
ADQ3460-18	60" x 34" x 2 3/4"
ABE3660-18-11 or 25-B	60" x 36" x 3"
ADQ3660-18	60" x 36" x 2 3/4"
ATAS2-3660- _ NEW!	60" x 36" x 1 3/8"
AU _ 3660-33	60" x 36" x 2 3/4"
AULV3660-18	60" x 36" x 1 1/2"*
ABF6036-18-3-B	60" x 36" x 2 3/4"
ADT6036-18-3	60" x 36" x 3"
ALT6036-18-3	60" x 36" x 2 3/4"
AZM6036-18-11 or 25-B	60" x 36" x 1 3/8"*
ADQ4260-18	60" x 42" x 2 3/4"
ADQ4860-18	60" x 48" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

These units are reversible.

ALL DRAINS SOLD SEPARATELY

DRAIN			
	No-Calk™ Shower Base Drain*		
DRAINABS-11	ABS No-Calk 2" drain	Chrome	
DRAINABS-25	ABS No-Calk 2" drain	Brushed Nickel	
DRAINABS-33	ABS No-Calk 2" drain	Matte Black	
DRAINABS-12	ABS No-Calk 2" drain	Brushed Gold	
DRAINPVC-11	PVC No-Calk 2" drain	Chrome	
DRAINPVC-25	PVC No-Calk 2" drain	Brushed Nickel	
DRAINPVC-33	PVC No-Calk 2" drain	Matte Black	
DRAINPVC-12	PVC No-Calk 2" drain	Brushed Gold	

*Please check local codes to ensure appropriate drain specifications
For AU (Aurora) bases, please see www.fleurco.com


**SCAN HERE
FOR PRICES**



LA60-33-43-79

LATITUDE In-line

Sliding door & fixed panel

Silk screen design - high style, low maintenance

Sleek vertical handle

Door slides smoothly & effortlessly

Magnetic closure

Spring loaded rollers - allows door to easily detach from bottom rail for easy cleaning

Reversible left or right opening

5/16" (8mm) clear tempered glass

Shower door height: 79"

Matte Black finish

10
year limited
warranty

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

HORIZON In-line

Sliding door and fixed panel

NEW!
MIST GLASS


Glass surface protection



5/16" (8 mm) Tempered glass • 75", 79" or 86" Height

IN-LINE 48

46" to 48" W • Approx. entry: 18" to 20"

MODEL	FINISH	HEIGHT	GLASS
NHS148-11-40①-75	Chrome	75"	Clear
NHS148-25-40 _ -75	Brushed Nickel	75"	Clear
NHS148-18-40①-79	Matte White	79"	Clear
NHS148-11-40 _ -79	Chrome	79"	Clear
NHS148-25-40 _ -79	Brushed Nickel	79"	Clear
NHS148-33-40 _ -79	Matte Black	79"	Clear
NHS148-12-40 _ -79	Brushed Gold	79"	Clear
NHS148-11-40①-86	Chrome	86"	Clear
NHS148-33-40 _ -86	Matte Black	86"	Clear
NHS148-18-80①-79	Matte White	79"	Mist
NHS148-11-80 _ -79	Chrome	79"	Mist
NHS148-25-80 _ -79	Brushed Nickel	79"	Mist
NHS148-33-80 _ -79	Matte Black	79"	Mist
NHS148-12-80 _ -79	Brushed Gold	79"	Mist

BASE	SIZE
ADQ3248-18	48" x 32" x 2 3/4"
ADQ3448-18	48" x 34" x 2 3/4"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 3/4"
ATAS2-3648- _ NEW!	48" x 36" x 1 3/8"
AU _ 3648-33	48" x 36" x 2 3/4"
AULV3648-18	48" x 36" x 1 1/2"*
ABF4836-18-3-B	48" x 36" x 2 3/4"
ADT4836-18-3	48" x 36" x 3"
ALT4836-18-3	48" x 36" x 2 3/4"
AZM4836-18-11 or 25-B	48" x 36" x 1 3/8"*
ADT4842-18-3	48" x 42" x 3"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

IN-LINE 54

52" to 54" W • Approx. entry: 20" to 22"

MODEL	FINISH	HEIGHT	GLASS
NHS154-11-40①-75	Chrome	75"	Clear
NHS154-25-40 _ -75	Brushed Nickel	75"	Clear
NHS154-11-40①-79	Chrome	79"	Clear
NHS154-25-40 _ -79	Brushed Nickel	79"	Clear
NHS154-33-40 _ -79	Matte Black	79"	Clear

BASE	SIZE
ADT5436-18-3	54" x 36" x 3"

For more information on bases, see www.fleurco.com

IN-LINE 60

56" to 60" W • Approx. entry: 21" to 25"

MODEL	FINISH	HEIGHT	GLASS
NHS160-11-40①-75	Chrome	75"	Clear
NHS160-25-40 _ -75	Brushed Nickel	75"	Clear
NHS160-18-40①-79	Matte White	79"	Clear
NHS160-11-40 _ -79	Chrome	79"	Clear
NHS160-25-40 _ -79	Brushed Nickel	79"	Clear
NHS160-33-40 _ -79	Matte Black	79"	Clear
NHS160-12-40 _ -79	Brushed Gold	79"	Clear
NHS160-11-40①-86	Chrome	86"	Clear
NHS160-33-40 _ -86	Matte Black	86"	Clear
NHS160-18-80①-79	Matte White	79"	Mist
NHS160-11-80 _ -79	Chrome	79"	Mist
NHS160-25-80 _ -79	Brushed Nickel	79"	Mist
NHS160-33-80 _ -79	Matte Black	79"	Mist
NHS160-12-80 _ -79	Brushed Gold	79"	Mist


BASE	SIZE
ADQ3060-18	60" x 30" x 2 3/4"
ABE3260-18-11 or 25-B	60" x 32" x 3"
ADQ3260-18	60" x 32" x 2 3/4"
ATAS2-3260- _ NEW!	60" x 32" x 1 1/2"
AU _ 3260-33	60" x 32" x 2 3/4"
AULV3260-18	60" x 32" x 1 1/2"*
ABF6032-18-L3 or R3-B	60" x 32" x 2 3/4"
ADT6032-18-L3 or R3	60" x 32" x 3"
ALT6032-18-L3 or R3	60" x 32" x 2 3/4"
AZM6032-18-11 or 25-B	60" x 32" x 1 3/8"*
ADQ3460-18	60" x 34" x 2 3/4"
ABE3660-18-11 or 25-B	60" x 36" x 3"
ADQ3660-18	60" x 36" x 2 3/4"
ATAS2-3660- _ NEW!	60" x 36" x 1 3/8"
AU _ 3660-33	60" x 36" x 2 3/4"
AULV3660-18	60" x 36" x 1 1/2"*
ABF6036-18-3-B	60" x 36" x 2 3/4"
ADT6036-18-3	60" x 36" x 3"
ALT6036-18-3	60" x 36" x 2 3/4"
AZM6036-18-11 or 25-B	60" x 36" x 1 3/8"*
ADQ4260-18	60" x 42" x 2 3/4"
ADQ4860-18	60" x 48" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

DOOR OPTIONS

Insert Code "L" or "R"


SCAN HERE
FOR PRICES

NEW!
MIST GLASS



NEW!
MIX & MATCH
SEE PAGE 78



NHS160-18-40R-79

HORIZON^{In-line}

Sliding door & fixed panel

10
year limited
warranty

European style frameless door

Right or left hand entry installations available

Detachable bottom guide to facilitate maintenance

Easy to install

Door magnets ensure a water-tight seal

5/16" (8mm) clear or mist* tempered glass

Shower door heights: 75", 79" & 86" *

Matte White, Chrome, Brushed Nickel, Matte Black & Brushed Gold finishes*

*Options vary by dimension. See page 40 for more information.

 **FLEURCO™SEKUR⁺**

SAFETY PROTECTION *

*5 year limited warranty

 **Microtek[®]**
FLEURCO

Glass surface protection

SKYLINE In-line

Sliding door and fixed panel

NEW!
MIST GLASS



Glass surface protection



5/16" (8 mm) Tempered glass • 75", 79" or 86" Height

IN-LINE 48

46" to 48" W • Approx. entry: 18" to 20"

MODEL	FINISH	HEIGHT	GLASS
NSS148-11-40 ①-75	Chrome	75"	Clear
NSS148-25-40 _ -75	Brushed Nickel	75"	Clear
NSS148-18-40 ①-79	Matte White	79"	Clear
NSS148-11-40 _ -79	Chrome	79"	Clear
NSS148-25-40 _ -79	Brushed Nickel	79"	Clear
NSS148-33-40 _ -79	Matte Black	79"	Clear
NSS148-12-40 _ -79	Brushed Gold	79"	Clear
NSS148-11-40 ①-86	Chrome	86"	Clear
NSS148-33-40 _ -86	Matte Black	86"	Clear
NSS148-18-80 ①-79	Matte White	79"	Mist
NSS148-11-80 _ -79	Chrome	79"	Mist
NSS148-25-80 _ -79	Brushed Nickel	79"	Mist
NSS148-33-80 _ -79	Matte Black	79"	Mist
NSS148-12-80 _ -79	Brushed Gold	79"	Mist

BASE	SIZE
ADQ3248-18	48" x 32" x 2 3/4"
ADQ3448-18	48" x 34" x 2 3/4"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 3/4"
ATAS2-3648- _ NEW!	48" x 36" x 1 3/8"
AU _ 3648-33	48" x 36" x 2 3/4"
AULV3648-18	48" x 36" x 1 1/2"*
ABF4836-18-3-B	48" x 36" x 2 3/4"
ADT4836-18-3	48" x 36" x 3"
ALT4836-18-3	48" x 36" x 2 3/4"
AZM4836-18-11 or 25-B	48" x 36" x 1 3/8"*
ADT4842-18-3	48" x 42" x 3"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

IN-LINE 54

52" to 54" W • Approx. entry: 20" to 22"

MODEL	FINISH	HEIGHT	GLASS
NSS154-11-40 ①-75	Chrome	75"	Clear
NSS154-25-40 _ -75	Brushed Nickel	75"	Clear
NSS154-11-40 ①-79	Chrome	79"	Clear
NSS154-25-40 _ -79	Brushed Nickel	79"	Clear
NSS154-33-40 _ -79	Matte Black	79"	Clear

BASE	SIZE
ADT5436-18-3	54" x 36" x 3"

For more information on bases, see www.fleurco.com

IN-LINE 60

56" to 60" W • Approx. entry: 21" to 25"

MODEL	FINISH	HEIGHT	GLASS
NSS160-11-40 ①-75	Chrome	75"	Clear
NSS160-25-40 _ -75	Brushed Nickel	75"	Clear
NSS160-18-40 ①-79	Matte White	79"	Clear
NSS160-11-40 _ -79	Chrome	79"	Clear
NSS160-25-40 _ -79	Brushed Nickel	79"	Clear
NSS160-33-40 _ -79	Matte Black	79"	Clear
NSS160-12-40 _ -79	Brushed Gold	79"	Clear
NSS160-11-40 ①-86	Chrome	86"	Clear
NSS160-33-40 _ -86	Matte Black	86"	Clear
NSS160-18-80 ①-79	Matte White	79"	Mist
NSS160-11-80 _ -79	Chrome	79"	Mist
NSS160-25-80 _ -79	Brushed Nickel	79"	Mist
NSS160-33-80 _ -79	Matte Black	79"	Mist
NSS160-12-80 _ -79	Brushed Gold	79"	Mist


BASE	SIZE
ADQ3060-18	60" x 30" x 2 3/4"
ABE3260-18-11 or 25-B	60" x 32" x 3"
ADQ3260-18	60" x 32" x 2 3/4"
ATAS2-3260- _ NEW!	60" x 32" x 1 1/2"
AU _ 3260-33	60" x 32" x 2 3/4"
AULV3260-18	60" x 32" x 1 1/2"*
ABF6032-18-L3 or R3-B	60" x 32" x 2 3/4"
ADT6032-18-L3 or R3	60" x 32" x 3"
ALT6032-18-L3 or R3	60" x 32" x 2 3/4"
AZM6032-18-11 or 25-B	60" x 32" x 1 3/8"*
ADQ3460-18	60" x 34" x 2 3/4"
ABE3660-18-11 or 25-B	60" x 36" x 3"
ADQ3660-18	60" x 36" x 2 3/4"
ATAS2-3660- _ NEW!	60" x 36" x 1 3/8"
AU _ 3660-33	60" x 36" x 2 3/4"
AULV3660-18	60" x 36" x 1 1/2"*
ABF6036-18-3-B	60" x 36" x 2 3/4"
ADT6036-18-3	60" x 36" x 3"
ALT6036-18-3	60" x 36" x 2 3/4"
AZM6036-18-11 or 25-B	60" x 36" x 1 3/8"*
ADQ4260-18	60" x 42" x 2 3/4"
ADQ4860-18	60" x 48" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

DOOR OPTIONS

Insert Code "L" or "R"




SCAN HERE
FOR PRICES

NEW!
MIST GLASS



NEW!
MIX & MATCH
SEE PAGE 79



NSS160-12-40R-79

SKYLINE_{In-line}

Sliding door & fixed panel

10
year limited
warranty

European style frameless door

Right or left hand entry installations available

Detachable bottom guide to facilitate maintenance

Easy to install

Door magnets ensure a water-tight seal

5/16" (8mm) clear or mist* tempered glass

Shower door heights: 75", 79" & 86" *

Matte White, Chrome, Brushed Nickel, Matte Black & Brushed Gold finishes*

*Options vary by dimension. See page 42 for more information.

 **FLEURCO™SEKUR⁺**

SAFETY PROTECTION *

*5 year limited warranty

 **Microtek®**
FLEURCO

Glass surface protection

APOLLO In-line

Sliding door and fixed panel

1/4" (6 mm) Tempered clear glass • 75" Height
5/16" (8 mm) Tempered clear glass • 75" Height

IN-LINE 48

45" to 48" W x 75" H • Approx. entry: 18" to 21"

MODEL	FINISH
1/4" (6 mm) tempered glass	
NAS48-11-40-75	Chrome
NAS48-25-40-75	Brushed Nickel
NAS48-33-40-75	Matte Black
NEW 5/16" (8 mm) tempered glass	
NA8S48-11-40-75	Chrome
NA8S48-25-40-75	Brushed Nickel
NA8S48-33-40-75	Matte Black
BASE	SIZE
ADQ3248-18	48" x 32" x 2 3/4"
ADQ3448-18	48" x 34" x 2 3/4"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 3/4"
ATAS2-3648- NEW!	48" x 36" x 1 3/8"
AU _ 3648-33	48" x 36" x 2 3/4"
AULV3648-18	48" x 36" x 1 1/2"*
ABF4836-18-3-B	48" x 36" x 2 3/4"
ADT4836-18-3	48" x 36" x 3"
ALT4836-18-3	48" x 36" x 2 3/4"
AZM4836-18-11 or 25-B	48" x 36" x 1 3/8"*
ADT4842-18-3	48" x 42" x 3"

*Unfinished height of threshold


For more information on bases, see www.fleurco.com

IN-LINE 54

51" to 54" W x 75" H • Approx. entry: 21" to 24"

MODEL	FINISH
1/4" (6 mm) tempered glass	
NAS54-11-40-75	Chrome
NAS54-25-40-75	Brushed Nickel
NAS54-33-40-75	Matte Black
BASE	SIZE
ADT5436-18-3	54" x 36" x 3"

For more information on bases, see www.fleurco.com



**SCAN HERE
FOR PRICES**



Glass surface protection



These units are reversible.

IN-LINE 60

57" to 60" W x 75" H • Approx. entry: 24" to 27"

MODEL	FINISH
1/4" (6 mm) tempered glass	
NAS60-11-40-75	Chrome
NAS60-25-40-75	Brushed Nickel
NAS60-33-40-75	Matte Black
NEW 5/16" (8 mm) tempered glass	
NA8S60-11-40-75	Chrome
NA8S60-25-40-75	Brushed Nickel
NA8S60-33-40-75	Matte Black
BASE	SIZE
ADQ3060-18	60" x 30" x 2 3/4"
ABE3260-18-11 or 25-B	60" x 32" x 3"
ADQ3260-18	60" x 32" x 2 3/4"
ATAS2-3260- NEW!	60" x 32" x 1 1/2"
AU _ 3260-33	60" x 32" x 2 3/4"
AULV3260-18	60" x 32" x 1 1/2"*
ABF6032-18-L3 or R3-B	60" x 32" x 2 3/4"
ADT6032-18-L3 or R3	60" x 32" x 3"
ALT6032-18-L3 or R3	60" x 32" x 2 3/4"
AZM6032-18-11 or 25-B	60" x 32" x 1 3/8"*
ADQ3460-18	60" x 34" x 2 3/4"
ABE3660-18-11 or 25-B	60" x 36" x 3"
ADQ3660-18	60" x 36" x 2 3/4"
ATAS2-3660- NEW!	60" x 36" x 1 3/8"
AU _ 3660-33	60" x 36" x 2 3/4"
AULV3660-18	60" x 36" x 1 1/2"*
ABF6036-18-3-B	60" x 36" x 2 3/4"
ADT6036-18-3	60" x 36" x 3"
ALT6036-18-3	60" x 36" x 2 3/4"
AZM6036-18-11 or 25-B	60" x 36" x 1 3/8"*
ADQ4260-18	60" x 42" x 2 3/4"
ADQ4860-18	60" x 48" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

IN-LINE 72

69" to 72" W x 75" H • Approx. entry: 30"

MODEL	FINISH
1/4" (6 mm) tempered glass	
NAS72-11-40-75	Chrome
NAS72-25-40-75	Brushed Nickel
NAS72-33-40-75	Matte Black
BASE	SIZE
ADQ3672-18	72" x 36" x 2 3/4"

For more information on bases, see www.fleurco.com

NEW!
8MM GLASS
THICKNESS

NAS60-33-40-75

APOLLO In-line

Sliding door & fixed panel

10
year limited
warranty

Reversible left or right opening

Anti-jump system

Built-in door stop

Adjustable wall mount

Detachable bottom guide to facilitate maintenance

1/4" (6mm) and 5/16" (8mm)* clear tempered glass

Shower door height: 75"

Chrome, Brushed Nickel & Matte Black finishes

*Certain dimensions only. See page 44 for more information.

 **FLEURCO™** **SEKUR⁺** WITH **EZ Clean⁺**

SAFETY PROTECTION

*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

IN-LINE 48 WITH 36" RETURN PANEL ON LEFT SIDE

45" to 47" W x 79" H · Approx. entry: 18" to 20"

MODEL	FINISH
K2AS245L36L-35-40	Brushed Stainless
K2AS245L36L-11-40	Polished Stainless
K2AS245L36L-12-40	Brushed Gold

For suggested shower bases visit www.fleurco.com and search model number.

IN-LINE 60 WITH 36" RETURN PANEL ON LEFT SIDE

57 1/4" to 59 1/4" W x 79" H · Approx. entry: 23" to 25"

MODEL	FINISH
K2AS257L36L-35-40	Brushed Stainless
K2AS257L36L-11-40	Polished Stainless
K2AS257L36L-12-40	Brushed Gold

For suggested shower bases visit www.fleurco.com and search model number.

IN-LINE 72 WITH 36" RETURN PANEL ON LEFT SIDE

69" to 71" W x 79" H · Approx. entry: 29" to 31"

MODEL	FINISH
K2AS269L36L-35-40	Brushed Stainless
K2AS269L36L-11-40	Polished Stainless
K2AS269L36L-12-40	Brushed Gold

For suggested shower bases visit www.fleurco.com and search model number.

IN-LINE 48 WITH 36" RETURN PANEL ON RIGHT SIDE

45" to 47" W x 79" H · Approx. entry: 18" to 20"

MODEL	FINISH
K2AS245R36R-35-40	Brushed Stainless
K2AS245R36R-11-40	Polished Stainless
K2AS245R36R-12-40	Brushed Gold

For suggested shower bases visit www.fleurco.com and search model number.

IN-LINE 60 WITH 36" RETURN PANEL ON RIGHT SIDE

57 1/4" to 59 1/4" W x 79" H · Approx. entry: 23" to 25"

MODEL	FINISH
K2AS257R36R-35-40	Brushed Stainless
K2AS257R36R-11-40	Polished Stainless
K2AS257R36R-12-40	Brushed Gold



For suggested shower bases visit www.fleurco.com and search model number.

IN-LINE 72 WITH 36" RETURN PANEL ON RIGHT SIDE

69" to 71" W x 79" H · Approx. entry: 29" to 31"

MODEL	FINISH
K2AS269R36R-35-40	Brushed Stainless
K2AS269R36R-11-40	Polished Stainless
K2AS269R36R-12-40	Brushed Gold

For suggested shower bases visit www.fleurco.com and search model number.



ALL DRAINS SOLD SEPARATELY

DRAIN	ABS No-Calk™ 2" drain	Chrome
DRAINABS-11	ABS No-Calk 2" drain	Brushed Nickel
DRAINABS-25	ABS No-Calk 2" drain	Matte Black
DRAINABS-33	ABS No-Calk 2" drain	Brushed Gold
DRAINABS-12	PVC No-Calk 2" drain	Chrome
DRAINPVC-11	PVC No-Calk 2" drain	Brushed Nickel
DRAINPVC-25	PVC No-Calk 2" drain	Matte Black
DRAINPVC-33	PVC No-Calk 2" drain	Brushed Gold
DRAINPVC-12		

*Please check local codes to ensure appropriate drain specifications
For AU (Aurora) bases, please see www.fleurco.com

RETURN PANEL *

36" RP = 33 3/4" to 34 3/8"

*Adjustments from finished wall to center of fixed panel
For showers installed on anything other than a **Fleurco** base, please verify specs at www.fleurco.com

Fleurco offers a wide variety of custom sizes and configurations.
Please contact customer service to learn more.



**SCAN HERE
FOR PRICES**



SLIDING 2 SIDED SHOWERS

K2AS257R36R-12-40

SELECT
K2 2 Sided

Sliding door & fixed panel with return panel (closes against return panel)

10
year limited
warranty

Space-saving sliding door panel

Stainless steel components

Straight handle

Patented anti-jump system

Left or right installation available

3/8" (10mm) clear tempered glass

Shower door height: 79"

Brushed Stainless, Polished Stainless & Brushed Gold finishes

Custom sizes available

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

 **FLEURCO™** www.fleurco.com

Door and fixed panel with return panel (closes against return panel)

3/8" (10 mm) Tempered clear glass • 79" Height

RP You must indicate your return panel size **32"**, **36"** or **42"** in the "RP" field



Glass surface protection



SAFETY PROTECTION

IN-LINE 48 WITH RETURN PANEL ON LEFT SIDE

45 1/2" to 48" W x 79" H · Approx. entry: 19" to 21 1/2"

MODEL	FINISH
NXVS248L RP L-11-40	Chrome
NXVS248L __ L-25-40	Brushed Nickel
NXVS248L __ L-33-40	Matte Black

For suggested shower bases visit www.fleurco.com and search model number.


IN-LINE 60 WITH RETURN PANEL ON LEFT SIDE

56" to 60" W x 79" H · Approx. entry: 23 1/2" to 27 1/2"

MODEL	FINISH
NXVS260L RP L-11-40	Chrome
NXVS260L __ L-25-40	Brushed Nickel
NXVS260L __ L-33-40	Matte Black

For suggested shower bases visit www.fleurco.com and search model number.

Door & return panel must be on the same side for CRP configuration.



Door front Door side

NXVS260 **L** **36** **L** -11-40

Return panel Return panel side

RP You must indicate your return panel size **32"**, **36"** or **42"** in the "RP" field

IN-LINE 48 WITH RETURN PANEL ON RIGHT SIDE

45 1/2" to 48" W x 79" H · Approx. entry: 19" to 21 1/2"

MODEL	FINISH
NXVS248R RP R-11-40	Chrome
NXVS248R __ R-25-40	Brushed Nickel
NXVS248R __ R-33-40	Matte Black

For suggested shower bases visit www.fleurco.com and search model number.


IN-LINE 60 WITH RETURN PANEL ON RIGHT SIDE

56" to 60" W x 79" H · Approx. entry: 23 1/2" to 27 1/2"

MODEL	FINISH
NXVS260R RP R-11-40	Chrome
NXVS260R __ R-25-40	Brushed Nickel
NXVS260R __ R-33-40	Matte Black

For suggested shower bases visit www.fleurco.com and search model number.

Door & return panel must be on the same side for CRP configuration.



Door front Door side

NXVS260 **R** **36** **R** -11-40

Return panel Return panel side



**SCAN HERE
FOR PRICES**

Novara Plus 3 sided available as a custom configuration. Please contact customer service for more information.



RETURN PANELS

32" RP = 29 3/8" to 29 7/8"

36" RP = 33 3/8" to 33 7/8"

42" RP = 39 3/8" to 39 7/8"



SLIDING 2 SIDED SHOWERS

NXVS260L32L-11-40

NOVARA *PLUS* 2 Sided

Sliding door & fixed panel with return panel (closes against return panel)

10
year limited
warranty

- Stainless steel roller system
- Door slides smoothly & effortlessly
- Gasket with cushioned bumper
- Integrated towel bar
- Left or right installation available
- Detachable bottom guide to facilitate maintenance
- 3/8" (10mm) clear tempered glass
- Shower door height: 79"
- Chrome, Brushed Nickel & Matte Black finishes

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

 **FLEURCO™** www.fleurco.com

Door and fixed panel with return panel (closes against wall)

3/8" (10 mm) Tempered clear glass • 79" Height

RP You must indicate your return panel size **32"**, **36"** or **42"** in the "RP" field

Glass surface protection

IN-LINE 48 WITH RETURN PANEL ON LEFT SIDE

45 1/2" to 48" W x 79" H · Approx. entry: 19" to 21 1/2"

MODEL	FINISH
NXVS248R ^{RP} L-11-40	Chrome
NXVS248R__L-25-40	Brushed Nickel
NXVS248R__L-33-40	Matte Black

For suggested shower bases visit www.fleurco.com and search model number.


IN-LINE 60 WITH RETURN PANEL ON LEFT SIDE

56" to 60" W x 79" H · Approx. entry: 23 1/2" to 27 1/2"

MODEL	FINISH
NXVS260R ^{RP} L-11-40	Chrome
NXVS260R__L-25-40	Brushed Nickel
NXVS260R__L-33-40	Matte Black

For suggested shower bases visit www.fleurco.com and search model number.

Door & return panel must be on opposite sides for CW configuration.



Door front Door side
NXVS260^R^L -11-40
Return panel Return panel side

RP You must indicate your return panel size **32"**, **36"** or **42"** in the "RP" field

IN-LINE 48 WITH RETURN PANEL ON RIGHT SIDE

45 1/2" to 48" W x 79" H · Approx. entry: 19" to 21 1/2"

MODEL	FINISH
NXVS248L ^{RP} R-11-40	Chrome
NXVS248L__R-25-40	Brushed Nickel
NXVS248L__R-33-40	Matte Black

For suggested shower bases visit www.fleurco.com and search model number.


IN-LINE 60 WITH RETURN PANEL ON RIGHT SIDE

56" to 60" W x 79" H · Approx. entry: 23 1/2" to 27 1/2"

MODEL	FINISH
NXVS260L ^{RP} R-11-40	Chrome
NXVS260L__R-25-40	Brushed Nickel
NXVS260L__R-33-40	Matte Black

For suggested shower bases visit www.fleurco.com and search model number.

Door & return panel must be on opposite sides for CW configuration.



Door front Door side
NXVS260^L^R -11-40
Return panel Return panel side



**SCAN HERE
FOR PRICES**

Novara Plus 3 sided available as a custom configuration. Please contact customer service for more information.



RETURN PANELS

32" RP = 29 3/8" to 29 7/8"

36" RP = 33 3/8" to 33 7/8"

42" RP = 39 3/8" to 39 7/8"

NOVARA PLUS 2 Sided

Sliding door & fixed panel with return panel (closes against wall)

10
year limited
warranty

- Stainless steel roller system
- Door slides smoothly & effortlessly
- Gasket with cushioned bumper
- Integrated towel bar
- Left or right installation available
- Detachable bottom guide to facilitate maintenance
- 3/8" (10mm) clear tempered glass
- Shower door height: 79"
- Chrome, Brushed Nickel & Matte Black finishes

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

5/16" (8 mm) Tempered clear glass • 79" Height

RP You must indicate your return panel size **32"**, **36"**, **42"** or **48"** in the "RP" field

These units are reversible.

IN-LINE 48 WITH RETURN PANEL

45 1/2" to 46 1/8" W x 79" H · Approx. entry: 18 1/8"

MODEL	FINISH
LA248 RP -33-43-79	Matte Black
BASE	SIZE
ADQ3248-18	48" x 32" x 2 3/4"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 3/4"
ATAS2-3648- NEW!	48" x 36" x 1 3/8"
AU_3648-33	48" x 36" x 2 3/4"
AULV3648-18	48" x 36" x 1 1/2"*
ADT4836-18-L2 or R2	48" x 36" x 3"
ADTC4836-18-L2 or R2	48" x 36" x 3"
ALT4836-18-L2 or R2	48" x 36" x 2 3/4"
ADT4842-18-L2 or R2	48" x 42" x 3"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com



Latitude 3 sided available as a custom configuration. Please contact customer service for more information.

IN-LINE 54 WITH RETURN PANEL

51 1/2" to 52 1/8" W x 79" H · Approx. entry: 21 1/8"

MODEL	FINISH
LA254 RP -33-43-79	Matte Black
BASE	SIZE
ADT5436-18-L2 or R2	54" x 36" x 3"

For more information on bases, see www.fleurco.com

IN-LINE 60 WITH RETURN PANEL

57 1/2" to 58 1/8" W x 79" H · Approx. entry: 23 7/8"

MODEL	FINISH
LA260 RP -33-43-79	Matte Black
BASE	SIZE
ABE3260-18-11 or 25-B	60" x 32" x 3"
ADQ3260-18	60" x 32" x 2 3/4"
ATAS2-3260- NEW!	60" x 32" x 1 1/2"
AU_3260-33	60" x 32" x 2 3/4"
AULV3260-18	60" x 32" x 1 1/2"*
ABE3660-18-11 or 25-B	60" x 36" x 3"
ADQ3660-18	60" x 36" x 2 3/4"
ATAS2-3660- NEW!	60" x 36" x 1 3/8"
AU_3660-33	60" x 36" x 2 3/4"
AULV3660-18	60" x 36" x 1 1/2"*
ADT6036-18-L2 or R2	60" x 36" x 3"
ADTC6036-18-L2 or R2 NEW!	60" x 36" x 3"
ALT6036-18-L2 or R2	60" x 36" x 2 3/4"
ADQ4260-18	60" x 42" x 2 3/4"
ADQ4860-18	60" x 48" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

ALL DRAINS SOLD SEPARATELY

DRAIN No-Calk™ Shower Base Drain*			
	DRAINABS-11	ABS No-Calk 2" drain	Chrome
	DRAINABS-25	ABS No-Calk 2" drain	Brushed Nickel
	DRAINABS-33	ABS No-Calk 2" drain	Matte Black
	DRAINABS-12	ABS No-Calk 2" drain	Brushed Gold
	DRAINPVC-11	PVC No-Calk 2" drain	Chrome
	DRAINPVC-25	PVC No-Calk 2" drain	Brushed Nickel
	DRAINPVC-33	PVC No-Calk 2" drain	Matte Black
	DRAINPVC-12	PVC No-Calk 2" drain	Brushed Gold

*Please check local codes to ensure appropriate drain specifications
For AU (Aurora) bases, please see www.fleurco.com



**SCAN HERE
FOR PRICES**

RETURN PANELS	
32" RP = 29 1/4" to 29 3/4"	36" RP = 33 1/4" to 33 3/4"
42" RP = 39 1/4" to 39 3/4"	48" RP = 45 1/4" to 45 3/4"



LATITUDE 2 Sided

Sliding door & fixed panel with return panel

10
year limited
warranty

Silk screen design - high style, low maintenance

Sleek vertical handle

Door slides smoothly & effortlessly

Magnetic closure

Spring loaded rollers - allows door to easily detach from bottom rail for easy cleaning

Reversible left or right opening

5/16" (8mm) clear tempered glass

Shower door height: 79"

Matte Black finish

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

RETURN PANEL ON LEFT SIDE

OPENING SIZE	APPROX. ENTRY	MODEL	FINISH	HEIGHT	GLASS	RETURN PANELS		
46" to 48" W	18" to 20"	NHS248L RP L-11-40-75	Chrome	75"	Clear	32"	36"	42"
		NHS248L __ L-25-40-75	Brushed Nickel	75"	Clear	32"	36"	42"
		NHS248L __ L-18-40-79	Matte White	79"	Clear	32"	36"	N/A
		NHS248L __ L-11-40-79	Chrome	79"	Clear	32"	36"	42"
		NHS248L __ L-25-40-79	Brushed Nickel	79"	Clear	32"	36"	42"
		NHS248L __ L-33-40-79	Matte Black	79"	Clear	32"	36"	42"
		NHS248L __ L-12-40-79	Brushed Gold	79"	Clear	32"	36"	N/A
		NHS248L __ L-11-40-86	Chrome	86"	Clear	32"	36"	42"
		NHS248L __ L-33-40-86	Matte Black	86"	Clear	32"	36"	42"
		NHS248L36L-18-80-79	Matte White	79"	Mist	N/A	36"	N/A
		NHS248L36L-11-80-79	Chrome	79"	Mist	N/A	36"	N/A
		NHS248L36L-25-80-79	Brushed Nickel	79"	Mist	N/A	36"	N/A
		NHS248L36L-33-80-79	Matte Black	79"	Mist	N/A	36"	N/A
		NHS248L36L-12-80-79	Brushed Gold	79"	Mist	N/A	36"	N/A
		NHS254L RP L-11-40-75	Chrome	75"	Clear	32"	36"	42"
		NHS254L __ L-25-40-75	Brushed Nickel	75"	Clear	32"	36"	42"
52" to 54" W	20" to 22"	NHS254L __ L-11-40-79	Chrome	79"	Clear	32"	36"	42"
		NHS254L __ L-25-40-79	Brushed Nickel	79"	Clear	32"	36"	42"
		NHS254L __ L-33-40-79	Matte Black	79"	Clear	32"	36"	42"
		NHS260L RP L-11-40-75	Chrome	75"	Clear	32"	36"	42"
		NHS260L __ L-25-40-75	Brushed Nickel	75"	Clear	32"	36"	42"
56" to 60" W	21" to 25"	NHS260L __ L-18-40-79	Matte White	79"	Clear	32"	36"	N/A
		NHS260L __ L-11-40-79	Chrome	79"	Clear	32"	36"	42"
		NHS260L __ L-25-40-79	Brushed Nickel	79"	Clear	32"	36"	42"
		NHS260L __ L-33-40-79	Matte Black	79"	Clear	32"	36"	42"
		NHS260L __ L-12-40-79	Brushed Gold	79"	Clear	32"	36"	N/A
		NHS260L __ L-11-40-86	Chrome	86"	Clear	32"	36"	42"
		NHS260L __ L-33-40-86	Matte Black	86"	Clear	32"	36"	42"
		NHS260L36L-18-80-79	Matte White	79"	Mist	N/A	36"	N/A
		NHS260L36L-11-80-79	Chrome	79"	Mist	N/A	36"	N/A
		NHS260L36L-25-80-79	Brushed Nickel	79"	Mist	N/A	36"	N/A
		NHS260L36L-33-80-79	Matte Black	79"	Mist	N/A	36"	N/A
		NHS260L36L-12-80-79	Brushed Gold	79"	Mist	N/A	36"	N/A

NEW MIST GLASS


NEW MIST GLASS

Door & return panel must be on the same side for CRP configuration.

Door front Door side

NHS2(60)(L)(36)(L)-11-40-79

Return panel Return panel side



RETURN PANELS

32" RP = 29 1/4" to 29 7/8"

36" RP = 33 1/4" to 33 7/8"

42" RP = 39 1/4" to 39 7/8"



SCAN HERE
FOR PRICES



**NEW!
MIST GLASS**



**NEW!
MIX & MATCH
SEE PAGE 78**



**SLIDING
2 SIDED SHOWERS**

NHS2601.36L.18-40-79

HORIZON² Sided

Sliding door & fixed panel with return panel (closes against return panel)

10
year limited
warranty

European style frameless door

Right or left hand entry installations available

Easy to install

Door magnets ensure a water-tight seal

Detachable bottom guide to facilitate maintenance

5/16" (8mm) clear or mist* tempered glass

Shower door heights: 75", 79" & 86" *

Matte White, Chrome, Brushed Nickel, Matte Black & Brushed Gold finishes*

*Options vary by dimension. See page 54 for more information.

 **FLEURCO^{SEKUR}⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek[®]**
FLEURCO
Glass surface protection

 **FLEURCO[™]** www.fleurco.com

RETURN PANEL ON RIGHT SIDE

OPENING SIZE	APPROX. ENTRY	MODEL	FINISH	HEIGHT	GLASS	RETURN PANELS		
46" to 48" W	18" to 20"	NHS248R RP R-11-40-75	Chrome	75"	Clear	32"	36"	42"
		NHS248R __ R-25-40-75	Brushed Nickel	75"	Clear	32"	36"	42"
		NHS248R __ R-18-40-79	Matte White	79"	Clear	32"	36"	N/A
		NHS248R __ R-11-40-79	Chrome	79"	Clear	32"	36"	42"
		NHS248R __ R-25-40-79	Brushed Nickel	79"	Clear	32"	36"	42"
		NHS248R __ R-33-40-79	Matte Black	79"	Clear	32"	36"	42"
		NHS248R __ R-12-40-79	Brushed Gold	79"	Clear	32"	36"	N/A
		NHS248R __ R-11-40-86	Chrome	86"	Clear	32"	36"	42"
		NHS248R __ R-33-40-86	Matte Black	86"	Clear	32"	36"	42"
		NHS248R36R-18-80-79	Matte White	79"	Mist	N/A	36"	N/A
		NHS248R36R-11-80-79	Chrome	79"	Mist	N/A	36"	N/A
		NHS248R36R-25-80-79	Brushed Nickel	79"	Mist	N/A	36"	N/A
		NHS248R36R-33-80-79	Matte Black	79"	Mist	N/A	36"	N/A
		NHS248R36R-12-80-79	Brushed Gold	79"	Mist	N/A	36"	N/A
		NHS254R RP R-11-40-75	Chrome	75"	Clear	32"	36"	42"
		NHS254R __ R-25-40-75	Brushed Nickel	75"	Clear	32"	36"	42"
52" to 54" W	20" to 22"	NHS254R __ R-11-40-79	Chrome	79"	Clear	32"	36"	42"
		NHS254R __ R-25-40-79	Brushed Nickel	79"	Clear	32"	36"	42"
		NHS254R __ R-33-40-79	Matte Black	79"	Clear	32"	36"	42"
		NHS260R RP R-11-40-75	Chrome	75"	Clear	32"	36"	42"
56" to 60" W	21" to 25"	NHS260R __ R-25-40-75	Brushed Nickel	75"	Clear	32"	36"	42"
		NHS260R __ R-18-40-79	Matte White	79"	Clear	32"	36"	N/A
		NHS260R __ R-11-40-79	Chrome	79"	Clear	32"	36"	42"
		NHS260R __ R-25-40-79	Brushed Nickel	79"	Clear	32"	36"	42"
		NHS260R __ R-33-40-79	Matte Black	79"	Clear	32"	36"	42"
		NHS260R __ R-12-40-79	Brushed Gold	79"	Clear	32"	36"	N/A
		NHS260R __ R-11-40-86	Chrome	86"	Clear	32"	36"	42"
		NHS260R __ R-33-40-86	Matte Black	86"	Clear	32"	36"	42"
		NHS260R36R-18-80-79	Matte White	79"	Mist	N/A	36"	N/A
		NHS260R36R-11-80-79	Chrome	79"	Mist	N/A	36"	N/A
		NHS260R36R-25-80-79	Brushed Nickel	79"	Mist	N/A	36"	N/A
		NHS260R36R-33-80-79	Matte Black	79"	Mist	N/A	36"	N/A
		NHS260R36R-12-80-79	Brushed Gold	79"	Mist	N/A	36"	N/A

NEW MIST GLASS

NEW MIST GLASS


Door & return panel must be on the same side for CRP configuration.

Door front Door side

NHS260R **36** **R** -11-40-79

Return panel

Return panel side



RETURN PANELS

32" RP = 29 1/4" to 29 7/8"

36" RP = 33 1/4" to 33 7/8"


42" RP = 39 1/4" to 39 7/8"



SCAN HERE
FOR PRICES



**NEW!
MIST GLASS**



**NEW!
MIX & MATCH
SEE PAGE 78**

SLIDING 2 SIDED SHOWERS

NHS260R36R-12-40-79

HORIZON² Sided

Sliding door & fixed panel with return panel (closes against return panel)

10
year limited
warranty

European style frameless door

Right or left hand entry installations available

Easy to install

Door magnets ensure a water-tight seal

Detachable bottom guide to facilitate maintenance

5/16" (8mm) clear or mist* tempered glass

Shower door heights: 75", 79" & 86" *

Matte White, Chrome, Brushed Nickel, Matte Black & Brushed Gold finishes*

*Options vary by dimension. See page 56 for more information.

 **FLEURCO™SEKUR⁺**

SAFETY PROTECTION *

*5 year limited warranty

 **Microtek[®]**
FLEURCO

Glass surface protection

 **FLEURCO™** www.fleurco.com

RP You must indicate your return panel size **32"** **36"** or **42"** in the "RP" field

RETURN PANEL ON LEFT SIDE


OPENING SIZE	APPROX. ENTRY	MODEL	FINISH	HEIGHT	GLASS	RETURN PANELS		
46" to 48" W	18" to 20"	NSS248L RP L-11-40-75	Chrome	75"	Clear	32"	36"	42"
		NSS248L __ L-25-40-75	Brushed Nickel	75"	Clear	32"	36"	42"
		NSS248L __ L-18-40-79	Matte White	79"	Clear	32"	36"	N/A
		NSS248L __ L-11-40-79	Chrome	79"	Clear	32"	36"	42"
		NSS248L __ L-25-40-79	Brushed Nickel	79"	Clear	32"	36"	42"
		NSS248L __ L-33-40-79	Matte Black	79"	Clear	32"	36"	42"
		NSS248L __ L-12-40-79	Brushed Gold	79"	Clear	32"	36"	N/A
		NSS248L __ L-11-40-86	Chrome	86"	Clear	32"	36"	42"
		NSS248L __ L-33-40-86	Matte Black	86"	Clear	32"	36"	42"
		NSS248L36L-18-80-79	Matte White	79"	Mist	N/A	36"	N/A
		NSS248L36L-11-80-79	Chrome	79"	Mist	N/A	36"	N/A
		NSS248L36L-25-80-79	Brushed Nickel	79"	Mist	N/A	36"	N/A
		NSS248L36L-33-80-79	Matte Black	79"	Mist	N/A	36"	N/A
		NSS248L36L-12-80-79	Brushed Gold	79"	Mist	N/A	36"	N/A
		NSS254L RP L-11-40-75	Chrome	75"	Clear	32"	36"	42"
		NSS254L __ L-25-40-75	Brushed Nickel	75"	Clear	32"	36"	42"
52" to 54" W	20" to 22"	NSS254L __ L-11-40-79	Chrome	79"	Clear	32"	36"	42"
		NSS254L __ L-25-40-79	Brushed Nickel	79"	Clear	32"	36"	42"
		NSS254L __ L-33-40-79	Matte Black	79"	Clear	32"	36"	42"
		NSS260L RP L-11-40-75	Chrome	75"	Clear	32"	36"	42"
		NSS260L __ L-25-40-75	Brushed Nickel	75"	Clear	32"	36"	42"
56" to 60" W	21" to 25"	NSS260L __ L-18-40-79	Matte White	79"	Clear	32"	36"	N/A
		NSS260L __ L-11-40-79	Chrome	79"	Clear	32"	36"	42"
		NSS260L __ L-25-40-79	Brushed Nickel	79"	Clear	32"	36"	42"
		NSS260L __ L-33-40-79	Matte Black	79"	Clear	32"	36"	42"
		NSS260L __ L-12-40-79	Brushed Gold	79"	Clear	32"	36"	N/A
		NSS260L __ L-11-40-86	Chrome	86"	Clear	32"	36"	42"
		NSS260L __ L-33-40-86	Matte Black	86"	Clear	32"	36"	42"
		NSS260L36L-18-80-79	Matte White	79"	Mist	N/A	36"	N/A
		NSS260L36L-11-80-79	Chrome	79"	Mist	N/A	36"	N/A
		NSS260L36L-25-80-79	Brushed Nickel	79"	Mist	N/A	36"	N/A
		NSS260L36L-33-80-79	Matte Black	79"	Mist	N/A	36"	N/A
		NSS260L36L-12-80-79	Brushed Gold	79"	Mist	N/A	36"	N/A

NEW MIST GLASS

NEW MIST GLASS

Door & return panel must be on the same side for CRP configuration.

Door front Door side
 NSS2 **60** L **36** L -11-40-79
 Return panel Return panel side



RETURN PANELS

32" RP = 29 1/4" to 29 7/8"

36" RP = 33 1/4" to 33 7/8"

42" RP = 39 1/4" to 39 7/8"



SCAN HERE
FOR PRICES



SKYLINE 2 Sided

Sliding door & fixed panel with return panel (closes against return panel)

10
year limited
warranty

European style frameless door

Right or left hand entry installations available

Easy to install

Door magnets ensure a water-tight seal

Detachable bottom guide to facilitate maintenance

5/16" (8mm) clear or mist* tempered glass

Shower door heights: 75", 79" & 86" *

Matte White, Chrome, Brushed Nickel, Matte Black & Brushed Gold finishes*

*Options vary by dimension. See page 58 for more information.

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

 **FLEURCO™** www.fleurco.com

RP You must indicate your return panel size **32"** **36"** or **42"** in the "RP" field

RETURN PANEL ON RIGHT SIDE

OPENING SIZE	APPROX. ENTRY	MODEL	FINISH	HEIGHT	GLASS	RETURN PANELS		
46" to 48" W	18" to 20"	NSS248R RP R-11-40-75	Chrome	75"	Clear	32"	36"	42"
		NSS248R __ R-25-40-75	Brushed Nickel	75"	Clear	32"	36"	42"
		NSS248R __ R-18-40-79	Matte White	79"	Clear	32"	36"	N/A
		NSS248R __ R-11-40-79	Chrome	79"	Clear	32"	36"	42"
		NSS248R __ R-25-40-79	Brushed Nickel	79"	Clear	32"	36"	42"
		NSS248R __ R-33-40-79	Matte Black	79"	Clear	32"	36"	42"
		NSS248R __ R-12-40-79	Brushed Gold	79"	Clear	32"	36"	N/A
		NSS248R __ R-11-40-86	Chrome	86"	Clear	32"	36"	42"
		NSS248R __ R-33-40-86	Matte Black	86"	Clear	32"	36"	42"
		NSS248R36R-18-80-79	Matte White	79"	Mist	N/A	36"	N/A
		NSS248R36R-11-80-79	Chrome	79"	Mist	N/A	36"	N/A
		NSS248R36R-25-80-79	Brushed Nickel	79"	Mist	N/A	36"	N/A
		NSS248R36R-33-80-79	Matte Black	79"	Mist	N/A	36"	N/A
		NSS248R36R-12-80-79	Brushed Gold	79"	Mist	N/A	36"	N/A
		NSS254R RP R-11-40-75	Chrome	75"	Clear	32"	36"	42"
		NSS254R __ R-25-40-75	Brushed Nickel	75"	Clear	32"	36"	42"
52" to 54" W	20" to 22"	NSS254R __ R-11-40-79	Chrome	79"	Clear	32"	36"	42"
		NSS254R __ R-25-40-79	Brushed Nickel	79"	Clear	32"	36"	42"
		NSS254R __ R-33-40-79	Matte Black	79"	Clear	32"	36"	42"
		NSS260R RP R-11-40-75	Chrome	75"	Clear	32"	36"	42"
		NSS260R __ R-25-40-75	Brushed Nickel	75"	Clear	32"	36"	42"
56" to 60" W	21" to 25"	NSS260R __ R-18-40-79	Matte White	79"	Clear	32"	36"	N/A
		NSS260R __ R-11-40-79	Chrome	79"	Clear	32"	36"	42"
		NSS260R __ R-25-40-79	Brushed Nickel	79"	Clear	32"	36"	42"
		NSS260R __ R-33-40-79	Matte Black	79"	Clear	32"	36"	42"
		NSS260R __ R-12-40-79	Brushed Gold	79"	Clear	32"	36"	N/A
		NSS260R __ R-11-40-86	Chrome	86"	Clear	32"	36"	42"
		NSS260R __ R-33-40-86	Matte Black	86"	Clear	32"	36"	42"
		NSS260R36R-18-80-79	Matte White	79"	Mist	N/A	36"	N/A
		NSS260R36R-11-80-79	Chrome	79"	Mist	N/A	36"	N/A
		NSS260R36R-25-80-79	Brushed Nickel	79"	Mist	N/A	36"	N/A
		NSS260R36R-33-80-79	Matte Black	79"	Mist	N/A	36"	N/A
		NSS260R36R-12-80-79	Brushed Gold	79"	Mist	N/A	36"	N/A

NEW MIST GLASS


NEW MIST GLASS

Door & return panel must be on the same side for CRP configuration.

Door front Door side

NSS260R **36** **R** **36** **R** -11-40-79

Return panel Return panel side



RETURN PANELS

32" RP = 29 1/4" to 29 7/8"

36" RP = 33 1/4" to 33 7/8"

42" RP = 39 1/4" to 39 7/8"



SCAN HERE
FOR PRICES



**NEW!
MIST GLASS**



**NEW!
MIX & MATCH
SEE PAGE 79**



**SLIDING
2 SIDED SHOWERS**

NSS260R36R-12-40-79

SKYLINE 2 Sided

Sliding door & fixed panel with return panel (closes against return panel)

10
year limited
warranty

European style frameless door

Right or left hand entry installations available

Easy to install

Door magnets ensure a water-tight seal

Detachable bottom guide to facilitate maintenance

5/16" (8mm) clear or mist* tempered glass

Shower door heights: 75", 79" & 86" *

Matte White, Chrome, Brushed Nickel, Matte Black & Brushed Gold finishes*

*Options vary by dimension. See page 60 for more information.

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek[®]**
FLEURCO
Glass surface protection

 **FLEURCO™** www.fleurco.com

1/4" (6 mm) Tempered clear glass • 75" Height 5/16" (8 mm) Tempered clear glass • 75" Height

RP You must indicate your return panel size **32"** **34"** or **36"** in the "RP" field**

These units are reversible.

IN-LINE 48 WITH RETURN PANEL

45" to 48" W x 75" H · Approx. entry: 18" to 21"

MODEL FINISH

1/4" (6 mm) tempered glass

NAPS48 RP -11-40-75	Chrome
NAPS48 __ -25-40-75	Brushed Nickel
NAPS48 __ -33-40-75	Matte Black

NEW

5/16" (8 mm) tempered glass

NAP8S4836-11-40-75	Chrome
NAP8S4836-25-40-75	Brushed Nickel
NAP8S4836-33-40-75	Matte Black

BASE SIZE

ADQ3248-18	48" x 32" x 2 3/4"
ADQ3448-18	48" x 34" x 2 3/4"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 3/4"
ATAS2-3648- NEW!	48" x 36" x 1 3/8"
AU_3648-33	48" x 36" x 2 3/4"
AULV3648-18	48" x 36" x 1 1/2"*
ADT4836-18-L2 or R2	48" x 36" x 3"
ADTC4836-18-L2 or R2	48" x 36" x 3"
ALT4836-18-L2 or R2	48" x 36" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

IN-LINE 54 WITH RETURN PANEL

51" to 54" W x 75" H · Approx. entry: 21" to 24"

MODEL FINISH

1/4" (6 mm) tempered glass


NAPS54 RP -11-40-75	Chrome
NAPS54 __ -25-40-75	Brushed Nickel
NAPS54 __ -33-40-75	Matte Black

BASE SIZE

ADT5436-18-L2 or R2	54" x 36" x 3"
---------------------	----------------

For more information on bases, see www.fleurco.com

LEFT OR RIGHT INSTALLATION



**SCAN HERE
FOR PRICES**

IN-LINE 60 WITH RETURN PANEL

57" to 60" W x 75" H · Approx. entry: 24" to 27"

MODEL FINISH

1/4" (6 mm) tempered glass

NAPS60 RP -11-40-75	Chrome
NAPS60 __ -25-40-75	Brushed Nickel
NAPS60 __ -33-40-75	Matte Black

NEW

5/16" (8 mm) tempered glass

NAP8S6036-11-40-75	Chrome
NAP8S6036-25-40-75	Brushed Nickel
NAP8S6036-33-40-75	Matte Black

BASE SIZE

ABE3260-18-11 or 25-B	60" x 32" x 3"
ADQ3260-18	60" x 32" x 2 3/4"
ATAS2-3260- NEW!	60" x 32" x 1 1/2"
AU_3260-33	60" x 32" x 2 3/4"
AULV3260-18	60" x 32" x 1 1/2"*
ADQ3460-18	60" x 34" x 2 3/4"
ABE3660-18-11 or 25-B	60" x 36" x 3"
ADQ3660-18	60" x 36" x 2 3/4"
ATAS2-3660- NEW!	60" x 36" x 1 3/8"
AU_3660-33	60" x 36" x 2 3/4"
AULV3660-18	60" x 36" x 1 1/2"*
ADT6036-18-L2 or R2	60" x 36" x 3"
ADTC6036-18-L2 or R2 NEW!	60" x 36" x 3"
ALT6036-18-L2 or R2	60" x 36" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

IN-LINE 72 WITH RETURN PANEL

69" to 72" W x 75" H · Approx. entry: 30" to 33"

MODEL FINISH

1/4" (6 mm) tempered glass

NAPS72 RP -11-40-75	Chrome
NAPS72 __ -25-40-75	Brushed Nickel
NAPS72 __ -33-40-75	Matte Black

BASE SIZE

ADQ3672-18	72" x 36" x 2 3/4"
------------	--------------------

For more information on bases, see www.fleurco.com

See end of section for spacer information

RETURN PANELS**

32" RP = 29" to 29 1/2"	34" RP = 31" to 31 1/2"	36" RP = 33" to 33 1/2"
-------------------------	-------------------------	-------------------------

**32" & 34" RP are not available in 5/16" (8mm) glass

NEW!
8MM GLASS
THICKNESS

SLIDING
2 SIDED SHOWERS

NAPS4836-11-40-75

APOLLO₂ Sided

Sliding door & fixed panel with return panel (closes against return panel)

10
year limited
warranty

European style frameless door

Reversible left or right opening

Built in door stop

Detachable bottom guide to facilitate maintenance

1/4" (6mm) and 5/16" (8mm)* clear tempered glass

Shower door height: 75"

Chrome, Brushed Nickel & Matte Black finishes

*Certain dimensions only. See page 62 for more information.

 **FLEURCO™** **SEKUR⁺** WITH **EZ Clean^{*}**

SAFETY PROTECTION

*5 year limited warranty

 **Microtek[®]**
FLEURCO
Glass surface protection

TUB ENCLOSURE 60


56" to 60" W x 66" H · Approx. entry: 23 1/2" to 27 1/2"

MODEL	FINISH
NXVST60-11-40 ①	Chrome
NXVST60-25-40 _	Brushed Nickel
NXVST60-33-40 _	Matte Black

DOOR OPTIONS

Insert Code "L" or "R"

①



SCAN HERE
FOR PRICES



SLIDING TUB ENCLOSURES

NXVST60-11-40R

NOVARA^{PLUS} Tub Enclosure

Sliding door & fixed panel

10
year limited
warranty

- Stainless steel roller system
- Gasket with cushioned bumper
- Door slides smoothly & effortlessly
- Detachable bottom guide to facilitate maintenance
- Integrated towel bar
- Left or right installation available
- 3/8" (10mm) clear tempered glass
- Tub door height: 66"
- Chrome, Brushed Nickel & Matte Black finishes

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

 **FLEURCO™** www.fleurco.com

5/16" (8 mm) Tempered clear glass • 66" Height

TUB ENCLOSURE 60

57 3/4" to 59" W x 66" H · Approx. entry: 23 7/8"

MODEL	FINISH
LAT60-33-43	Matte Black



Glass surface protection



These units are reversible.





SLIDING TUB ENCLOSURES

LAT60-33-43

LATITUDE Tub Enclosure

Sliding door & fixed panel

Silk screen design - high style, low maintenance

Sleek vertical handle

Door slides smoothly & effortlessly

Magnetic closure

Spring loaded rollers - allows door to easily detach from bottom rail for easy cleaning

Reversible left or right opening

5/16" (8mm) clear tempered glass

Tub door height: 66"

Matte Black finish

10
year limited
warranty

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

 **FLEURCO™** www.fleurco.com

TUB ENCLOSURE 60

56" to 60" W x 66" H · Approx. entry: 21" to 25"

MODEL	FINISH	GLASS
NHST60-18-40 ①	Matte White	Clear
NHST60-11-40 _	Chrome	Clear
NHST60-25-40 _	Brushed Nickel	Clear
NHST60-33-40 _	Matte Black	Clear
NHST60-12-40 _	Brushed Gold	Clear
NHST60-18-80 ①	Matte White	Mist
NHST60-11-80 _	Chrome	Mist
NHST60-25-80 _	Brushed Nickel	Mist
NHST60-33-80 _	Matte Black	Mist
NHST60-12-80 _	Brushed Gold	Mist

TUB ENCLOSURE 65


61" to 65" W x 66" H · Approx. entry: 24" to 28"

MODEL	FINISH	GLASS
NHST65-11-40 ①	Chrome	Clear
NHST65-25-40 _	Brushed Nickel	Clear
NHST65-33-40 _	Matte Black	Clear

DOOR OPTIONS

Insert Code "L" or "R"

①



SCAN HERE
FOR PRICES



**NEW!
MIST GLASS**



**NEW!
MIX & MATCH
SEE PAGE 78**



SLIDING TUB ENCLOSURES

NHST60-12-40R

HORIZON Tub Enclosure

Sliding door & fixed panel

10
year limited
warranty

Easy rolling system enables door to slide effortlessly

Right or left hand entry installations available

Back-to-back handle design

Magnetic closure

Detachable bottom guide to facilitate maintenance

5/16" (8mm) clear or mist* tempered glass

Tub door height: 66"

Matte White, Chrome, Brushed Nickel, Matte Black & Brushed Gold finishes*

*Options vary by dimension. See page 68 for more information.

 **FLEURCO™SEKUR⁺**

SAFETY PROTECTION *

*5 year limited warranty

 **Microtek®**
FLEURCO

Glass surface protection

 **FLEURCO™** www.fleurco.com

HORIZON 2 sided tub enclosure

Sliding door and fixed panel with return panel

5/16" (8 mm) Tempered clear glass • 66" Height



Glass surface protection



TUB ENCLOSURE 60 NEW WITH 30" RETURN PANEL

56" to 60" W x 66" H · Approx. entry: 21" to 25"

MODEL	FINISH
NHST260 ① 30 ① -11-40	Chrome
NHST260 _ 30 _ -25-40	Brushed Nickel
NHST260 _ 30 _ -33-40	Matte Black
BATHTUB	SIZE
BZCP6030L or R-18 NEW	60" W x 30" D x 20" H

For more information on Capriccio bathtub, see www.fleurco.com

TUB ENCLOSURE 60 WITH 32" RETURN PANEL

56" to 60" W x 66" H · Approx. entry: 21" to 25"

MODEL	FINISH
NHST260 ① 32 ① -11-40	Chrome
NHST260 _ 32 _ -25-40	Brushed Nickel
NHST260 _ 32 _ -33-40	Matte Black

TUB ENCLOSURE 65 NEW WITH 30" RETURN PANEL

61" to 65" W x 66" H · Approx. entry: 24 1/4" to 28 1/4"

MODEL	FINISH
NHST265 ① 30 ① -11-40	Chrome
NHST265 _ 30 _ -25-40	Brushed Nickel
NHST265 _ 30 _ -33-40	Matte Black

TUB ENCLOSURE 65 WITH 32" RETURN PANEL

61" to 65" W x 66" H · Approx. entry: 24 1/4" to 28 1/4"


MODEL	FINISH
NHST265 ① 32 ① -11-40	Chrome
NHST265 _ 32 _ -25-40	Brushed Nickel
NHST265 _ 32 _ -33-40	Matte Black
BATHTUB	SIZE
BZSE6632L or R-18	66" W x 32" D x 20" H

For more information on Sequence bathtub, see www.fleurco.com

NHST260_30_DOOR OPTIONS

Insert Code "L" or "R" to indicate door & return panel side (must be on the same side)

①




L

R

BZCP6030 OPTIONS

Insert Code "L" or "R" to indicate tub drain side



L

R


L & R must be opposite for door configuration & tub.

EX: NHST260L30L-11-40 + BZCP6030R-18

NHST260_32_DOOR OPTIONS

Insert Code "L" or "R" to indicate door & return panel side (must be on the same side)

①




L

R

NHST265_30_DOOR OPTIONS

Insert Code "L" or "R" to indicate door & return panel side (must be on the same side)

①




L

R

NHST265_32_DOOR OPTIONS

Insert Code "L" or "R" to indicate door & return panel side (must be on the same side)

①




L

R

BZSE6632 OPTIONS

Insert Code "L" or "R" to indicate tub drain side



L

R

L & R must be on the same side for door configuration & tub.

EX: NHST265L32L-11-40 + BZSE6632L-18

RETURN PANELS


30" RP = 27 1/4" to 27 7/8"

32" RP = 29 1/4" to 29 7/8"



SCAN HERE
FOR PRICES

NEW!
MIX & MATCH
SEE PAGE 78



SLIDING TUB ENCLOSURES

NHST260R30R-33-40
BZCP6030L-18

HORIZON² Sided Tub Enclosure

Sliding door & fixed panel with return panel

10
year limited
warranty

Easy rolling system enables door to slide effortlessly

Right or left hand entry installations available

Back-to-back handle design

Magnetic closure

Detachable bottom guide to facilitate maintenance

5/16" (8mm) clear tempered glass

Tub door height: 66"

Chrome, Brushed Nickel & Matte Black finishes

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

TUB ENCLOSURE 60

56" to 60" W x 66" H · Approx. entry: 21" to 25"

MODEL	FINISH	GLASS
NSST60-18-40 ①	Matte White	Clear
NSST60-11-40 _	Chrome	Clear
NSST60-25-40 _	Brushed Nickel	Clear
NSST60-33-40 _	Matte Black	Clear
NSST60-12-40 _	Brushed Gold	Clear
NSST60-18-80 ①	Matte White	Mist
NSST60-11-80 _	Chrome	Mist
NSST60-25-80 _	Brushed Nickel	Mist
NSST60-33-80 _	Matte Black	Mist
NSST60-12-80 _	Brushed Gold	Mist

TUB ENCLOSURE 65


61" to 65" W x 66" H · Approx. entry: 24" to 28"

MODEL	FINISH	GLASS
NSST65-11-40 ①	Chrome	Clear
NSST65-25-40 _	Brushed Nickel	Clear
NSST65-33-40 _	Matte Black	Clear

DOOR OPTIONS

Insert Code "L" or "R"

①



SCAN HERE
FOR PRICES



NEW!
MIST GLASS

NEW!
MIX & MATCH
SEE PAGE 79

SLIDING TUB ENCLOSURES

NSST60-18-40L

SKYLINE[™] Tub Enclosure

Sliding door & fixed panel

10
year limited
warranty

Easy rolling system enables door to slide effortlessly

Right or left hand entry installations available

Back-to-back handle design

Magnetic closure

Detachable bottom guide to facilitate maintenance

5/16" (8mm) clear or mist* tempered glass

Tub door height: 66"

Matte White, Chrome, Brushed Nickel, Matte Black & Brushed Gold finishes*

*Options vary by dimension. See page 72 for more information.

 **FLEURCO[™]SEKUR⁺**

SAFETY PROTECTION *

*5 year limited warranty

 **Microtek[®]**
FLEURCO

Glass surface protection

 **FLEURCO[™]** www.fleurco.com

SKYLINE 2 sided tub enclosure

Sliding door and fixed panel with return panel

5/16" (8 mm) Tempered clear glass • 66" Height



Glass surface protection



TUB ENCLOSURE 60 NEW WITH 30" RETURN PANEL

56" to 60" W x 66" H · Approx. entry: 21" to 25"


MODEL	FINISH
NSST260 ①30 ①-11-40	Chrome
NSST260 _ 30 _ -25-40	Brushed Nickel
NSST260 _ 30 _ -33-40	Matte Black
BATHTUB	SIZE
BZCP6030L or R-18 NEW	60" W x 30" D x 20" H

For more information on Capriccio bathtub, see www.fleurco.com

NSST260_30_ DOOR OPTIONS

Insert Code "L" or "R" to indicate door & return panel side (must be on the same side)

①




L

R

BZCP6030 OPTIONS

Insert Code "L" or "R" to indicate tub drain side



L

R

L & R must be opposite for door configuration & tub.

EX: NSST260L30L-11-40 + BZCP6030R-18

TUB ENCLOSURE 60 WITH 32" RETURN PANEL


56" to 60" W x 66" H · Approx. entry: 21" to 25"

MODEL	FINISH
NSST260 ①32 ①-11-40	Chrome
NSST260 _ 32 _ -25-40	Brushed Nickel
NSST260 _ 32 _ -33-40	Matte Black

NSST260_32_ DOOR OPTIONS

Insert Code "L" or "R" to indicate door & return panel side (must be on the same side)

①



L

R

TUB ENCLOSURE 65 NEW WITH 30" RETURN PANEL


61" to 65" W x 66" H · Approx. entry: 24 1/4" to 28 1/4"

MODEL	FINISH
NSST265 ①30 ①-11-40	Chrome
NSST265 _ 30 _ -25-40	Brushed Nickel
NSST265 _ 30 _ -33-40	Matte Black

NSST265_30_ DOOR OPTIONS

Insert Code "L" or "R" to indicate door & return panel side (must be on the same side)

①




L

R

NSST265_32_ DOOR OPTIONS

Insert Code "L" or "R" to indicate door & return panel side (must be on the same side)

①




L

R

BZSE6632 OPTIONS

Insert Code "L" or "R" to indicate tub drain side



L

R

L & R must be on the same side for door configuration & tub.

EX: NSST265L32L-11-40 + BZSE6632L-18

TUB ENCLOSURE 65 WITH 32" RETURN PANEL

61" to 65" W x 66" H · Approx. entry: 24 1/4" to 28 1/4"

MODEL	FINISH
NSST265 ①32 ①-11-40	Chrome
NSST265 _ 32 _ -25-40	Brushed Nickel
NSST265 _ 32 _ -33-40	Matte Black
BATHTUB	SIZE
BZSE6632L or R-18	66" W x 32" D x 20" H

For more information on Sequence bathtub, see www.fleurco.com

RETURN PANELS

30" RP = 27 1/4" to 27 7/8"

32" RP = 29 1/4" to 29 7/8"



SCAN HERE
FOR PRICES

NEW!
MIX & MATCH
SEE PAGE 79



SLIDING TUB ENCLOSURES

NSST260R30R-11-40
BZCP6030L-18

SKYLINE² Sided Tub Enclosure

Sliding door & fixed panel with return panel

10
year limited
warranty

Easy rolling system enables door to slide effortlessly

Right or left hand entry installations available

Back-to-back handle design

Magnetic closure

Detachable bottom guide to facilitate maintenance

5/16" (8mm) clear tempered glass

Tub door height: 66"

Chrome, Brushed Nickel & Matte Black finishes

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

APOLLO Tub enclosure

Sliding door and fixed panel

1/4" (6 mm) Tempered clear glass • 60" Height
5/16" (8 mm) Tempered clear glass • 60" Height

TUB ENCLOSURE 60

57" to 60" W x 60" H · Approx. entry: 24" to 27"

MODEL	FINISH
1/4" (6 mm) tempered glass	
NAST60-11-40	Chrome
NAST60-25-40	Brushed Nickel
NAST60-33-40	Matte Black
NEW 5/16" (8 mm) tempered glass	
NA8ST60-11-40	Chrome
NA8ST60-25-40	Brushed Nickel
NA8ST60-33-40	Matte Black



Glass surface protection



These units are reversible.

SLIDING TUB ENCLOSURES



SCAN HERE
FOR PRICES

NEW!
8MM GLASS
THICKNESS

SLIDING TUB ENCLOSURES

NAST60-33-40

APOLLO Tub Enclosure

Sliding door & fixed panel

10
year limited
warranty

Reversible left or right opening
Integrated door catch
Concealed rollers
Anti-jump system
Adjustable wall jambs
Gasket ensures a tight seal
Detachable bottom guide to facilitate maintenance
1/4" (6mm) and 5/16" (8mm) clear tempered glass
Tub door height: 60"
Chrome, Brushed Nickel & Matte Black finishes

 **FLEURCO™** **SEKUR⁺** WITH **EZ Clean⁺** *

SAFETY PROTECTION

*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

HORIZON MIX & MATCH

Mix & match kits allow you to customize finish combinations

NEW!



Step 1

Choose your door finish

Ex: NHS160-11-40R-79

Step 2


Choose the finish for your Mix & Match kit below

Ex: NH-CONVKIT-33-MX


MIX & MATCH KITS

MODEL	FINISH
NH-CONVKIT-11-MX	Chrome
NH-CONVKIT-25-MX	Brushed Nickel
NH-CONVKIT-33-MX	Matte Black
NH-CONVKIT-12-MX	Brushed Gold
NH-CONVKIT-18-MX	Matte White

Mix & Match kits include:



Rollers



Fasteners



Handles

Available finishes for kits:



Chrome
11



Brushed Nickel
25



Matte Black
33



Brushed Gold
12



Matte White
18



**SCAN HERE
FOR PRICES**

SKYLINE MIX & MATCH

Mix & match kits allow you to customize finish combinations

NEW!

SLIDING



NSS160-33-40R-79
NS-CONVKIT-11-MX



NSST60-25-40L
NS-CONVKIT-33-MX

Step 1

Choose your door finish

Ex: NSST60-25-40L

Step 2

Choose the finish for your Mix & Match kit below

Ex: NS-CONVKIT-33-MX

MIX & MATCH KITS

MODEL	FINISH
NS-CONVKIT-11-MX	Chrome
NS-CONVKIT-25-MX	Brushed Nickel
NS-CONVKIT-33-MX	Matte Black
NS-CONVKIT-12-MX	Brushed Gold
NS-CONVKIT-18-MX	Matte White

Mix & Match kits include:



Rollers



Fasteners



Handles

Available finishes for kits:



Chrome
11



Brushed Nickel
25



Matte Black
33



Brushed Gold
12



Matte White
18



SCAN HERE
FOR PRICES

PIVOT IN-LINE SHOWERS



*SELECT PLATINUM KARA 82-83

Wall-mount hinges

Sizes: 46, 57



*SELECT PLATINUM LEXUS 84-85

Glass-to-glass hinges

Sizes: 45, 57



LATITUDE 86-87

In & out pivot door with fixed panel

Sizes: 48, 54, 60



ELERA 88-91

In & out pivot door with fixed panel

Sizes: 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69



M

Glass surface protection



Microtek®
FLEURCO

See website for more
information

SEKUR+

Safety Protection



FLEURCO*SEKUR+
SAFETY PROTECTION

For more information,
see page 120

Available finishes



Chrome



Brushed Nickel



Matte Black

Glass type



Clear

PIVOT 2 SIDED SHOWERS



*SELECT PLATINUM LEXUS..... 92-93

Door & fixed panel with return panel — glass-to-glass hinges

Sizes: 47, 59

CRP M ● ● ● C



LATITUDE 94-95

In & out pivot door with fixed panel & return panel

Sizes: 48, 54, 60

CRP CW M SEKUR+ ● ● C



ELERA 96-99

In & out pivot door with fixed panel & return panel

Sizes: 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69

CRP CW M SEKUR+ ● ● ● C

CRP

Closes against
return panel

CW

Closes against
wall

M

Glass surface protection



See website for more
information

SEKUR+

Safety Protection



For more information,
see page 120

Available finishes

- Chrome
- Brushed Nickel
- Matte Black

Glass type

C Clear

SELECT PLATINUM Kara In-line



Door and fixed panel — wall-mount hinges without FleurcoSEKUR+ Safety Protection

3/8" (10 mm) Tempered clear glass
79" Height (80 1/2" to top of "X" support bar)

These units are reversible.

IN-LINE 48

46 1/4" to 47 1/4" W x 79" H (80 1/2" to top of support bar)
 Approx. entry: 23"

MODEL	FINISH
PMKP46-11-40-79	Chrome
PMKP46-25-40-79	Brushed Nickel
PMKP46-33-40-79	Matte Black
BASE	SIZE
ADQ3248-18	48" x 32" x 2 3/4"
ADQ3448-18	48" x 34" x 2 3/4"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 3/4"
ATAS2-3648- _ NEW!	48" x 36" x 1 3/8"
AU _ 3648-33	48" x 36" x 2 3/4"
AULV3648-18	48" x 36" x 1 1/2"*
ABF4836-18-3-B	48" x 36" x 2 3/4"
ADT4836-18-3	48" x 36" x 3"
ALT4836-18-3	48" x 36" x 2 3/4"
AZM4836-18-11 or 25-B	48" x 36" x 1 3/8"*
ADT4842-18-3	48" x 42" x 3"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

IN-LINE 60

57 5/8" to 58 5/8" W x 79" H (80 1/2" to top of support bar)
 Approx. entry: 31"

MODEL	FINISH
PMKP57-11-40-79	Chrome
PMKP57-25-40-79	Brushed Nickel
PMKP57-33-40-79	Matte Black
BASE	SIZE
ADQ3060-18	60" x 30" x 2 3/4"
ABE3260-18-11 or 25-B	60" x 32" x 3"
ADQ3260-18	60" x 32" x 2 3/4"
ATAS2-3260- _ NEW!	60" x 32" x 1 1/2"
AU _ 3260-33	60" x 32" x 2 3/4"
AULV3260-18	60" x 32" x 1 1/2"*
ABF6032-18-L3 or R3-B	60" x 32" x 2 3/4"
ADT6032-18-L3 or R3	60" x 32" x 3"
ALT6032-18-L3 or R3	60" x 32" x 2 3/4"
AZM6032-18-11 or 25-B	60" x 32" x 1 3/8"*
ADQ3460-18	60" x 34" x 2 3/4"
ABE3660-18-11 or 25-B	60" x 36" x 3"
ADQ3660-18	60" x 36" x 2 3/4"
ATAS2-3660- _ NEW!	60" x 36" x 1 3/8"
AU _ 3660-33	60" x 36" x 2 3/4"
AULV3660-18	60" x 36" x 1 1/2"*
ABF6036-18-3-B	60" x 36" x 2 3/4"
ADT6036-18-3	60" x 36" x 3"
ALT6036-18-3	60" x 36" x 2 3/4"
AZM6036-18-11 or 25-B	60" x 36" x 1 3/8"*
ADQ4260-18	60" x 42" x 2 3/4"
ADQ4860-18	60" x 48" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

NO DOOR OPTIONS

Reversible "L" or "R"	"M" Hinge	"A" Handle	"X" Support
L R			



**SCAN HERE
FOR PRICES**

Custom configurations are available.
 Contact customer service for more information.



SELECT
PLATINUM Kara In-line
Pivot door & fixed panel — wall-mount hinges

10
year limited
warranty

European style frameless door
Available with "X" support bar
Rectangular wall-mount hinges (M)
Straight handle (A)
3/8" (10mm) clear tempered glass
Shower door height: 79" (80 1/2" to top of the "X" support bar)
Chrome, Brushed Nickel & Matte Black finishes

 **Microtek®**
FLEURCO
Glass surface protection

SELECT PLATINUM

Lexus In-line

Door and fixed panel — glass-to-glass hinges without FleurcoSEKUR+ Safety Protection

3/8" (10 mm) Tempered clear glass 79" Height (80 1/2" to top of "X" support bar)

IN-LINE 48

45 5/8" to 46 7/8" W x 79" H (80 1/2" to top of support bar)
Approx. entry: 26"

MODEL	FINISH
PMLP45-11-40-79	Chrome
PMLP45-25-40-79	Brushed Nickel
PMLP45-33-40-79	Matte Black
BASE	SIZE
ADQ3248-18	48" x 32" x 2 3/4"
ADQ3448-18	48" x 34" x 2 3/4"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 3/4"
ATAS2-3648- _ NEW!	48" x 36" x 1 3/8"
AU _ 3648-33	48" x 36" x 2 3/4"
AULV3648-18	48" x 36" x 1 1/2"*
ABF4836-18-3-B	48" x 36" x 2 3/4"
ADT4836-18-3	48" x 36" x 3"
ALT4836-18-3	48" x 36" x 2 3/4"
AZM4836-18-11 or 25-B	48" x 36" x 1 3/8"*
ADT4842-18-3	48" x 42" x 3"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

These units are reversible.

IN-LINE 60

57 1/8" to 58 3/8" W x 79" H (80 1/2" to top of support bar)
Approx. entry: 25"


MODEL	FINISH
PMLP57-11-40-79	Chrome
PMLP57-25-40-79	Brushed Nickel
PMLP57-33-40-79	Matte Black
BASE	SIZE
ADQ3060-18	60" x 30" x 2 3/4"
ABE3260-18-11 or 25-B	60" x 32" x 3"
ADQ3260-18	60" x 32" x 2 3/4"
ATAS2-3260- _ NEW!	60" x 32" x 1 1/2"
AU _ 3260-33	60" x 32" x 2 3/4"
AULV3260-18	60" x 32" x 1 1/2"*
ABF6032-18-L3 or R3-B	60" x 32" x 2 3/4"
ADT6032-18-L3 or R3	60" x 32" x 3"
ALT6032-18-L3 or R3	60" x 32" x 2 3/4"
AZM6032-18-11 or 25-B	60" x 32" x 1 3/8"*
ADQ3460-18	60" x 34" x 2 3/4"
ABE3660-18-11 or 25-B	60" x 36" x 3"
ADQ3660-18	60" x 36" x 2 3/4"
ATAS2-3660- _ NEW!	60" x 36" x 1 3/8"
AU _ 3660-33	60" x 36" x 2 3/4"
AULV3660-18	60" x 36" x 1 1/2"*
ABF6036-18-3-B	60" x 36" x 2 3/4"
ADT6036-18-3	60" x 36" x 3"
ALT6036-18-3	60" x 36" x 2 3/4"
AZM6036-18-11 or 25-B	60" x 36" x 1 3/8"*
ADQ4260-18	60" x 42" x 2 3/4"
ADQ4860-18	60" x 48" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

NO DOOR OPTIONS


Reversible "L" or "R"




L

R


"M" Hinge



"A" Handle



"X" Support



**SCAN HERE
FOR PRICES**

Custom configurations are available.
Contact customer service for more information.

PMLP57-11-40-79



SELECT

PLATINUM | Lexus In-line

Pivot door & fixed panel — glass-to-glass hinges

10
year limited
warranty

European style frameless door

Available with "X" support bar

Rectangular glass-to-glass hinges (M)

Straight handle (A)

3/8" (10mm) clear tempered glass

Shower door height: 79" (80 1/2" to top of the "X" support bar)

Chrome, Brushed Nickel & Matte Black finishes

 **Microtek®**
FLEURCO
Glass surface protection

LATITUDE

PIVOT In-line

In & out pivot door with fixed panel

5/16" (8 mm) Tempered clear glass
79" Height (80" to top of support bar bracket)

IN-LINE 48

45 ¾" to 47" W x 79" H (80" to top of support bar bracket)
 Approx. entry: 25 ½"

MODEL	FINISH
LAP48-33-43-79	Matte Black
BASE	SIZE
ADQ3248-18	48" x 32" x 2 ¾"
ADQ3448-18	48" x 34" x 2 ¾"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 ¾"
ATAS2-3648- _ NEW!	48" x 36" x 1 ⅜"
AU _ 3648-33	48" x 36" x 2 ¾"
AULV3648-18	48" x 36" x 1 ½"*
ABF4836-18-3-B	48" x 36" x 2 ¾"
ADT4836-18-3	48" x 36" x 3"
ALT4836-18-3	48" x 36" x 2 ¾"
AZM4836-18-11 or 25-B	48" x 36" x 1 ⅜"*
ADT4842-18-3	48" x 42" x 3"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com



Pivots on fixed panel,
closes on wall



Pivots on wall,
closes on fixed panel



**SCAN HERE
FOR PRICES**



Glass surface protection



These units are reversible.

IN-LINE 54

51 ¾" to 53" W x 79" H (80" to top of support bar bracket)
 Approx. entry: 25 ½"

MODEL	FINISH
LAP54-33-43-79	Matte Black
BASE	SIZE
ADT5436-18-3	54" x 36" x 3"

For more information on bases, see www.fleurco.com

IN-LINE 60


57 ¾" to 59" W x 79" H (80" to top of support bar bracket)
 Approx. entry: 25 ½"

MODEL	FINISH
LAP60-33-43-79	Matte Black
BASE	SIZE
ADQ3060-18	60" x 30" x 2 ¾"
ABE3260-18-11 or 25-B	60" x 32" x 3"
ADQ3260-18	60" x 32" x 2 ¾"
ATAS2-3260- _ NEW!	60" x 32" x 1 ½"
AU _ 3260-33	60" x 32" x 2 ¾"
AULV3260-18	60" x 32" x 1 ½"*
ABF6032-18-L3 or R3-B	60" x 32" x 2 ¾"
ADT6032-18-L3 or R3	60" x 32" x 3"
ALT6032-18-L3 or R3	60" x 32" x 2 ¾"
AZM6032-18-11 or 25-B	60" x 32" x 1 ⅜"*
ADQ3460-18	60" x 34" x 2 ¾"
ABE3660-18-11 or 25-B	60" x 36" x 3"
ADQ3660-18	60" x 36" x 2 ¾"
ATAS2-3660- _ NEW!	60" x 36" x 1 ⅜"
AU _ 3660-33	60" x 36" x 2 ¾"
AULV3660-18	60" x 36" x 1 ½"*
ABF6036-18-3-B	60" x 36" x 2 ¾"
ADT6036-18-3	60" x 36" x 3"
ALT6036-18-3	60" x 36" x 2 ¾"
AZM6036-18-11 or 25-B	60" x 36" x 1 ⅜"*
ADQ4260-18	60" x 42" x 2 ¾"
ADQ4860-18	60" x 48" x 2 ¾"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

All models include 70" support bar.



NOTE: Inward opening and entry can be compromised by insufficient depth of enclosure.

Call customer service for more information.



LAP60-33-43-79

LATITUDE[≡] PIVOT In-line

In & out pivot door with fixed panel

10
year limited
warranty

Silk screen design - high style, low maintenance

Sleek vertical handle

In & out pivoting system with 90° inward & 90° outward opening

Reversible left or right door installation on wall or fixed panel

Magnetic closure

5/16" (8mm) clear tempered glass

Shower door height: 79" (80" to top of support bar bracket)

Matte Black finish

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

ELERA In-line

In & out pivot door with fixed panel

5/16" (8 mm) Tempered clear glass
79" Height (80" to top of support bar bracket)

IN-LINE 36


33 5/8" to 35" W x 79" H (80" to top of support bar bracket)
 Approx. entry: 19 1/4"

MODEL	FINISH
ELE133-11-40-79	Chrome
ELE133-25-40-79	Brushed Nickel
ELE133-33-40-79	Matte Black
BASE	SIZE
ADC36ST-18	36" x 36" x 2 3/4"
ADQ3636-18	36" x 36" x 2 3/4"

For more information on bases, see www.fleurco.com

All models include support bar for max adjustment of 71 5/8".

Spacer kit includes set of (2) 3/8" spacers giving an additional 3/4" adjustment for opening.



Spacer (sold separately)

MODEL	FINISH
ELE-SPACER-3/8-11	Chrome
ELE-SPACER-3/8-25	Brushed Nickel
ELE-SPACER-3/8-33	Matte Black



Glass surface protection



These units are reversible.

IN-LINE 42

39 5/8" to 41" W x 79" H (80" to top of support bar bracket)
 Approx. entry: 25 1/4"

MODEL	FINISH
ELE139-11-40-79	Chrome
ELE139-25-40-79	Brushed Nickel
ELE139-33-40-79	Matte Black
BASE	SIZE
ADQ3242-18	42" x 32" x 2 3/4"
ADQ3642-18	42" x 36" x 2 3/4"

For more information on bases, see www.fleurco.com


IN-LINE 48

45 5/8" to 47" W x 79" H (80" to top of support bar bracket)
 Approx. entry: 25 1/4"

MODEL	FINISH
ELE145-11-40-79	Chrome
ELE145-25-40-79	Brushed Nickel
ELE145-33-40-79	Matte Black
BASE	SIZE
ADQ3248-18	48" x 32" x 2 3/4"
ADQ3448-18	48" x 34" x 2 3/4"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 3/4"
ATAS2-3648- NEW!	48" x 36" x 1 3/8"
AU _ 3648-33	48" x 36" x 2 3/4"
AULV3648-18	48" x 36" x 1 1/2"*
ABF4836-18-3-B	48" x 36" x 2 3/4"
ADT4836-18-3	48" x 36" x 3"
ALT4836-18-3	48" x 36" x 2 3/4"
AZM4836-18-11 or 25-B	48" x 36" x 1 3/8"*
ADT4842-18-3	48" x 42" x 3"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com



NOTE: Inward opening and entry can be compromised by insufficient depth of enclosure.
 Call customer service for more information.



**SCAN HERE
FOR PRICES**

5/16" (8 mm) Tempered clear glass 79" Height (80" to top of support bar bracket)

IN-LINE 54

51 5/8" to 53" W x 79" H (80" to top of support bar bracket)
Approx. entry: 25 1/4"

MODEL	FINISH
ELE151-11-40-79	Chrome
ELE151-25-40-79	Brushed Nickel
ELE151-33-40-79	Matte Black
BASE	SIZE
ADT5436-18-3	54" x 36" x 3"

For more information on bases, see www.fleurco.com

IN-LINE 72

69 5/8" to 71" W x 79" H (80" to top of support bar bracket)
Approx. entry: 29 1/4"

MODEL	FINISH
ELE169-11-40-79	Chrome
ELE169-25-40-79	Brushed Nickel
ELE169-33-40-79	Matte Black
BASE	SIZE
ADQ3672-18	72" x 36" x 2 3/4"

For more information on bases, see www.fleurco.com



Pivots on fixed panel,
closes on wall



Pivots on wall,
closes on fixed panel



Glass surface protection



These units are reversible.

IN-LINE 60

57 5/8" to 59" W x 79" H (80" to top of support bar bracket)
Approx. entry: 25 1/4"

MODEL	FINISH
ELE157-11-40-79	Chrome
ELE157-25-40-79	Brushed Nickel
ELE157-33-40-79	Matte Black
BASE	SIZE
ADQ3060-18	60" x 30" x 2 3/4"
ABE3260-18-11 or 25-B	60" x 32" x 3"
ADQ3260-18	60" x 32" x 2 3/4"
ATAS2-3260- _ NEW!	60" x 32" x 1 1/2"
AU _ 3260-33	60" x 32" x 2 3/4"
AULV3260-18	60" x 32" x 1 1/2"*
ABF6032-18-L3 or R3-B	60" x 32" x 2 3/4"
ADT6032-18-L3 or R3	60" x 32" x 3"
ALT6032-18-L3 or R3	60" x 32" x 2 3/4"
AZM6032-18-11 or 25-B	60" x 32" x 1 3/8"*
ADQ3460-18	60" x 34" x 2 3/4"
ABE3660-18-11 or 25-B	60" x 36" x 3"
ADQ3660-18	60" x 36" x 2 3/4"
ATAS2-3660- _ NEW!	60" x 36" x 1 3/8"
AU _ 3660-33	60" x 36" x 2 3/4"
AULV3660-18	60" x 36" x 1 1/2"*
ABF6036-18-3-B	60" x 36" x 2 3/4"
ADT6036-18-3	60" x 36" x 3"
ALT6036-18-3	60" x 36" x 2 3/4"
AZM6036-18-11 or 25-B	60" x 36" x 1 3/8"*
ADQ4260-18	60" x 42" x 2 3/4"
ADQ4860-18	60" x 48" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

ALL DRAINS SOLD SEPARATELY

DRAIN No-Calk™ Shower Base Drain*		DRAINABS-11		DRAINABS-25		DRAINABS-33		DRAINABS-12		DRAINPVC-11		DRAINPVC-25		DRAINPVC-33		DRAINPVC-12	
		ABS No-Calk 2" drain	Chrome	ABS No-Calk 2" drain	Brushed Nickel	ABS No-Calk 2" drain	Matte Black	ABS No-Calk 2" drain	Brushed Gold	PVC No-Calk 2" drain	Chrome	PVC No-Calk 2" drain	Brushed Nickel	PVC No-Calk 2" drain	Matte Black	PVC No-Calk 2" drain	Brushed Gold

*Please check local codes to ensure appropriate drain specifications
For AU (Aurora) bases, please see www.fleurco.com

ELERA In-line

In & out pivot door with fixed panel (cont'd)

5/16" (8 mm) Tempered clear glass
79" Height (80" to top of support bar bracket)

OPENING SIZE	APPROX. ENTRY	MODEL	FINISH
35 5/8" to 37" W	21 1/4"	ELE135-11-40-79	Chrome
		ELE135-25-40-79	Brushed Nickel
		ELE135-33-40-79	Matte Black
37 5/8" to 39" W	23 1/4"	ELE137-11-40-79	Chrome
		ELE137-25-40-79	Brushed Nickel
		ELE137-33-40-79	Matte Black
41 5/8" to 43" W	21 1/4"	ELE141-11-40-79	Chrome
		ELE141-25-40-79	Brushed Nickel
		ELE141-33-40-79	Matte Black
43 5/8" to 45" W	23 1/4"	ELE143-11-40-79	Chrome
		ELE143-25-40-79	Brushed Nickel
		ELE143-33-40-79	Matte Black
47 5/8" to 49" W	27 1/4"	ELE147-11-40-79	Chrome
		ELE147-25-40-79	Brushed Nickel
		ELE147-33-40-79	Matte Black
49 5/8" to 51" W	23 1/4"	ELE149-11-40-79	Chrome
		ELE149-25-40-79	Brushed Nickel
		ELE149-33-40-79	Matte Black
53 5/8" to 55" W	21 1/4"	ELE153-11-40-79	Chrome
		ELE153-25-40-79	Brushed Nickel
		ELE153-33-40-79	Matte Black
55 5/8" to 57" W	23 1/4"	ELE155-11-40-79	Chrome
		ELE155-25-40-79	Brushed Nickel
		ELE155-33-40-79	Matte Black
59 5/8" to 61" W	27 1/4"	ELE159-11-40-79	Chrome
		ELE159-25-40-79	Brushed Nickel
		ELE159-33-40-79	Matte Black
61 5/8" to 63" W	21 1/4"	ELE161-11-40-79	Chrome
		ELE161-25-40-79	Brushed Nickel
		ELE161-33-40-79	Matte Black
63 5/8" to 65" W	23 1/4"	ELE163-11-40-79	Chrome
		ELE163-25-40-79	Brushed Nickel
		ELE163-33-40-79	Matte Black
65 5/8" to 67" W	25 1/4"	ELE165-11-40-79	Chrome
		ELE165-25-40-79	Brushed Nickel
		ELE165-33-40-79	Matte Black
67 5/8" to 69" W	27 1/4"	ELE167-11-40-79	Chrome
		ELE167-25-40-79	Brushed Nickel
		ELE167-33-40-79	Matte Black



**SCAN HERE
FOR PRICES**




Glass surface protection




These units are reversible.

All models include support bar for max adjustment of 71 5/8".



NOTE: Inward opening and entry can be compromised by insufficient depth of enclosure.

Call customer service for more information.



Spacer kit includes set of (2) 3/8" spacers giving an additional 3/4" adjustment for opening.

Spacer (sold separately)

MODEL	FINISH
ELE-SPACER-3/8-11	Chrome
ELE-SPACER-3/8-25	Brushed Nickel
ELE-SPACER-3/8-33	Matte Black



ELERA[™] In-line

In & out pivot door with fixed panel

10
year limited
warranty

Sleek vertical handle

In & out pivoting system with 90° inward
& 90° outward opening

Reversible left or right door installation on wall or fixed panel

Magnetic closure

5/16" (8mm) clear tempered glass

Shower door height: 79" (80" to top of support bar bracket)

Chrome, Brushed Nickel & Matte Black finishes

 **FLEURCO[™]SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek[®]**
FLEURCO
Glass surface protection

Door and fixed panel with return panel — glass-to-glass hinges without FleurcoSEKUR+ Safety Protection

3/8" (10 mm) Tempered clear glass
79" Height (80 ½" to top of "X" support bar)

These units are reversible.
(Closes against return panel only)

RP You must indicate your return panel size **32"**, **36"**, **42"** or **48"** in the "RP" field

IN-LINE 48 WITH RETURN PANEL

45 ½" to 46" W x 79" H (80 ½" to top of support bar)
Approx. entry: 25"

MODEL	FINISH
PMLR47 RP -11-40-79	Chrome
PMLR47 __ -25-40-79	Brushed Nickel
PMLR47 __ -33-40-79	Matte Black
BASE	SIZE
ADQ3248-18	48" x 32" x 2 ¾"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 ¾"
ATAS2-3648- NEW!	48" x 36" x 1 ⅜"
AU_3648-33	48" x 36" x 2 ¾"
AULV3648-18	48" x 36" x 1 ½"*
ADT4836-18-L2 or R2	48" x 36" x 3"
ADTC4836-18-L2 or R2	48" x 36" x 3"
ALT4836-18-L2 or R2	48" x 36" x 2 ¾"
ADT4842-18-L2 or R2	48" x 42" x 3"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

IN-LINE 60 WITH RETURN PANEL



57 ½" to 58" W x 79" H (80 ½" to top of support bar)
Approx. entry: 25"

MODEL	FINISH
PMLR59 RP -11-40-79	Chrome
PMLR59 __ -25-40-79	Brushed Nickel
PMLR59 __ -33-40-79	Matte Black
BASE	SIZE
ABE3260-18-11 or 25-B	60" x 32" x 3"
ADQ3260-18	60" x 32" x 2 ¾"
ATAS2-3260- NEW!	60" x 32" x 1 ½"
AU_3260-33	60" x 32" x 2 ¾"
AULV3260-18	60" x 32" x 1 ½"*
ABE3660-18-11 or 25-B	60" x 36" x 3"
ADQ3660-18	60" x 36" x 2 ¾"
ATAS2-3660- NEW!	60" x 36" x 1 ⅜"
AU_3660-33	60" x 36" x 2 ¾"
AULV3660-18	60" x 36" x 1 ½"*
ADT6036-18-L2 or R2	60" x 36" x 3"
ADTC6036-18-L2 or R2 NEW!	60" x 36" x 3"
ALT6036-18-L2 or R2	60" x 36" x 2 ¾"
ADQ4260-18	60" x 42" x 2 ¾"
ADQ4860-18	60" x 48" x 2 ¾"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

NO DOOR OPTIONS

Reversible "L" or "R"	"M" Hinge	"A" Handle	"X" Support
			
L R			

RETURN PANELS

32" RP = 29 ¾" to 30 ¼"
36" RP = 33 ⅛" to 33 ⅝"
42" RP = 39 ⅛" to 39 ⅝"
48" RP = 45 ¾" to 46 ¼"



**SCAN HERE
FOR PRICES**

Custom configurations are available.
Contact customer service for more information.



SELECT

PLATINUM | Lexus 2 Sided

Door & fixed panel with return panel — glass-to-glass hinges

10
year limited
warranty

European style frameless door

Available with "X" support bar

Rectangular glass-to-glass hinges (M)

Straight handle (A)

3/8" (10mm) clear tempered glass

Shower door height: 79" (80 1/2" to top of the "X" support bar)

Chrome, Brushed Nickel & Matte Black finishes

 **Microtek®**
FLEURCO
Glass surface protection

In & out pivot door with fixed panel & return panel

5/16" (8 mm) Tempered clear glass
79" Height (80" to top of support bar bracket)

RP You must indicate your return panel size 32", 36", 42" or 48" in the "RP" field



Glass surface protection



These units are reversible.
 (Closes on return panel,
 fixed panel or wall)

IN-LINE 48 WITH RETURN PANEL

45 1/2" to 46 1/8" W x 79" H (80" to top of support bar bracket)
 Approx. entry: 25 1/2"

MODEL	FINISH
LAP248 RP 33-43-79	Matte Black
BASE	SIZE
ADQ3248-18	48" x 32" x 2 3/4"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 3/4"
ATAS2-3648- NEW!	48" x 36" x 1 3/8"
AU_3648-33	48" x 36" x 2 3/4"
AULV3648-18	48" x 36" x 1 1/2"*
ADT4836-18-L2 or R2	48" x 36" x 3"
ADTC4836-18-L2 or R2	48" x 36" x 3"
ALT4836-18-L2 or R2	48" x 36" x 2 3/4"
ADT4842-18-L2 or R2	48" x 42" x 3"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com

IN-LINE 54 WITH RETURN PANEL

51 1/2" to 52 1/8" W x 79" H (80" to top of support bar bracket)
 Approx. entry: 25 1/2"

MODEL	FINISH
LAP254 RP 33-43-79	Matte Black
BASE	SIZE
ADT5436-18-L2 or R2	54" x 36" x 3"

For more information on bases, see www.fleurco.com

IN-LINE 60 WITH RETURN PANEL

57 1/2" to 58 1/8" W x 79" H (80" to top of support bar bracket)
 Approx. entry: 25 1/2"

MODEL	FINISH
LAP260 RP 33-43-79	Matte Black
BASE	SIZE
ABE3260-18-11 or 25-B	60" x 32" x 3"
ADQ3260-18	60" x 32" x 2 3/4"
ATAS2-3260- NEW!	60" x 32" x 1 1/2"
AU_3260-33	60" x 32" x 2 3/4"
AULV3260-18	60" x 32" x 1 1/2"*
ABE3660-18-11 or 25-B	60" x 36" x 3"
ADQ3660-18	60" x 36" x 2 3/4"
ATAS2-3660- NEW!	60" x 36" x 1 3/8"
AU_3660-33	60" x 36" x 2 3/4"
AULV3660-18	60" x 36" x 1 1/2"*
ADT6036-18-L2 or R2	60" x 36" x 3"
ADTC6036-18-L2 or R2 NEW!	60" x 36" x 3"
ALT6036-18-L2 or R2	60" x 36" x 2 3/4"
ADQ4260-18	60" x 42" x 2 3/4"
ADQ4860-18	60" x 48" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com



Pivots on fixed panel,
 closes on wall



Pivots on fixed panel,
 closes on return panel



Pivots on return panel,
 closes on fixed panel




Pivots on wall
 closes on fixed panel



SCAN HERE
 FOR PRICES

NOTE: Inward opening and entry can be
 compromised by insufficient depth of
 enclosure.

Call customer service for more information.



RETURN PANELS

32" RP = 29 1/4" to 29 3/4"	36" RP = 33 1/4" to 33 3/4"
42" RP = 39 1/4" to 39 3/4"	48" RP = 45 1/4" to 45 3/4"



PIVOT 2 SIDED SHOWERS

LAP26032-33-43-79



LATITUDE

PIVOT 2 Sided

In & out pivot door with fixed panel & return panel

10
year limited
warranty

Silk screen design - high style, low maintenance

Sleek vertical handle

In & out pivoting system with 90° inward & 90° outward opening

Reversible left or right door installation on wall, fixed panel or return panel

Magnetic closure

5/16" (8mm) clear tempered glass

Shower door height: 79" (80" to top of support bar bracket)

Matte Black finish

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

In & out pivot door with fixed panel & return panel

5/16" (8 mm) Tempered clear glass
79" Height (80" to top of support bar bracket)

RP You must indicate your return panel size **32"**, **36"**, **42"** or **48"** in the "RP" field



Glass surface protection



These units are reversible.
 (Closes on return panel,
 fixed panel or wall)


IN-LINE 36 WITH RETURN PANEL

33 5/16" to 33 15/16" W x 79" H (80" to top of support bar bracket)
 Approx. entry: 19 1/4"

MODEL	FINISH
ELE233 RP -11-40-79	Chrome
ELE233 __ -25-40-79	Brushed Nickel
ELE233 __ -33-40-79	Matte Black
BASE	SIZE
ALC36-18-B	36" x 36" x 2"
ADQ3636-18	36" x 36" x 2 3/4"
ADQ3642-18	42" x 36" x 2 3/4"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 3/4"
ATAS2-3648- NEW!	48" x 36" x 1 3/8"
AU_3648-33	48" x 36" x 2 3/4"
AULV3648-18	48" x 36" x 1 1/2"*
ADT4836-18-L2 or R2	48" x 36" x 3"
ADTC4836-18-L2 or R2	48" x 36" x 3"
ALT4836-18-L2 or R2	48" x 36" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com



Spacer kit includes set of (2) 3/8" spacers giving an additional 3/4" adjustment for opening.

Spacers can only be applied to the wall jamb but may be stacked for maximum 3/4" adjustment.

Spacer (sold separately)

MODEL	FINISH
ELE-SPACER-3/8-11	Chrome
ELE-SPACER-3/8-25	Brushed Nickel
ELE-SPACER-3/8-33	Matte Black



**SCAN HERE
FOR PRICES**

IN-LINE 42 WITH RETURN PANEL

39 5/16" to 39 15/16" W x 79" H (80" to top of support bar bracket)
 Approx. entry: 25 1/4"

MODEL	FINISH
ELE239 RP -11-40-79	Chrome
ELE239 __ -25-40-79	Brushed Nickel
ELE239 __ -33-40-79	Matte Black
BASE	SIZE
ADQ3242-18	42" x 32" x 2 3/4"
ADQ3642-18	42" x 36" x 2 3/4"
ALC42-18-B	42" x 42" x 2"

For more information on bases, see www.fleurco.com


IN-LINE 48 WITH RETURN PANEL

45 5/16" to 45 15/16" W x 79" H (80" to top of support bar bracket)
 Approx. entry: 25 1/4"

MODEL	FINISH
ELE245 RP -11-40-79	Chrome
ELE245 __ -25-40-79	Brushed Nickel
ELE245 __ -33-40-79	Matte Black
BASE	SIZE
ADQ3248-18	48" x 32" x 2 3/4"
ABE3648-18-11 or 25-B	48" x 36" x 3"
ADQ3648-18	48" x 36" x 2 3/4"
ATAS2-3648- NEW!	48" x 36" x 1 3/8"
AU_3648-33	48" x 36" x 2 3/4"
AULV3648-18	48" x 36" x 1 1/2"*
ADT4836-18-L2 or R2	48" x 36" x 3"
ADTC4836-18-L2 or R2	48" x 36" x 3"
ALT4836-18-L2 or R2	48" x 36" x 2 3/4"
ADT4842-18-L2 or R2	48" x 42" x 3"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com



NOTE: Inward opening and entry can be compromised by insufficient depth of enclosure.

Call customer service for more information.

All models include support bar for max adjustment of 71 5/8".

RETURN PANELS	
32" RP = 29 1/4" to 29 7/8"	36" RP = 33 1/4" to 33 7/8"
42" RP = 39 1/4" to 39 7/8"	48" RP = 45 1/4" to 45 7/8"



These units are reversible.
(Closes on return panel,
fixed panel or wall)

5/16" (8 mm) Tempered clear glass 79" Height (80" to top of support bar bracket)

RP You must indicate your return panel size **32"**, **36"**, **42"** or **48"** in the "RP" field

IN-LINE 54 WITH RETURN PANEL

51 5/16" to 51 15/16" W x 79" H (80" to top of support bar bracket)
Approx. entry: 25 1/4"

MODEL	FINISH
ELE251 RP -11-40-79	Chrome
ELE251 __ -25-40-79	Brushed Nickel
ELE251 __ -33-40-79	Matte Black
BASE	SIZE
ADT5436-18-L2 or R2	54" x 36" x 3"


For more information on bases, see www.fleurco.com

IN-LINE 72 WITH RETURN PANEL

69 5/16" to 69 15/16" W x 79" H (80" to top of support bar bracket)
Approx. entry: 29 1/4"

MODEL	FINISH
ELE269 RP -11-40-79	Chrome
ELE269 __ -25-40-79	Brushed Nickel
ELE269 __ -33-40-79	Matte Black
BASE	SIZE
ADQ3672-18	72" x 36" x 2 3/4"

For more information on bases, see www.fleurco.com



Spacer (sold separately)

MODEL	FINISH
ELE-SPACER-3/8-11	Chrome
ELE-SPACER-3/8-25	Brushed Nickel
ELE-SPACER-3/8-33	Matte Black


IN-LINE 60 WITH RETURN PANEL

57 5/16" to 57 15/16" W x 79" H (80" to top of support bar bracket)
Approx. entry: 25 1/4"

MODEL	FINISH
ELE257 RP -11-40-79	Chrome
ELE257 __ -25-40-79	Brushed Nickel
ELE257 __ -33-40-79	Matte Black
BASE	SIZE
ABE3260-18-11 or 25-B	60" x 32" x 3"
ADQ3260-18	60" x 32" x 2 3/4"
ATAS2-3260- NEW!	60" x 32" x 1 1/2"
AU_3260-33	60" x 32" x 2 3/4"
AULV3260-18	60" x 32" x 1 1/2"*
ABE3660-18-11 or 25-B	60" x 36" x 3"
ADQ3660-18	60" x 36" x 2 3/4"
ATAS2-3660- NEW!	60" x 36" x 1 3/8"
AU_3660-33	60" x 36" x 2 3/4"
AULV3660-18	60" x 36" x 1 1/2"*
ADT6036-18-L2 or R2	60" x 36" x 3"
ADTC6036-18-L2 or R2 NEW!	60" x 36" x 3"
ALT6036-18-L2 or R2	60" x 36" x 2 3/4"
ADQ4260-18	60" x 42" x 2 3/4"
ADQ4860-18	60" x 48" x 2 3/4"

*Unfinished height of threshold

For more information on bases, see www.fleurco.com



NOTE: Inward opening and entry can be compromised by insufficient depth of enclosure.

Call customer service for more information.

All models include support bar for max adjustment of 71 5/8".

RETURN PANELS	
32" RP = 29 1/4" to 29 7/8"	36" RP = 33 1/4" to 33 7/8"
42" RP = 39 1/4" to 39 7/8"	48" RP = 45 1/4" to 45 7/8"

ELERA 2 Sided CRP CW

In & out pivot door with fixed panel & return panel (cont'd)

5/16" (8 mm) Tempered clear glass 79" Height (80" to top of support bar bracket)

RP You must indicate your return panel size **32"**, **36"**, **42"** or **48"** in the "RP" field

OPENING SIZE	APPROX. ENTRY	MODEL	FINISH
35 5/16" to 35 15/16" W	21 1/4"	ELE235 RP -11-40-79	Chrome
		ELE235 __ -25-40-79	Brushed Nickel
		ELE235 __ -33-40-79	Matte Black
37 5/16" to 37 15/16" W	23 1/4"	ELE237 RP -11-40-79	Chrome
		ELE237 __ -25-40-79	Brushed Nickel
		ELE237 __ -33-40-79	Matte Black
41 5/16" to 41 15/16" W	21 1/4"	ELE241 RP -11-40-79	Chrome
		ELE241 __ -25-40-79	Brushed Nickel
		ELE241 __ -33-40-79	Matte Black
43 5/16" to 43 15/16" W	23 1/4"	ELE243 RP -11-40-79	Chrome
		ELE243 __ -25-40-79	Brushed Nickel
		ELE243 __ -33-40-79	Matte Black
47 5/16" to 47 15/16" W	27 1/4"	ELE247 RP -11-40-79	Chrome
		ELE247 __ -25-40-79	Brushed Nickel
		ELE247 __ -33-40-79	Matte Black
49 5/16" to 49 15/16" W	23 1/4"	ELE249 RP -11-40-79	Chrome
		ELE249 __ -25-40-79	Brushed Nickel
		ELE249 __ -33-40-79	Matte Black
53 5/16" to 53 15/16" W	21 1/4"	ELE253 RP -11-40-79	Chrome
		ELE253 __ -25-40-79	Brushed Nickel
		ELE253 __ -33-40-79	Matte Black
55 5/16" to 55 15/16" W	23 1/4"	ELE255 RP -11-40-79	Chrome
		ELE255 __ -25-40-79	Brushed Nickel
		ELE255 __ -33-40-79	Matte Black
59 5/16" to 59 15/16" W	27 1/4"	ELE259 RP -11-40-79	Chrome
		ELE259 __ -25-40-79	Brushed Nickel
		ELE259 __ -33-40-79	Matte Black
61 5/16" to 61 15/16" W	21 1/4"	ELE261 RP -11-40-79	Chrome
		ELE261 __ -25-40-79	Brushed Nickel
		ELE261 __ -33-40-79	Matte Black
63 5/16" to 63 15/16" W	23 1/4"	ELE263 RP -11-40-79	Chrome
		ELE263 __ -25-40-79	Brushed Nickel
		ELE263 __ -33-40-79	Matte Black
65 5/16" to 65 15/16" W	25 1/4"	ELE265 RP -11-40-79	Chrome
		ELE265 __ -25-40-79	Brushed Nickel
		ELE265 __ -33-40-79	Matte Black
67 5/16" to 67 15/16" W	27 1/4"	ELE267 RP -11-40-79	Chrome
		ELE267 __ -25-40-79	Brushed Nickel
		ELE267 __ -33-40-79	Matte Black



Glass surface protection



SAFETY PROTECTION

These units are reversible.
(Closes on return panel,
fixed panel or wall)



Pivots on fixed panel,
closes on wall



Pivots on fixed panel,
closes on return panel



Pivots on return panel,
closes on fixed panel



Pivots on wall
closes on fixed panel



SCAN HERE
FOR PRICES

All models include support bar for max adjustment of 71 5/8".



PIVOT 2 SIDED SHOWERS

ELE25732-11-40-79

ELERA 2 Sided

In & out pivot door with fixed panel

10
year limited
warranty

Sleek vertical handle

In & out pivoting system with 90° inward
& 90° outward opening

Reversible left or right door installation on wall,
fixed panel or return panel

Magnetic closure

5/16" (8mm) clear tempered glass

Shower door height: 79" (80" to top of support bar bracket)

Chrome, Brushed Nickel & Matte Black finishes

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

 **FLEURCO™** www.fleurco.com

WALK-IN SHOWER SHIELDS



*SELECT MONACO SQUARE TOP102-103

Pivot shower shield with fixed panel

Sizes: 24" or 33" fixed panel with 15" moveable panel



*SELECT MONACO ROUND TOP104-105

Pivot shower shield with fixed panel

Sizes: 24" or 33" fixed panel with 15" moveable panel



WALK-IN SHOWER PANELS



VESPERO106-107

Fixed shower panel

Sizes: 33, 39, 45



NEW!
FLUTED GLASS



LATITUDE108-111

Fixed shower panel

Sizes: 28, 32, 38, 44



Glass surface protection



See website for more information



Safety protection



For more information,
see page 120

Available finishes

- Chrome
- Brushed Nickel
- Matte Black
- Brushed Gold

Glass type

- Clear
- Smoked Grey
- Fluted

WALK-IN TUB SHIELDS



***SELECT MONACO SQUARE TOP** 112-113
 Pivot tub shield with fixed panel
 Size: 24" fixed panel with 15" moveable panel




***SELECT MONACO ROUND TOP** 114-115
 Pivot tub shield with fixed panel
 Size: 24" fixed panel with 15" moveable panel



WALK-IN TUB PANELS



LATITUDE 116-117
 Fixed tub panel
 Sizes: 28, 32



***SELECT SOLO** 118-119
 Pivot tub shield panel
 Size: 29"



M Glass surface protection



See website for more information

SEKUR+ Safety protection



For more information,
see page 120

Available finishes

- Chrome
- Brushed Nickel
- Matte Black

Glass type

C Clear

SELECT

MONACO Square Top

Shower shield with fixed panel without FleurcoSEKUR+ Safety Protection



3/8" (10 mm) Tempered clear glass

79" Height (80 1/2" to top of "X" support bar, 86 3/16" to top of "V" support bar)


SHOWER SHIELD

39 7/16" to 40 1/16" W

MODEL	FINISH
VMSXS24-11-40-79	Chrome
VMSXS24-25-40-79	Brushed Nickel
VMSXS24-33-40-79	Matte Black

These units are universal, left and right.

For suggested shower bases, visit www.fleurco.com




SHOWER SHIELD

48 7/16" to 49 1/16" W

MODEL	FINISH
VMSXS33-11-40-79	Chrome
VMSXS33-33-40-79	Matte Black

These units are universal, left and right.

For suggested shower bases, visit www.fleurco.com




"V" support bar (sold separately)

MODEL	FINISH
EVBAR11-01	Chrome
EVBAR25-01	Brushed Nickel
EVBAR33-01	Matte Black

"V" Support bar dimensions



**SCAN HERE
FOR PRICES**



Support Bar System - "V"



SELECT MONACO Square Top

Walk-in shower shield with fixed panel

10
year limited
warranty

European style walk-in shower shield

Available with "X" support bar

Rectangular glass-to-glass hinges

Reversible left or right installation

3/8" (10mm) clear tempered glass

Shower shield height: 79" (80 1/2" to top of the "X" support bar and 86 3/16" to top of the "V" support bar)

Chrome, Brushed Nickel & Matte Black finishes*

Custom sizes available

*Options vary by dimension. See page 102 for more information.

 **Microtek®**
FLEURCO
Glass surface protection

SELECT

MONACO Round Top

Shower shield with fixed panel without FleurcoSEKUR+ Safety Protection



3/8" (10 mm) Tempered clear glass

79" Height (80 1/2" to top of "X" support bar, 86 3/16" to top of "V" support bar)


SHOWER SHIELD

39 7/16" to 40 1/16" W

MODEL	FINISH
VQRXS24-11-40-79	Chrome
VQRXS24-25-40-79	Brushed Nickel
VQRXS24-33-40-79	Matte Black

These units are universal, left and right.

For suggested shower bases, visit www.fleurco.com




SHOWER SHIELD

48 7/16" to 49 1/16" W

MODEL	FINISH
VQRXS33-11-40-79	Chrome
VQRXS33-33-40-79	Matte Black

These units are universal, left and right.


For suggested shower bases, visit www.fleurco.com




"V" support bar (sold separately)

MODEL	FINISH
EVBAR11-01	Chrome
EVBAR25-01	Brushed Nickel
EVBAR33-01	Matte Black

"V" Support bar dimensions



**SCAN HERE
FOR PRICES**





Support Bar System - "V"



SELECT

MONACO Round Top

Walk-in shower shield with fixed panel

10
year limited
warranty

European style walk-in shower shield

Available with "X" support bar

Oval glass-to-glass hinges

Reversible left or right installation

3/8" (10mm) clear tempered glass

Shower shield height: 79" (80 1/2" to top of the "X" support bar and 86 3/16" to top of the "V" support bar)

Chrome, Brushed Nickel & Matte Black finishes*

Custom sizes available

*Options vary by dimension. See page 104 for more information.


Microtek®
FLEURCO
 Glass surface protection
**FLEURCO™** www.fleurco.com

VESPERO Shower Panel

Fixed panel

NEW!
FLUTED GLASS



Glass surface protection



1/4" (6 mm) Tempered glass

79" Height (79 1/4" to top of support bar)

86" Height (86 1/4" to top of support bar)

SHOWER PANEL 33

32 7/16" to 32 3/4" W

MODEL	FINISH	HEIGHT	GLASS
VSP33-33-40-79	Matte Black	79"	Clear
VSP33-12-40-79	Brushed Gold	79"	Clear
VSP33-33-40-86	Matte Black	86"	Clear
VSP33-12-40-86	Brushed Gold	86"	Clear
VSP33-33-30-79	Matte Black	79"	Smoked Grey
VSP33-12-30-79	Brushed Gold	79"	Smoked Grey
VSP33-33-30-86	Matte Black	86"	Smoked Grey
VSP33-12-30-86	Brushed Gold	86"	Smoked Grey
VSP33-33-55-79	Matte Black	79"	Fluted
VSP33-12-55-79	Brushed Gold	79"	Fluted
VSP33-33-55-86	Matte Black	86"	Fluted
VSP33-12-55-86	Brushed Gold	86"	Fluted

For suggested shower bases, visit www.fleurco.com.

SHOWER PANEL 39

38 7/16" to 38 3/4" W

MODEL	FINISH	HEIGHT	GLASS
VSP39-33-40-79	Matte Black	79"	Clear
VSP39-12-40-79	Brushed Gold	79"	Clear
VSP39-33-40-86	Matte Black	86"	Clear
VSP39-12-40-86	Brushed Gold	86"	Clear
VSP39-33-30-79	Matte Black	79"	Smoked Grey
VSP39-12-30-79	Brushed Gold	79"	Smoked Grey
VSP39-33-30-86	Matte Black	86"	Smoked Grey
VSP39-12-30-86	Brushed Gold	86"	Smoked Grey
VSP39-33-55-79	Matte Black	79"	Fluted
VSP39-12-55-79	Brushed Gold	79"	Fluted
VSP39-33-55-86	Matte Black	86"	Fluted
VSP39-12-55-86	Brushed Gold	86"	Fluted

For suggested shower bases, visit www.fleurco.com.


SHOWER PANEL 45

44 7/16" to 44 3/4" W

MODEL	FINISH	HEIGHT	GLASS
VSP45-33-40-79	Matte Black	79"	Clear
VSP45-12-40-79	Brushed Gold	79"	Clear
VSP45-33-40-86	Matte Black	86"	Clear
VSP45-12-40-86	Brushed Gold	86"	Clear
VSP45-33-30-79	Matte Black	79"	Smoked Grey
VSP45-12-30-79	Brushed Gold	79"	Smoked Grey
VSP45-33-30-86	Matte Black	86"	Smoked Grey
VSP45-12-30-86	Brushed Gold	86"	Smoked Grey
VSP45-33-55-79	Matte Black	79"	Fluted
VSP45-12-55-79	Brushed Gold	79"	Fluted
VSP45-33-55-86	Matte Black	86"	Fluted
VSP45-12-55-86	Brushed Gold	86"	Fluted

For suggested shower bases, visit www.fleurco.com.

Support bar dimensions



ALL DRAINS SOLD SEPARATELY

DRAIN No-Calk™ Shower Base Drain*		ABS No-Calk 2" drain		Chrome Brushed Nickel Matte Black Brushed Gold Chrome Brushed Nickel Matte Black Brushed Gold
		DRAINABS-11	DRAINABS-25	
		DRAINABS-33	DRAINABS-12	
		DRAINPVC-11	DRAINPVC-25	
		DRAINPVC-33	DRAINPVC-12	

*Please check local codes to ensure appropriate drain specifications
For AU (Aurora) bases, please see www.fleurco.com



**SCAN HERE
FOR PRICES**

NEW!
FLUTED GLASS

VSP39-33-55-86

VESPERO

Fixed shower panel

10
year limited
warranty

Ultra modern European design

Easy installation

Hidden anchoring system

1/4" (6mm) clear, smoked grey or fluted glass

Shower panel heights: 79" (79 1/4" to top of support bar) & 86" (86 1/4" to top of support bar)








Matte Black & Brushed Gold finishes

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

5/16" (8 mm) Tempered clear glass
79" Height (80" to top of support bar bracket)

SINGLE THRESHOLD

DIMENSION		MODEL	FINISH
 48" x 36" base		LAV28-33-43-79	Matte Black
 60" x 36" base		LAV32-33-43-79	Matte Black
 48" x 36" base		LAV38-33-43-79	Matte Black
 60" x 36" base			
 48" x 36" base		LAV44-33-43-79	Matte Black
 60" x 36" base			
 72" x 36" base			

For suggested shower bases, visit www.fleurco.com



**SCAN HERE
 FOR PRICES**



LATITUDE Walk-in Shower Panel

Fixed panel

10
year limited
warranty

Silk screen design - high style, low maintenance
Available in single panel, 2 sided & corner
5/16" (8mm) clear tempered glass
Shower panel height: 79" (80" to top of support bar bracket)
Matte Black finish




FLEURCO™SEKUR⁺
SAFETY PROTECTION *
*5 year limited warranty

Microtek®
FLEURCO
Glass surface protection

5/16" (8 mm) Tempered clear glass

79" Height (80" to top of support bar bracket)



2 SIDED

	DIMENSION	MODEL	FINISH
 60" x 32" base		LAV3228-33-43-79	Matte Black
 60" x 36" base		LAV3232-33-43-79	Matte Black
 72" x 36" base		LAV4432-33-43-79	Matte Black

For suggested shower bases, visit www.fleurco.com


More size options available. See website for more information.

CORNER

	DIMENSION	MODEL	FINISH
 48" x 36" base		LAV3832C-33-43-79	Matte Black
 60" x 36" base		LAV4432C-33-43-79	Matte Black

For suggested shower bases, visit www.fleurco.com

More size options available. See website for more information.



Support bar can be installed from wall to return panel, or from back wall to front fixed panel, up to a maximum of 70" length. For installation manual, see www.fleurco.com



SCAN HERE
FOR 2 SIDED
PRICES



SCAN HERE
FOR CORNER
PRICES



LATITUDE Walk-in Shower Panel

Fixed panel

10
year limited
warranty

Silk screen design - high style, low maintenance
Available in single panel, 2 sided & corner
5/16" (8mm) clear tempered glass
Shower panel height: 79" (80" to top of support bar bracket)
Matte Black finish

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection



3/8" (10 mm) Tempered clear glass
58" Height (59 1/2" to top of "X" support bar)

TUB SHIELD

58" H (59 1/2" to top of support bar)

MODEL	FINISH
VMSXT24-11-40	Chrome
VMSXT24-25-40	Brushed Nickel
VMSXT24-33-40	Matte Black

This unit is universal, left and right.



**SCAN HERE
FOR PRICES**



SELECT

MONACO Square Top

Walk-in pivot tub shield with fixed panel

10
year limited
warranty

Square top shield with fixed panel
170° outward and 20° inward opening
Reversible left or right side installation
Rectangular glass-to-glass hinges (M)
3/8" (10mm) clear tempered glass
Tub shield height: 58" (59 1/2" to top of support bar)
Chrome, Brushed Nickel & Matte Black finishes
Custom sizes available

 **Microtek®**
FLEURCO
Glass surface protection



3/8" (10 mm) or 1/4" (6 mm) Tempered clear glass
58" Height (59 1/2" to top of "X" support bar)

TUB SHIELD

58" H (59 1/2" to top of support bar)

MODEL	FINISH
3/8" (10 mm) clear tempered glass	
VQRXT24-11-40	Chrome
VQRXT24-25-40	Brushed Nickel
VQRXT24-33-40	Matte Black
1/4" (6 mm) clear tempered glass	
VQRST24-11-40	Chrome
VQRST24-25-40	Brushed Nickel
VQRST24-33-40	Matte Black

These units are universal, left and right.


**SCAN HERE
FOR PRICES**

SELECT

MONACO Round Top

Walk-in pivot tub shield with fixed panel

10
year limited
warranty

Round top shield with fixed panel

170° outward and 20° inward opening

Reversible left or right side installation

Oval glass-to-glass hinges (Q)

3/8" (10mm) clear tempered glass

1/4" (6mm) clear tempered glass

Tub shield height: 58" (59 1/2" to top of support bar)

Chrome, Brushed Nickel & Matte Black finishes

Custom sizes available



5/16" (8 mm) Tempered clear glass
66" Height (66 3/4" to top of support bar)

TUB PANEL 28

28 1/2" W x 66" H (66 3/4" to top of support bar)

MODEL	FINISH
LAVT28-33-43	Matte Black


TUB PANEL 32

32 1/2" W x 66" H (66 3/4" to top of support bar)



MODEL	FINISH
LAVT32-33-43	Matte Black

These units are reversible.

LAVT28



LAVT32



**SCAN HERE
FOR PRICES**



WALK-IN TUB PANELS

LAVT32-33-43

LATITUDE Walk-in Tub Panel

Fixed tub panel

10
year limited
warranty

Silk screen design - high style, low maintenance

5/16" (8mm) clear tempered glass

Tub panel height: 66" (66 3/4" to top of support bar)

Matte Black finish

 **FLEURCO™SEKUR⁺**
SAFETY PROTECTION *
*5 year limited warranty

 **Microtek®**
FLEURCO
Glass surface protection

3/8" (10 mm) Tempered clear glass • 63" Height

SELECT ROUND TOP WITH OVAL (Q) HINGES

29" W x 63" H

MODEL	FINISH
VQRXT029-11-40	Chrome
VQRXT029-25-40	Brushed Nickel
VQRXT029-33-40	Matte Black


This unit is universal, left and right.

SELECT SQUARE TOP WITH RECTANGULAR (M) HINGES


29" W x 63" H

MODEL	FINISH
VMSXT029-11-40	Chrome
VMSXT029-25-40	Brushed Nickel
VMSXT029-33-40	Matte Black

This unit is universal, left and right.



*Panel can go past 90° but may come in contact with wall



IMPORTANT

Wall-mounted hinges must be supported and fastened into a stud framing.



SCAN HERE
FOR **SELECT**
ROUND TOP
PRICES



SCAN HERE
FOR **SELECT**
SQUARE TOP
PRICES



SQUARE TOP

SELECT
SOLO Walk-in Tub Panel
 Pivot tub panel

10
 year limited
 warranty

- 90° outward opening
- Reversible left or right side installation
- Oval wall-mount hinges for Round Top
- Rectangular wall-mount hinges for Square Top
- 3/8" (10mm) clear tempered glass
- Tub panel height: 63"
- Chrome, Brushed Nickel & Matte Black finishes
- Custom sizes available

 **Microtek®**
 FLEURCO
 Glass surface protection

SAFETY PROTECTION

WHAT IS FLEURCOSEKUR⁺ SAFETY PROTECTION?

FLEURCOSEKUR⁺ SAFETY PROTECTION is a transparent film bonded directly onto the glass panel by means of an adhesive to improve safety by retaining the pieces together in the event of glass breakage.

WHAT ARE THE BENEFITS OF FLEURCOSEKUR⁺ SAFETY PROTECTION?

FLEURCOSEKUR⁺ SAFETY PROTECTION film provides an added layer of security for you and your family. In the event of an accident, FLEURCOSEKUR⁺ SAFETY PROTECTION prevents the tempered glass door from shattering into thousands of pieces which could cause damage.

HOW IS FLEURCOSEKUR⁺ SAFETY PROTECTION APPLIED?

Application is performed by a specialized machine.

The film is always installed on the exterior side of the panels as to not affect the Microtek® coating on the interior.

HOW DURABLE IS FLEURCOSEKUR⁺ SAFETY PROTECTION?

FLEURCOSEKUR⁺ SAFETY PROTECTION is very durable. It has been tested for long-term usage against chemicals and normal wear and meets the required standards.

HOW DO I CLEAN GLASS TREATED WITH FLEURCOSEKUR⁺ SAFETY PROTECTION?

No abrasive materials should be used in cleaning a FLEURCOSEKUR⁺ SAFETY PROTECTION treated shower door. Cleaning with a damp cloth using a mixture of vinegar/mild soap with water is recommended.



5
year limited
warranty



NEW
FINISHES
COMING
FALL 2025

Fibo

by  FLEURCO™

WALL SYSTEMS

THE SMART WAY TO TRANSFORM YOUR WALL



Scan here to see full collection & pricing


NEW TAVIA 2.0 SOLID SURFACE BASE



Scan here to see full collection & pricing

QUAD

The Quad base is a unique base that allows for 3 configurations: in-line, 2 sided (left or right) or 3 sided applications. Comes with 3 aluminum pre-cut tiling flanges that can be installed for different applications (in-line, in-line cube, 2 sided, 3 sided).




Installation of tile flange available. Please contact Customer Service.

IN-LINE

3 integrated tile flanges

The in-line base is a single threshold base with 3 pre-molded and integrated tiling flanges. It allows for easy installation for in-line shower models 48", 54" & 60". Different drain variations include: center drain, side drain & linear front drain.




- Easy installation
- Pre-molded tiling flanges

2 SIDED

2 integrated tile flanges

The 2 sided base is a double threshold base with 2 pre-molded and integrated tiling flanges. It allows for easy installation for 2 sided shower models, 48", 54" & 60".



- Easy installation
- Pre-molded tiling flanges

ADAPTEK

The Adaptek base is an innovative Accessible Design (AD) shower base, which includes a transfer and a roll-in model. The AD bases install flush to the bathroom floor with a trench drain and stainless steel cover. They are wheelchair friendly and ease foot traffic accessibility. A wide threshold can accommodate a selected Fleurco™ shower door model.





ABF3739AD




ABF3763AD




QUAD



SOLID SURFACE BASES



TEXTURED SURFACE




TEXTURED SURFACE




= Fibo by Fleurco compatible

CORNER BASES




INTEGRATED FLANGE




Easy installation
Pre-molded tiling flanges

SINGLE THRESHOLD



DOUBLE THRESHOLD





luna
LED MIRRORS

See yourself in the best light with Fleurco's modern LED bathroom mirrors. Available in a multitude of shapes and sizes, our mirrors add a beautiful touch to your space that is both practical and stylish.



HALO PLUS 128-129
Bathroom Mirror



HALO PLUS ROUND 128-129
Bathroom Mirror



HALO PLUS OBLONG 128-129
Bathroom Mirror



ARTUS 130-131
Framed Bathroom Mirror



MAGNA 132-133
Framed Oblong Bathroom Mirror

HALO PLUS BATHROOM MIRROR

MODEL	SIZE	SHAPE	DEFOGGER*
MHAPR2424	ø 24"	Round	Single centered
MHAPR3030	ø 30"	Round	Single centered
MHAP1836	18" W x 36" H	Rectangular	Single centered
MHAP2136	21" W x 36" H	Rectangular	Single centered
MHAP2436	24" W x 36" H	Rectangular	Single centered
MHAP3036	30" W x 36" H	Rectangular	Single centered
MHAP3636	36" W x 36" H	Square	Single centered
MHAP4236	42" W x 36" H	Rectangular	Double centered
MHAP4836	48" W x 36" H	Rectangular	Double centered
MHAP5436	54" W x 36" H	Rectangular	Double split
MHAP6036	60" W x 36" H	Rectangular	Double split
MHAP7224	72" W x 24" H	Rectangular	Double split
MHAP7236	72" W x 36" H	Rectangular	Double split
MHAPO2039	20" W x 39" H	Oblong	Single centered

*Defogger pad may be off-centred if mirror orientation is changed.

For technical drawings, see www.fleurco.com

TECHNICAL SPECS

MODEL	LUMENS	KELVIN	WATTS	INPUT
MHAPR2424	0-1003 lm	CCT 2700-6500 K	33W	120V AC, 50/60Hz
MHAPR3030	0-1298 lm	CCT 2700-6500 K	61W	120V AC, 50/60Hz
MHAP1836	0-1050 lm	CCT 2700-6500 K	66W	120V AC, 50/60Hz
MHAP2136	0-1624 lm	CCT 2700-6500 K	68W	120V AC, 50/60Hz
MHAP2436	0-1711 lm	CCT 2700-6500 K	70W	120V AC, 50/60Hz
MHAP3036	0-1889 lm	CCT 2700-6500 K	73W	120V AC, 50/60Hz
MHAP3636	0-2066 lm	CCT 2700-6500 K	77W	120V AC, 50/60Hz
MHAP4236	0-2243 lm	CCT 2700-6500 K	116W	120V AC, 50/60Hz
MHAP4836	0-2420 lm	CCT 2700-6500 K	119W	120V AC, 50/60Hz
MHAP5436	0-2597 lm	CCT 2700-6500 K	123W	120V AC, 50/60Hz
MHAP6036	0-2804 lm	CCT 2700-6500 K	127W	120V AC, 50/60Hz
MHAP7224	0-2804 lm	CCT 2700-6500 K	127W	120V AC, 50/60Hz
MHAP7236	0-3158 lm	CCT 2700-6500 K	134W	120V AC, 50/60Hz
MHAPO2039	0-1220 lm	CCT 2700-6500 K	53W	120V AC, 50/60Hz

SCAN HERE FOR PRICES

Round



Rectangular



Oblong





MHAP2436



MHAPR3030



MHAP02039

HALO PLUS

Energy-efficient LED lights with adjustable color temperatures

Defogger pad included

Can be installed vertically or horizontally

5mm copper-free mirror

Aluminum frame for easy installation

Safety film backing

ON-OFF touch switch with built-in dimmer

Touch button to navigate between pre-set light color temperatures (2700K-4500K-6500K)

Installation with plug

Available in multiple sizes

ARTUS BATHROOM MIRROR

F You must indicate finish code in "F" field: Chrome 11, Brushed Nickel 25, Satin White 18, Satin Black 33, Brushed Gold 12, Gun Metal 15

MODEL	SIZE	DEFOGGER*
MFA2136 - F	21" W x 36" H	Single centered
MFA2436- F	24" W x 36" H	Single centered
MFA3036- F	30" W x 36" H	Single centered
MFA3636- F	36" W x 36" H	Single centered
MFA4236- F	42" W x 36" H	Double split
MFA4836- F	48" W x 36" H	Double split
MFA5436- F	54" W x 36" H	Double split
MFA6036- F	60" W x 36" H	Double split
MFA7224- F	72" W x 24" H	Double split
MFA7236- F	72" W x 36" H	Double split

*Defogger pad may be off-centred if mirror orientation is changed
For technical drawings, see www.fleurco.com



Chrome 11



Brushed Nickel 25



Satin White 18



Brushed Gold 12



Satin Black 33
(black finish will vary
by mirror series)



Gun Metal 15

TECHNICAL SPECS

MODEL	LUMENS	KELVIN	WATTS	INPUT
MFA2136	0-1770 lm	CCT 3000-6500 K	52W	100-240V AC, 50/60Hz
MFA2436	0-1860 lm	CCT 3000-6500 K	54W	100-240V AC, 60/60Hz
MFA3036	0-2050 lm	CCT 3000-6500 K	57W	100-240V AC, 50/60Hz
MFA3636	0-2230 lm	CCT 3000-6500 K	59W	100-240V AC, 60/60Hz
MFA4236	0-2400 lm	CCT 3000-6500 K	88W	100-240V AC, 50/60Hz
MFA4836	0-2600 lm	CCT 3000-6500 K	91W	100-240V AC, 60/60Hz
MFA5436	0-2780 lm	CCT 3000-6500 K	94W	100-240V AC, 50/60Hz
MFA6036	0-2960 lm	CCT 3000-6500 K	96W	100-240V AC, 50/60Hz
MFA7224	0-2960 lm	CCT 3000-6500 K	96W	100-240V AC, 60/60Hz
MFA7236	0-3320 lm	CCT 3000-6500 K	102W	100-240V AC, 60/60Hz



SCAN HERE
FOR PRICES



5
year limited
warranty



MFA2436-12

ARTUS

Decorative metal frame available in Chrome, Brushed Nickel, Satin White, Satin Black, Brushed Gold & Gun Metal

Energy-efficient LED lights with adjustable color temperatures

Can be installed vertically or horizontally

Defogger pad with automatic shut-off for energy conservation included

5mm copper-free mirror

Safety film backing

ON-OFF touch switch with built-in dimmer

Touch button to navigate between pre-set light color temperatures (3000K-4500K-6500K)

Hardwired installation - the frame is hung on a wall-mounted bracket

Available in multiple sizes

MAGNA BATHROOM MIRROR

MODEL	SIZE	FINISH	DEFOGGER*
MFM02039-33	20" W x 39" H	Matte Black	Single centered
MFM02039-12	20" W x 39" H	Brushed Gold	Single centered

*Defogger pad may be off-centred if mirror orientation is changed
For technical drawings, see www.fleurco.com

TECHNICAL SPECS

MODEL	LUMENS	KELVIN	WATTS	INPUT
MFM02039	0-720 lm	CCT 2700-6500 K	53W	120V AC, 50/60Hz



Matte Black 33
(black finish will vary
by mirror series)



Brushed Gold 12



SCAN HERE
FOR PRICES



5
year limited
warranty



MFM02039-12

MAGNA

Oblong shaped decorative metal frame available in Brushed Gold & Matte Black finishes

Energy-efficient LED lights with adjustable color temperatures

Can be installed vertically or horizontally

Defogger pad included

5mm copper-free mirror

Safety film backing

ON-OFF touch switch with built-in dimmer

Touch button to navigate between pre-set light color temperatures (2700K-4500K-6500K)

Installation with plug

FEATURES + BENEFITS



Interior & exterior mirrors

8mm, ultra clear
adjustable glass shelves

Sandblasted aluminum body

Copper-free mirror

Energy-efficient
LED bright white light

Wall mounted
or recessed
installation (surface
mount kit included)

**NEW &
UPGRADED**
electrical components

Soft-close door
with Blum® hinges


USB / USB-C ports included
(excluding Halo Tall View)

Metal ON/OFF touch
switch with dimmer

2 tamper resistant
and GFCI outlets

luna


LED
MEDICINE CABINETS



HALO SINGLE VIEW 136-137
Single panel medicine cabinet



HALO BI-VIEW..... 138-139
Double panel medicine cabinet



HALO TRI-VIEW 140-141
Triple panel medicine cabinet

ADDITIONAL GLASS SHELVES..... 142

HALO SINGLE VIEW


SINGLE PANEL MEDICINE CABINET

MODEL	CABINET SIZE	ROUGH OPENING SIZE FOR RECESSED	FINISH
MCHS1930-14	19" W x 30" H	18 ¾" W x 29 ½" H x 4" D	Sandblasted Aluminum
MCHS1936-14	19" W x 36" H	18 ¾" W x 35 ½" H x 4" D	Sandblasted Aluminum
MCHS2430-14	24" W x 30" H	24 ⅛" W x 29 ½" H x 4" D	Sandblasted Aluminum
MCHS2436-14	24" W x 36" H	24 ⅛" W x 35 ½" H x 4" D	Sandblasted Aluminum

Additional glass shelves available, see page 142.

TECHNICAL SPECS

MODEL	LUMENS RANGE	KELVIN	WATTS	INPUT
MCHS1930-14	0-1340 lm	CCT 3800 K	21.5W	120V AC, 50/60Hz
MCHS1936-14	0-1510 lm	CCT 3800 K	23W	120V AC, 50/60Hz
MCHS2430-14	0-1510 lm	CCT 3800 K	23W	120V AC, 50/60Hz
MCHS2436-14	0-1690 lm	CCT 3800 K	25W	120V AC, 50/60Hz



MODEL	A	B
MCHS1930-14	19" [483mm]	30 ⅜" [772mm]
MCHS1936-14	19" [483mm]	36 ⅜" [924mm]
MCHS2430-14	24 ⅜" [619mm]	30 ⅜" [772mm]
MCHS2436-14	24 ⅜" [619mm]	36 ⅜" [924mm]

Tolerance on dimensions: ± 1/8" (3mm)

NEW & UPGRADED ELECTRICAL COMPONENTS



USB / USB-C ports included



Metal ON/OFF touch switch with dimmer



2 tamper resistant & GFCI outlets



SCAN HERE FOR PRICES



HALO SINGLE VIEW



HALO BI-VIEW


DOUBLE PANEL MEDICINE CABINET

MODEL	CABINET SIZE	ROUGH OPENING SIZE FOR RECESSED	DOOR SPLIT	FINISH
MCHB3030-14	30" W x 30" H	30 1⁄8" W x 29 1⁄2" H x 4" D	Off center	Sandblasted Aluminum
MCHB3036-14	30" W x 36" H	30 1⁄8" W x 35 1⁄2" H x 4" D	Off center	Sandblasted Aluminum

Additional glass shelves available, see page 142.

TECHNICAL SPECS

MODEL	LUMENS RANGE	KELVIN	WATTS	INPUT
MCHB3030-14	0-1690 lm	CCT 3800 K	25W	120V AC, 50/60Hz
MCHB3036-14	0-1840 lm	CCT 3800 K	27W	120V AC, 50/60Hz



NEW & UPGRADED ELECTRICAL COMPONENTS



USB / USB-C ports included



Metal ON/OFF touch switch with dimmer



2 tamper resistant & GFCI outlets

MODEL	A	B	C	D
MCHB3030-14	30 3⁄8" [772mm]	30 3⁄8" [772mm]	18 1⁄4" [464mm]	12 1⁄8" [308mm]
MCHB3036-14	30 3⁄8" [772mm]	36 3⁄8" [924mm]	18 1⁄4" [464mm]	12 1⁄8" [308mm]

Tolerance on dimensions: ± 1/8" (3mm)



SCAN HERE
FOR PRICES



5
year limited
warranty

HALO BI-VIEW

luna

LED
MEDICINE CABINETS



MCHB3036-14

HALO TRI-VIEW

TRIPLE PANEL MEDICINE CABINET

MODEL	CABINET SIZE	ROUGH OPENING SIZE FOR RECESSED	FINISH
MCHT3030-14	30" W x 30" H	30 1/8" W x 29 1/2" H x 4" D	Sandblasted Aluminum
MCHT3036-14	30" W x 36" H	30 1/8" W x 35 1/2" H x 4" D	Sandblasted Aluminum
MCHT3630-14	36" W x 30" H	36 1/8" W x 29 1/2" H x 4" D	Sandblasted Aluminum
MCHT3636-14	36" W x 36" H	36 1/8" W x 35 1/2" H x 4" D	Sandblasted Aluminum
MCHT4830-14	48" W x 30" H	48 1/8" W x 29 1/2" H x 4" D	Sandblasted Aluminum
MCHT4836-14	48" W x 36" H	48 1/8" W x 35 1/2" H x 4" D	Sandblasted Aluminum
MCHT6030-14	60" W x 30" H	59 3/4" W x 29 1/2" H x 4" D	Sandblasted Aluminum
MCHT6036-14	60" W x 36" H	59 3/4" W x 35 1/2" H x 4" D	Sandblasted Aluminum

Additional glass shelves available, see page 142.

TECHNICAL SPECS

MODEL	LUMENS RANGE	KELVIN	WATTS	INPUT
MCHT3030-14	0-1690 lm	CCT 3800 K	25W	120V AC, 50/60Hz
MCHT3036-14	0-1840 lm	CCT 3800 K	27W	120V AC, 50/60Hz
MCHT3630-14	0-1840 lm	CCT 3800 K	27W	120V AC, 50/60Hz
MCHT3636-14	0-2000 lm	CCT 3800 K	29W	120V AC, 50/60Hz
MCHT4830-14	0-2170 lm	CCT 3800 K	31W	120V AC, 50/60Hz
MCHT4836-14	0-2340 lm	CCT 3800 K	33W	120V AC, 50/60Hz
MCHT6030-14	0-2500 lm	CCT 3800 K	35W	120V AC, 50/60Hz
MCHT6036-14	0-2650 lm	CCT 3800 K	38W	120V AC, 50/60Hz

MODEL	A	B	C
MCHT3030-14	30 3/8" [772mm]	30 3/8" [772mm]	10 1/8" [257mm]
MCHT3036-14	30 3/8" [772mm]	36 3/8" [924mm]	10 1/8" [257mm]
MCHT3630-14	36 3/8" [924mm]	30 3/8" [772mm]	12 1/8" [308mm]
MCHT3636-14	36 3/8" [924mm]	36 3/8" [924mm]	12 1/8" [308mm]
MCHT4830-14	48 3/8" [1229mm]	30 3/8" [772mm]	16 1/8" [410mm]
MCHT4836-14	48 3/8" [1229mm]	36 3/8" [924mm]	16 1/8" [410mm]
MCHT6030-14	60" [1524mm]	30 3/8" [772mm]	20" [508mm]
MCHT6036-14	60" [1524mm]	36 3/8" [924mm]	20" [508mm]

Tolerance on dimensions: ± 1/8" (3mm)

NEW & UPGRADED ELECTRICAL COMPONENTS




USB / USB-C ports
included



Metal ON/OFF touch
switch with dimmer



2 tamper resistant &
GFCI outlets



SCAN HERE
FOR PRICES




*US only

HALO TRI-VIEW

luna

LED
MEDICINE CABINETS



MCHT3636-14

ADDITIONAL GLASS SHELVES

ADDITIONAL SHELVES FOR SINGLE VIEW & BI-VIEW UNITS

Single view and bi-view units use one long shelf.




MODEL	DIMENSIONS L x D
MCH-SHELF-15	13 3⁄8" x 3 1⁄2" 341mm x 87mm
MCH-SHELF-19	17 3⁄8" x 3 1⁄2" 442mm x 87mm
MCH-SHELF-24	22 7⁄8" x 3 1⁄2" 578mm x 87mm
MCH-SHELF-30	28 7⁄8" x 3 1⁄2" 731mm x 87mm

Code example:
36S = short shelf for 36" wide unit.
36L = long shelf for 36" wide unit.

ADDITIONAL SHELVES FOR TRI-VIEW UNITS

Tri-view units use long & short shelves.
See below for arrangements.

MODEL	DIMENSIONS L x D
MCH-SHELF-30S	9" x 3 1⁄2" 228mm x 87mm
MCH-SHELF-30L	19" x 3 1⁄2" 480mm x 87mm
MCH-SHELF-36S	11" x 3 1⁄2" 279mm x 87mm
MCH-SHELF-36L	23" x 3 1⁄2" 579mm x 87mm
MCH-SHELF-48S	15" x 3 1⁄2" 381mm x 87mm
MCH-SHELF-48L	31" x 3 1⁄2" 787mm x 87mm
MCH-SHELF-60	19" x 3 1⁄2" 479mm x 87mm



SCAN HERE
FOR PRICES

5
year limited
warranty

Tolerance on dimensions: ± 1/8" (3mm)

BATHTUBS



OPUS



FEATURES

- Acrylic bathtubs
- Easy to clean high-gloss cast acrylic sheet
- Pre-installed chrome on brass drain
- Spacious bathtubs for better comfort
- Slotted clean overflow on all models
- Colour matching drain cover included for all models
- Adjustable leveling feet
-

10
year limited
warranty



aria ARPEGGIO 146-147

Petite BZAR5931-18
59" L x 31 1/2" W x 28 1/2" H
Capacity: 53 US gal • 200 L

Grande BZAR6731-18
67" L x 31 1/2" W x 28 1/2" H
Capacity: 60 US gal • 227 L

NEW



aria TONNETZ 148-149

Petite BTZ5531-18
55 1/2" L x 31 5/8" W x 23 1/4" H
Capacity: 67.6 US gal • 256 L

Grande BTZ6732-18
67 3/8" L x 32 3/32" W x 22 7/8" H
Capacity: 91 US gal • 345 L

NEW
MATTE &
GLOSSY
BLACK



aria VOCE 150-151

Petite
BVO5531-18
BVO5531-33MG
55" L x 31 1/2" W x 24" H
Capacity: 67 US gal • 254 L

Grande
BVO6732-18
BVO6732-33MG
67" L x 32 1/4" W x 23" H
Capacity: 78 US gal • 295 L



OPUS LIBRETTO 152-153

Petite BZLI5931-18
59" L x 31 1/2" W x 23" H
Capacity: 54 US gal • 205 L

Grande BZLI6731-18
67" L x 31 1/2" W x 23" H
Capacity: 62 US gal • 235 L



OPUS WALTZ 154-155

Petite BZWA5931-18
59" L x 31 1/2" W x 23" H
Capacity: 58 US gal • 220 L

Grande BZWA6731-18
67" L x 31 1/2" W x 23" H
Capacity: 68 US gal • 259 L



FREESTANDING TUB INSTALLATION MADE EASY




- A fast and easy way to install a freestanding tub
- Less installation time
- Ideal for tight spaces with minimum access
- Easy access for repairs




Features & benefits

1. One piece drain and no metal = no rust
2. Available in ABS and PVC
3. Union reduced from 2" to 1½"
4. Light weight
5. Includes test plug and plumbing grease
6. The middle cap can be removed to replace the silicone gasket
7. The narrow drain base allows for an installation closer to the stud
8. The drain is 2 ¾" thick to allow for installations on smaller rafters



Includes



SCAN HERE
FOR PRICES

ABS model: **DRAINFC-T-ABS-33**
PVC model: **DRAINFC-T-PVC-18**

PETITE

59" L x 31 1/2" W x 28 1/2" H • Capacity: 53 US gal
1495mm L x 800mm W x 725mm H • Capacity: 200 L

GRANDE

67" L x 31 1/2" W x 28 1/2" H • Capacity: 60 US gal
1695mm L x 800mm W x 725mm H • Capacity: 227 L




MODEL	TUB COLOR
BZAR5931-18	White

MODEL	TUB COLOR
BZAR6731-18	White

Tub includes white toe touch drain cover

Chrome drain cover (optional)
Brushed Nickel drain cover (optional)
Matte Black drain cover (optional)
Brushed Gold drain cover (optional)

TUBDRAINCOVER-11
TUBDRAINCOVER-25
TUBDRAINCOVER-33
TUBDRAINCOVER-12



Tolerance on dimensions: $\pm 1/4"$ (6 mm)

MODEL	A	B	C	D	E
BZAR5931	59" [1495mm]	29 1/2" [750mm]	40 1/8" [1020mm]	45 1/4" [1150mm]	110°
BZAR6731	66 7/8" [1695mm]	33 3/8" [850mm]	43 5/8" [1110mm]	50 1/4" [1275mm]	115°

To receive the full size paper template for this tub model, simply send us a request indicating code **TMPBZAR5931** for petite, or **TMPBZAR6731** for grande. We will gladly mail it to you at no charge.

SCAN HERE FOR PRICES

Petite

Grande



FREESTANDING TUB INSTALLATION MADE EASY

See page 145 for more information

ABS model: **DRAINFC-T-ABS-33**
PVC model: **DRAINFC-T-PVC-18**



MODEL BZAR6731-18

PETITE

55 1/2" L x 31 5/8" W x 23 1/4" H • Capacity: 67.6 US gal
1410mm L x 804mm W x 590mm H • Capacity: 256 L

GRANDE

67 3/8" L x 32 3/32" W x 22 7/8" H • Capacity: 91 US gal
1710mm L x 815mm W x 580mm H • Capacity: 345 L




MODEL	TUB COLOR
BTZ5531-18	White

MODEL	TUB COLOR
BTZ6732-18	White

Tub includes white toe touch drain cover

Chrome drain cover (optional)
Brushed Nickel drain cover (optional)
Matte Black drain cover (optional)
Brushed Gold drain cover (optional)

TUBDRAINCOVER-11
TUBDRAINCOVER-25
TUBDRAINCOVER-33
TUBDRAINCOVER-12



Tolerance on dimensions: $\pm 1/4"$ (6 mm)

MODEL	A	B	C	D	E	F	G	H	I
BTZ5531	55 1/2" [1410mm]	31 5/8" [804mm]	114°	43 5/8" [1109mm]	42 1/2" [1080mm]	20 3/4" [526mm]	23 7/8" [606mm]	23 1/4" [590mm]	15 1/8" [385mm]
BTZ6732	67 3/8" [1710mm]	32 3/32" [815mm]	125°	47 7/8" [1215mm]	49 1/4" [1250mm]	19 7/8" [505mm]	23 1/4" [590mm]	22 7/8" [580mm]	17 3/4" [450mm]

To receive the full size paper template for this tub model, simply send us a request indicating code **TMPBTZ5531** for petite, or **TMPBTZ6732** for grande. We will gladly mail it to you at no charge.

SCAN HERE FOR PRICES

Petite

Grande



FREESTANDING TUB INSTALLATION MADE EASY

See page 145 for more information

ABS model: **DRAINFC-T-ABS-33**
PVC model: **DRAINFC-T-PVC-18**

NEW

TONNETZ



FREESTANDING TUB



MODEL BTZ5531-18

PETITE

55" L x 31 1/2" W x 24" H • Capacity: 67 US gal
1400mm L x 800mm W x 610mm H • Capacity: 254 L

GRANDE

67" L x 32 1/4" W x 23" H • Capacity: 78 US gal
1700mm L x 820mm W x 580mm H • Capacity: 295 L

MODEL

TUB COLOR

BVO5531-18

White

MODEL

TUB COLOR

BVO6732-18

White

NEW

BVO5531-33MG

Matte Black Exterior
Glossy Black Interior

NEW


BVO6732-33MG

Matte Black Exterior
Glossy Black Interior



Tub includes colour matching toe touch drain cover

Chrome drain cover (optional)
Brushed Nickel drain cover (optional)
Matte Black drain cover (optional)
Brushed Gold drain cover (optional)

TUBDRAINCOVER-11
TUBDRAINCOVER-25
TUBDRAINCOVER-33
TUBDRAINCOVER-12



CLEAN SLOTTED
OVERFLOW



Tolerance on dimensions: $\pm 1/4"$ (6 mm)

MODEL	A	B	C	D	E	F	G	H	I	J
BVO5531	55 1/8" [1400mm]	27 1/2" [700mm]	31 1/2" [800mm]	15 3/4" [400mm]	24" [610mm]	14 7/8" [380mm]	115°	43 1/4" [1100mm]	47 1/4" [1200mm]	20 1/2" [520mm]
BVO6732	66 7/8" [1700mm]	33 1/2" [850mm]	32 1/4" [820mm]	16 1/8" [410mm]	22 7/8" [580mm]	15 1/8" [385mm]	125°	47 5/8" [1210mm]	49 1/4" [1250mm]	19 5/8" [500mm]

To receive the full size paper template for this tub model, simply send us a request indicating code **TMPBVO5531** for petite, or **TMPBVO6732** for grande. We will gladly mail it to you at no charge.



SCAN HERE
FOR PRICES



FREESTANDING TUB INSTALLATION MADE EASY

See page 145 for more information

ABS model: **DRAINFC-T-ABS-33**
PVC model: **DRAINFC-T-PVC-18**



LIBRETTO



PETITE

59" L x 31 1/2" W x 23" H • Capacity: 54 US gal
1500mm L x 800mm W x 580mm H • Capacity: 205 L

GRANDE

67" L x 31 1/2" W x 23" H • Capacity: 62 US gal
1700mm L x 800mm W x 580mm H • Capacity: 235 L

MODEL

TUB COLOR

BZLI5931-18

White

MODEL

TUB COLOR


BZLI6731-18

White

Tub includes white toe touch drain cover

Chrome drain cover (optional)
Brushed Nickel drain cover (optional)
Matte Black drain cover (optional)
Brushed Gold drain cover (optional)

TUBDRAINCOVER-11
TUBDRAINCOVER-25
TUBDRAINCOVER-33
TUBDRAINCOVER-12



Tolerance on dimensions: $\pm 1/4"$ (6 mm)

MODEL	A	B	C	D	E
BZLI5931	59" [1500mm]	56 5/8" [1440mm]	29 1/2" [750mm]	39 3/8" [1000mm]	48" [1220mm]
BZLI6731	66 7/8" [1700mm]	64 1/2" [1640mm]	33 1/2" [850mm]	47 1/4" [1200mm]	55 7/8" [1420mm]

To receive the full size paper template for this tub model, simply send us a request indicating code **TMPBZLI5931** for petite, or **TMPBZLI6731** for grande. We will gladly mail it to you at no charge.

SCAN HERE FOR PRICES

Petite

Grande



FREESTANDING TUB INSTALLATION MADE EASY

ABS model: **DRAINFC-T-ABS-33**
PVC model: **DRAINFC-T-PVC-18**

See page 145 for more information

LIBRETTO OPUS

DECK-MOUNT
FREESTANDING TUB



MODEL BZLI6731-18

PETITE

59" L x 31 1/2" W x 23" H • Capacity: 58 US gal
1500mm L x 800mm W x 580mm H • Capacity: 220 L

GRANDE

67" L x 31 1/2" W x 23" H • Capacity: 68 US gal
1700mm L x 800mm W x 580mm H • Capacity: 259 L

MODEL

TUB COLOR

BZWA5931-18

White

MODEL

TUB COLOR




BZWA6731-18

White

Tub includes white toe touch drain cover

Chrome drain cover (optional)
Brushed Nickel drain cover (optional)
Matte Black drain cover (optional)
Brushed Gold drain cover (optional)

TUBDRAINCOVER-11
TUBDRAINCOVER-25
TUBDRAINCOVER-33
TUBDRAINCOVER-12



Tolerance on dimensions: $\pm 1/4"$ (6 mm)


MODEL	A	B	C	D	E	F
BZWA5931	59" [1500mm]	56 3/4" [1440mm]	29 1/2" [750mm]	43 3/8" [1105mm]	44 3/8" [1130mm]	114°
BZWA6731	66 7/8" [1700mm]	64 5/8" [1640mm]	33 1/2" [850mm]	49 3/8" [1255mm]	52 1/4" [1330mm]	117°

To receive the full size paper template for this tub model, simply send us a request indicating code **TMPBZWA5931** for petite, or **TMPBZWA6731** for grande. We will gladly mail it to you at no charge.

SCAN HERE FOR PRICES

Petite

Grande



FREESTANDING TUB INSTALLATION MADE EASY

ABS model: **DRAINFC-T-ABS-33**
PVC model: **DRAINFC-T-PVC-18**


See page 145 for more information

WALTZ OPUS

DECK-MOUNT
FREESTANDING TUB



MODEL BZWA6731-18



FLEURCO™

FLEURCO HEADQUARTERS

16701 Autoroute Transcanadienne
Kirkland, QC, H9H 3L1

Tel. 514.326.2222
Toll free 1.800.993.0033
Fax 514.326.2008

● FLEURCO US EAST

22-B Roland Avenue,
Mount Laurel, New Jersey, 08054

Tel. 856.778.0110
Toll free 1.888.568.2121
Fax 1.888.854.1020

● FLEURCO US MIDWEST

655 W Grand Avenue, Suite 350,
Elmhurst, Illinois, 60126

Tel. 630.607.0847
Toll free 1.888.263.3651
Fax 331.225.2549

● FLEURCO US WEST

9132 Norwalk Blvd,
Santa Fe Springs, California, 90670

Tel. 562.368.8800
Toll free 1.877.413.2880
Fax 562.368.8812

● FLEURCO US SOUTHEAST

644 Park of Commerce Way, Suite 300,
Boca Raton, Florida, 33487

Tel. 239.401.6612
Toll free 1.888.877.6008

